





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:07	12.12.2006	 ETKA
PA	2005	9	03	903-01		597	USA		




Pos	Part Number	Name	Remarks	Qty	Model
		alternator	90A		
1	06B 903 018 DX	alternator	VALEO	1	
(1)	038 903 018 E	alternator	BOSCH	1	
(1)	038 903 018 EX	alternator	BOSCH	1	
(1)	028 903 029 S	alternator	BOSCH	1	
(1)	028 903 029 SX	alternator	BOSCH	1	
(1)	028 903 029 TX	alternator	VALEO	1	
		alternator	120A		
(1)	06B 903 018 EX	alternator	VALEO	1	
(1)	038 903 018 F	alternator	BOSCH	1	
(1)	038 903 018 FX	alternator	BOSCH	1	
(1)	038 903 018 Q	alternator	BOSCH	1	
(1)	038 903 018 QX	alternator	BOSCH	1	
(1)	028 903 031 AX	alternator	VALEO	1	
(1)	028 903 029 R	alternator	VALEO	1	BHW
(1)	028 903 029 RX	alternator	VALEO	1	
		alternator	150A		
(1)	078 903 016 R	alternator	VALEO	1	armoured vehicle: AMX
(1)	078 903 016 RX	alternator	VALEO	1	
(1)	078 903 016 SX	alternator	BOSCH	1	
(1)	07D 903 021	generator (water-cooled)	DELPHI	1	
(1)	07D 903 021 X	generator (water-cooled)	DELPHI	1	
		single parts			


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:07	12.12.2006		ETKA
PA	2005	9	03	903-01		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
2	07D 903 119	ribbed belt pulley for alternator:	20	1		(4)	06B 903 803 B	voltage regulator for alternator:	VALEO 5,6,12,13,17, 19,22,24,27, 30,30B	1	
(2)	022 903 119 B	poly v-belt pulley with freewheel and cover cap for alternator:	19,21,22,23, 24,27,30,31	1				as required use:	06B 903 193 A	1	
		as required use:	028 903 237 B	1		(4)	078 903 803 D	voltage regulator for alternator:	VALEO 25	1	
(2)	06B 903 119 C	ribbed belt pulley for alternator:	2,3,6,12,	1		(4)	#078 903 803 EX	voltage regulator for alternator:	BOSCH 2,3,7-11, 18,26,31	1	
(2)	06B 903 119	ribbed belt pulley for alternator:	5	1				voltage regulator not a spare part for alternator:	20		
(2)	078 903 119 J	ribbed belt pulley for alternator:	25	1		5	028 903 320 C	repair kit for generator	M16X1,5	1	
(2)	038 903 119 K	ribbed belt pulley for alternator:	10,11,13,26, 28,30A	1		(5)	030 903 181	shouldered nut	M16X1,5	1	
3	038 903 193 E	protective cap for alternator:	BOSCH 2,3,7-11,18,21 23,26,31	1		6	037 145 291	protective cap ribbed belt pulley for alternator:	7,8-18	1	
(3)	07D 903 193	protective cap for alternator:	DELPHI 20	1		-	028 903 237 B	spacer ring	5,8MM	1	
(3)	078 903 193 E	protective cap for alternator:	VALEO 5,6,12,13,17, 19,22,24,27, 28,30,30B	1		14	N 011 008 40	hex. nut for contact:	M8 B+	1	
		F >> 3B-5-012 000*				15	N 904 030 02	cap for contact:	13X14 B+	1	
(3)	06B 903 193 A	protective cap for alternator:	VALEO 5,6,12,13,17, 19,22,24,27, 28,30,30B	1							
		F 3B-5-012 001>>*									
(3)	078 903 193 G	protective cap for alternator:	VALEO 25	1							
4	#038 903 803 EX	voltage regulator for alternator:	BOSCH 21,23	1							
(4)	059 903 803 D	voltage regulator for alternator:	VALEO 28	1							
		F >> 3B-5-012 000*									
(4)	06B 903 803 B	voltage regulator for alternator:	VALEO 28	1							
		as required use:	06B 903 193 A								
		F 3B-5-012 001>>*									

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:08	12.12.2006		ETKA
PA	2005	9	03	903-20		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		connecting and mounting parts for alternator ribbed v-belt	1.6-2.0ltr.		AWM
1	06B 903 141 H	compact bracket		1	
2	058 903 133 D	belt tensioning damper		1	
3	06B 903 137 E	ribbed v-belt for generator	17,8X1300MM	1	
(3)	06B 260 849 A	ribbed v-belt air conditioner compressor	14,12X855MM	1	
(4)	N 102 076 01	bolt, hex. hd. (combi.)	M10X125Z1-SW16	1	
(5) +	N 101 552 07	hex. nut	M10-SW16	1	
6 +	N 011 527 11	washer	A10,5X21X2	1	
7 +	N 040 262 2	screw, hex. hd.	M8X50	3	
8 +	N 011 558 11	washer	8,4X15X1,6	3	
9-11		see illustration:	145-10		
(12) +	N 012 241 10	spring washer	B8X15X0,8	3	
14	058 115 136 A	mounting		1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:08	12.12.2006		ETKA
PA	2005	9	03	903-45		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		connecting and mounting parts for alternator ribbed v-belt	1.9/2.0ltr.		BHW
1	058 115 136 A	mounting viscous fan		1	
-	N 012 287 1	lock ring	as required use: N 012 287 1 40X1,75	1	
2	038 145 278	relay roller		1	
3	038 145 283 A	bracket for relay roller belt tensioning damper		1	
4	038 145 299 A	belt tensioning damper	also use: 038 145 299 A also use: 038 145 283 A	1	
5	038 903 137 T	ribbed v-belt	17,65X1432MM	1	
(5)	06B 260 849 A	ribbed v-belt for vehicles with air condit.	14,12X855MM	1	
6	038 903 139 AE	bracket for generator and refrigerant compressor		1	
7	038 903 145	retaining plate belt tensioning damper		1	
8	+ N 010 244 16	screw, hex. hd.	M8X30	2	
9	+ N 015 083 11	shouldered hex. nut	M8	1	
(10)	N 106 100 01	bolt, hex. hd. with shoulder	AM8X90-TC	2	
11	N 101 973 01	bolt, hex. hd. with shoulder	BM10X65	3	
12	+ N 102 416 03	bolt, hex. hd. with shoulder	AM10X45-SW16	3	
13	N 103 026 01	bolt, with hex. socket hd.	AM10X1X65	1	
14	N 900 577 03	washer	8,4X21X2	1	
15	N 903 662 01	innensechsrund-zyl.schraube	M8X38-D	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:08	12.12.2006		ETKA
PA	2005	9	03	903-60		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model
		connecting and mounting parts for alternator ribbed v-belt	2.8ltr.		ATQ
(1)	078 903 137 BC	ribbed v-belt	21,36X1882MM	1	
2	078 903 133 AB	belt tensioning damper		1	
3	N 100 650 02	bolt, with hex. socket hd.	M12X1,5X70	1	
4	078 903 343	dust cap		1	
5	N 010 375 10	screw, hex. hd.	M8X75	1	
6 +	N 011 558 11	washer	8,4X15X1,6	1	
7	078 903 785 B	spacer sleeve		1	
8 +	N 102 090 05	hex. nut, self-locking	M10	1	
9	N 040 312 2	screw, hex. hd.	M10X130	1	
(10)	078 903 143 K	bracket for alternator		1	
11 +	N 014 739 2	bolt, with hex. socket hd.	M8X16	3	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:08	12.12.2006	 ETKA
PA	2005	9	03	903-70		597	USA		


ETKA



Pos	Part Number	Name	Remarks	Qty	Model
		connecting and mounting parts for alternator ribbed v-belt	4,0ltr.		BDP
(1)	07D 145 933 E	ribbed v-belt	24,71X2569MM	1	
2	07D 903 315 E	tensioner with damper		1	
3	N 010 269 8	screw, hex. hd.	M8X38	1	
4	07D 903 289 C	bracket for alternator		1	
5	N 908 408 01	washer	8,3X21,3X2	1	
6	N 104 847 01	fillister hd. screw	M8X32X18	4	
(10)	07D 145 299 D	belt tensioning damper		1	
11 +	N 010 244 16	screw, hex. hd.	M8X30	1	
12	N 908 408 01	washer	8,3X21,3X2	1	
13	07D 109 244 A	relay roller		1	
14	N 903 662 04	innensechsrund-zyl.schraube	M8X38-D	1	
15	07D 145 277 C	bracket for relay roller		1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:09	12.12.2006		ETKA
PA	2005	9	03	903-95		597	USA			


					Pos	Part Number	Name	Remarks	Qty	Model
							list of 'v' belts			
					A		crankshaft			
					B		alternator			
					C		water pump			
					D		power steering			
					E		belt tensioning damper			
					F		air conditioner compressor			
					G		tensioning roller			
							see illustration:	145-30		
					H		viscous fan			
							list of 'v' belts			
					1	06B 903 137 E	ribbed v-belt for generator	17,8X1300MM	1	AWM
					(4)	038 903 137 T	ribbed v-belt	17,65X1432MM	1	BHW
							list of 'v' belts for vehicles with air condit.			
					2	06B 260 849 A	ribbed v-belt air conditioner compressor	14,12X855MM	1	AWM,BHW
					(7)	078 903 137 BC	ribbed v-belt	21,36X1882MM	1	ATQ
					(7)	07D 145 933 E	ribbed v-belt	24,71X2569MM	1	BDP


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:09	12.12.2006		ETKA
PA	2005	9	05	905-00		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model
		ignition transformer spark plug			AWM, BHW
(1A)	06B 905 115 L	ignition coil with spark plug connector		4	AWM
(23)	101 000 063 AA	spark plug 'longlife'	NGK	4	AWM
(24)	N 105 916 01	glow plug	M10X1X27 BOSCH	4	BHW




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:09	12.12.2006		ETKA
PA	2005	9	05	905-30		597	USA			


					Pos	Part Number	Name	Remarks	Qty	Model
					(1)	07C 905 115 C	ignition coil with spark plug connector F >> 3B-3-331 453* F >> 3B-3E300 401*		8 8	6 cylinder: ATQ 8 cylinder: BDP
					(1)	07C 905 115 D	ignition coil with spark plug connector F 3B-3-331 454>> 3B-4-400 000 F 3B-3E300 402>> 3B-4-400 000		8 8	BDP
					(1)	07C 905 715	ignition coil with spark plug connector F 3B-5-000 001>>		8	BDP
					1	078 905 104	double ignition coil		1	ATQ
					2	078 129 669	grommet		4	ATQ
					3	078 129 734	spacer		4	ATQ
					4	N 101 894 03	bolt, hex. hd. (combi.)	M6X25Z2	4	ATQ
					(6)	078 905 531 B	ignition wire	cylinder 1	1	ATQ
					(6)	078 905 532 B	ignition wire	cylinder 2	1	ATQ
					(6)	078 905 533 B	ignition wire	cylinder 3	1	ATQ
					(6)	078 905 534 B	ignition wire	cylinder 4	1	ATQ
					(6)	078 905 535 B	ignition wire	cylinder 5	1	ATQ
					(6)	078 905 536 B	ignition wire	cylinder 6	1	ATQ
					(7)	101 000 035 HJ	spark plug 'longlife'	NGK	6	ATQ
					(7)	101 905 607	spark plug 'longlife'	NGK	8	BDP
					10	078 905 234 F	impulse rotor		2	ATQ
					12	+ N 010 242 22	screw, hex. hd.	M8X25	2	ATQ
					13	058 905 161 B	cam position sensor(hall sens)		2	ATQ
					(14)	N 100 841 05	bolt, with hex. socket hd. (combi.)	M6X16S4NUKL	4	BDP
					14	+ N 010 217 10	screw, hex. hd.	M6X20	2	ATQ
					(17)	06A 905 161 A	cam position sensor(hall sens)		4	BDP


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:09	12.12.2006		ETKA
PA	2005	9	05	905-50		597	USA			







					Pos	Part Number	Name	Remarks	Qty	Model
							cam position sensor(hall sens)			AWM
					(9)	058 905 161 B	cam position sensor(hall sens)		1	AWM
					(10)	06B 905 234 A	impulse rotor		1	AWM
					11	078 905 149 A	washer		1	AWM
					(12) +	N 010 242 22	screw, hex. hd.	M8X25	1	AWM
					(13)	N 090 261 2	bolt, hex. hd. (combi.)	M6X20-Z1	2	AWM

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:09	12.12.2006	 ETKA
PA	2005	9	05	905-80		597	USA		


ETKA




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:09	12.12.2006		ETKA
PA	2005	9	06	906-10		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
(1)	03G 906 262	oxygen sensor (in front of catalyst)		1	BHW
1	07D 906 262 D	oxygen sensor (in front of catalyst)	left	1	BDP
(1)	07D 906 262 C	oxygen sensor (in front of catalyst)	right	1	BDP
(1)	06B 906 265 D	oxygen sensor (in front of catalyst)		1	AWM
(1)	078 906 265 M	oxygen sensor (in front of catalyst)		2	ATQ
		oxygen sensor (behind catalyst)			
(2)	07D 906 262 B	oxygen sensor (behind catalyst)	left	1	PR-G0Q:BDP
(2)	07D 906 262 A	oxygen sensor (behind catalyst)	right	1	BDP
(2)	058 906 265 C	oxygen sensor (behind catalyst)		1	AWM
(2)	078 906 265 P	oxygen sensor (behind catalyst)	left	1	ATQ
(2)	078 906 265 N	oxygen sensor (behind catalyst)	right	1	ATQ


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:09	12.12.2006		ETKA
PA	2005	9	06	906-20		597	USA			





Pos	Part Number	Name	Remarks	Qty	Model
(1)	038 906 016 L	control module-diesel engine F >> 3B-4-400 000		1	BHW
(1)	038 906 016 R	control module-diesel engine F 3B-5-000 001>>		1	BHW
		control module - engine	4 cylinder		
(1)	4B0 906 018 DA	control module - engine F >> 3B-3-700 000		1	AWM
(1)	4B0 906 018 DN	control module - engine F 3B-4-000 001>> 3B-4-154 556		1	AWM
(1)	4B0 906 018 DQ	control module - engine F 3B-4-154 557>>		1	AWM
		control module - engine	6 cylinder		
(1)	3B0 907 551 CR	control module - engine F >> 3B-3-700 000		1	ATQ
(1)	3B0 907 551 DB	control module - engine F 3B-4-000 001>> 3B-4-400 000		1	ATQ
(1)	3B0 907 551 DC	control module - engine F 3B-5-000 001>>		1	ATQ
		control module - engine	8 cylinder		
(1)	07D 906 018 D	control module - engine F >> 3B-3-700 000		1	BDP+PR-G0L
(1)	07D 906 018 AP	control module - engine F 3B-4-000 001>>		1	BDP+PR-G0L
(1)	07D 906 018 E	control module - engine F >> 3B-3-700 000		1	BDP+PR-G0Q
(1)	07D 906 018 AQ	control module - engine F 3B-4-000 001>>		1	BDP+PR-G0Q
		fasteners			
2	8D1 907 355 B	housing for control modules	lhd	1	
(3)	4B1 907 613	cover	lhd	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:09	12.12.2006		ETKA
PA	2005	9	06	906-20		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
4	N 105 285 01	tapping screw,hex.hd.	5,5X25-H	5							
5	+ N 901 063 02	shouldered hex. nut	M6	2							
6	443 927 169	rubber bush		1							
7	8D1 907 619	gasket	lhd	1							
8	8E0 907 411 H	cover control module - engine		1							
9	8E0 907 500 H	catch control module - engine		1							
10	N 909 803 02	sheer bolt, self-locking	M6X12MK	2							
(11)	8E0 907 354	retainer		1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:09	12.12.2006	 ETKA
PA	2005	9	06	906-22		597	USA		

					Pos	Part Number	Name	Remarks	Qty	Model
							fuel pump			
					(1)	8E0 906 087 D	fuel pump		1	fr.wheel drv
					(1)	8E0 906 087 E	fuel pump with reservoir		1	4motion: 4-,6-cyl.
					(1)	3B7 906 087 B	fuel pump		1	8 cylinder


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:10	12.12.2006		ETKA
PA	2005	9	06	906-30		597	USA			


					Pos	Part Number	Name	Remarks	Qty	Model
							knock sensor with harness			
					1	07D 905 376 C	knock sensor with harness	600MM grey	1	BDP
					(1)	07D 905 376 D	knock sensor with harness	500MM orange	1	BDP
					(1)	07D 905 376 F	knock sensor with harness	470MM brown	1	BDP
					(1)	07D 905 376 E	knock sensor with harness	590MM black	1	BDP
					(1)	078 905 377	knock sensor with harness	550MM brown	2	ATQ
					(1)	07D 905 377	knock sensor with harness	750MM green	1	AWM
					(1)	06C 905 377	knock sensor with harness	540MM blue	1	AWM
					(2)	078 905 319	screw, cheese hd.	M8X34	2	ATQ
					(2)	N 010 272 4	screw, hex. hd.	M8X26	2	AWM
					(2) +	N 010 332 4	screw, hex. hd.	M8X32	4	BDP
							impulse sender			
					(5)	07D 906 433 A	impulse sender		1	BDP
					(5)	06A 906 433 C	impulse sender		1	automatic: ATQ
					(5)	078 906 433 B	impulse sender		1	manual-transmiss: ATQ
					(5)	038 907 319 E	impulse sender timing gear - crankshaft		1	BHW
					(5)	038 906 433 A	impulse sender camshaft gear		1	BHW
					(6)	078 906 433 A	impulse sender	grey	1	AWM
					(7)	078 906 435	spacer impulse sender		1	ATQ
					(8) +	N 909 450 01	bolt, hex. hd. with socket head	M7X21,5-SP	1	AWM




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:10	12.12.2006		ETKA
PA	2005	9	06	906-30		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(9)	N 090 261 2	bolt, hex. hd. (combi.)	M6X20-Z1	1	ATQ						
(12)	811 907 343 B	ventilation valve clutch pedal		1	AWM, ATQ AWM						
		emissions temperature sensor									
(6)	038 906 088 E	emissions temperature sensor (before diesel partic.filter)		1	BHW						


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:10	12.12.2006		ETKA
PA	2005	9	11	911-00		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		starter			5 speed- transmission
(1)	06B 911 023	starter F >> 3B-4-157 000*	BOSCH	1	
(1)	06B 911 023 X	starter F >> 3B-4-157 000*	BOSCH	1	
(1)	06B 911 023 A	starter F 3B-4-157 001>>*	BOSCH	1	
(1)	06B 911 023 AX	starter F 3B-4-157 001>>*	BOSCH	1	
(1)	078 911 023 D	starter	BOSCH	1	
(1)	078 911 023 DX	starter	BOSCH	1	
(1)	07D 911 023 X	starter	BOSCH	1	
(1)	07D 911 023 A	starter	2,0KW BOSCH	1	
(1)	07D 911 023 AX	starter	BOSCH	1	
		starter			5 speed- automatic
(1)	06B 911 023	starter	BOSCH	1	
(1)	06B 911 023 X	starter	BOSCH	1	
(1)	06B 911 023 A	starter	BOSCH	1	
(1)	06B 911 023 AX	starter	BOSCH	1	
(1)	07D 911 023 X	starter	BOSCH	1	
(1)	07D 911 023 A	starter	2,0KW BOSCH	1	
(1)	07D 911 023 AX	starter	BOSCH	1	
(1)	078 911 023 D	starter	BOSCH	1	
(1)	078 911 023 DX	starter	BOSCH	1	
(1)	068 911 024 F	starter	BOSCH	1	
(1)	068 911 024 GX	starter	BOSCH	1	
		single parts			


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:10	12.12.2006		ETKA
PA	2005	9	11	911-00		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
2	012 911 209	brush holder plate for starter:	1	1		11	N 102 613 04	hex. nut for starter:	M10 2	1	5 speed-transmiss.: ATQ
(2)	059 911 209 A	brush holder plate for starter:	3,7	1		(11)	N 104 062 01	bolt, hex. hd. with shoulder for starter:	AM10X80-SW16 2	1	5 speed-automatic: ATQ
(2)	068 911 209 J	brush holder plate for starter:	6,8	1							
(2)	078 911 209 A	brush holder plate for starter:	2	1							5 speed-automatic: PR-GOQ:BDP
3	035 911 213 B	bushing for starter:	1-4,6-8	1		(11)	N 905 505 04	bolt, hex. hd. with shoulder for starter:	M12X110X50 2	2	5 speed-automatic: ATQ
(4)	059 911 257 B	bushing for starter:	1-3,6,7	1							6 speed-tranmission: PR-GOQ:BDP
5	012 911 287	solenoid switch for starter:	1	1		(11)	N 103 344 01	bolt, hex. hd. with shoulder for starter:	M10X135 2	1	5 speed-transmiss.: ATQ
(5)	012 911 287 A	solenoid switch for starter:	9	1		(11)	N 907 672 02	bolt, hex. hd. with shoulder for starter:	M12X130 2	1	5 speed-transmiss.: ATQ
(5)	068 911 287 H	solenoid switch for starter:	6,7	1		(11)	N 905 242 02	bolt, hex. hd. with shoulder for starter:	M12X75 4	1	5 speed-transmiss.: AWM
(5)	068 911 287 J	solenoid switch for starter:	5	1		(11)	N 904 954 04	bolt, hex. hd. with shoulder for starter:	M12X67 4	2	5 speed-automatic: AWM
(5)	068 911 287 L	solenoid switch for starter:	8	1							5 speed-transmiss.: AWM
(5)	06B 911 287	solenoid switch for starter:	4A	1							5 speed-automatic: BHW
(5)	078 911 287 A	solenoid switch for starter:	2	1							
(5)	07D 911 287	solenoid switch for starter:	9A	1							
6	035 911 299 B	innensechsrundschrabe	M5X33	3							
7	357 972 742 C	single wire seal for wire cross section:	9,0X7,8 green 4,0	1		(11)	N 906 483 03	bolt, hex. hd. (combi.) for starter:	M10X45 4	1	5 speed-automatic: AWM
8	357 972 771	flat contact housing	1 pin	1							5 speed-automatic: BHW
(9)	N 011 118 16	hex. nut	BM8	1							
10	N 012 038 7	lock ring	8	1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:10	12.12.2006		ETKA
PA	2005	9	11	911-00		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(11)	N 904 956 04	bolt, hex. hd. with shoulder for starter:	M12X90 4	1	5 speed- transmiss.: AWM	26	+ N 014 123 3	fillister hd. screw	M4X10	2	
		for starter:	7	1	5 speed- automatic: BHW	-	4E0 911 483 B	retainer (plastic)		1	
(11)	N 908 689 01	washer for starter:	A10,5X24X3 9	1	6 speed- transmission: PR-G0Q:BDP						
(11)	N 905 028 03	washer	15X28X3,5	1							
(12)	3B0 911 295	protective cap		1							
12	893 911 295	protective cap		1	6 cylinder						
15	8D0 911 483 A	retainer (plastic)		1							
(15)	4E0 911 483	retainer (plastic) F 3B-5-061 001>>* F 3B-5E110 001>>*		1							
16	012 911 303	planetary gear for starter:	1	1							
(16)	078 911 303 A	planetary gear for starter:	2	1							
(16)	068 911 303 F	planetary gear for starter:	6,7	1							
(17)	053 911 335 A	freewheel transmission for starter:	1	1							
(17)	058 911 335	freewheel transmission for starter:	2,4	1							
(17)	068 911 335 H	freewheel transmission for starter:	6	1							
(17)	068 911 335 J	freewheel transmission for starter:	7	1							
19	06B 911 467	support plate		1							
(20)	N 902 428 02	bolt, with hex. socket hd. (combi.)	M8X18	1							
21	N 905 126 01	hex. nut with washer	M5	2							
(23)	068 911 255 S	starter drive housing for starter:	6,7	1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:10	12.12.2006		ETKA
PA	2005	9	15	915-00		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		battery battery mounting			
(1)	000 915 105 AF	battery with charge state indicator, filled and charged	72AH/380A	1	
(1)	000 915 105 AJ	battery with charge state indicator, filled and charged	82AH/420A	1	
(1)	000 915 105 AG	battery with charge state indicator, filled and charged	80AH/380A	1	
2	8D0 805 213 A	bracket - battery		1	
3	8D0 803 123	clamping strip for battery	lhd	1	
			44AH/220A 60AH/280A 70AH/340A		
(6) + N	019 533 4	bolt, hex. hd. with shoulder	M8X20	1	
(7)	N 090 148 4	bolt, hex. hd. (combi.)	M6X15Z2	1	
8	N 903 484 03	hex. nut with washer	M8	2	
9	441 915 505	hose	5X1X1850MM 80AH/380A 380MM	1	
		shorten to:	lhd		
10	893 915 507	elbow		1	
16	000 915 506	plug		1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:10	12.12.2006		ETKA
PA	2005	9	19	919-30		597	USA			



Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B0 919 673 S	fuel gauge sender		1	fr.wheeldrv: gas engine diesel eng./ 6 cylinder 4 cylinder
(1)	4B0 919 673 AN	fuel gauge sender	right front	1	8 cylinder
(1)	>4B0 919 673 AN	fuel gauge sender	right front	1	
3	1J0 919 133 A	sealing washer		1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:10	12.12.2006		ETKA
PA	2005	9	19	919-31		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model
		fuel delivery unit and fuel gauge sender			fr.wheeldrv: 4-cylinder/ diesel eng.; fr.wheeldrv: gas engine
2	1J0 919 133	sealing washer		1	diesel eng.
(3)	3B0 919 050 B	fuel delivery unit and fuel gauge sender	VDO	1	diesel eng.
(4)	3B0 919 673 R	fuel gauge sender	VDO	1	
		fuel delivery unit and fuel gauge sender for additional fuel tank control unit for additional fuel tank			8 cylinder
2	1J0 919 133 A	sealing washer additional fuel tank	109	1	
(3)	3B7 906 092 B	fuel delivery unit and fuel gauge sender for additional fuel tank		1	
(4)	3B7 919 673 B	fuel gauge for sender- additional fuel tank	VDO	1	
6	3B7 906 268	control unit for additional fuel tank F >> 3B-5-050 747		1	
6	3B7 906 268 A	control unit for additional fuel tank F 3B-5-050 748>>*		1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:11	12.12.2006		ETKA
PA	2005	9	19	919-40		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model
		switches and senders on engine and transmission			4 cylinder
(2)	06A 919 081 D	oil pressure switch	1,2-1,6BAR 1 pin black	1	gas engine
(2)	038 919 081 C	oil pressure switch	0,55-0,85BAR 1 pin brown		diesel eng.
5	N 016 024 1	plug	M10X1	X	
6 +	N 013 811 5	sealing washer	A10X13,5	X	
(10)	059 919 501 A	dual temperature sender	4 pin green	1	
14	032 121 142	retaining spring		X	
15 +	N 903 168 02	round seal	19,6X3,6	X	
32	1J0 907 660 B	oil level sensor		1	
34		see illustration:	945-50		




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:11	12.12.2006		ETKA
PA	2005	9	19	919-60		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		switches and senders on engine and transmission			6 cylinder
1	038 103 196	sealing washer		1	
2	032 121 142	retaining spring		X	
3	1J0 907 660 B	oil level sensor		1	
4	06A 919 081 D	oil pressure switch	1,2-1,6BAR 1 pin black	1	
(5)	059 919 501 A	dual temperature sender	4 pin green 20MM	1	
6 + N	013 811 5	sealing washer	A10X13,5	1	
7	N 100 636 02	bolt, hex. hd. (combi.)	M6X25Z1	3	
8 + N	903 168 02	round seal	19,6X3,6	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:11	12.12.2006		ETKA
PA	2005	9	19	919-80		597	USA			





Pos	Part Number	Name	Remarks	Qty	Model
		switches and senders on engine and transmission			8 cylinder
1	038 103 196	sealing washer		1	
2	032 121 142	retaining spring		2	
3	1J0 907 660 B	oil level sensor		1	
4	06A 919 081 D	oil pressure switch	1,2-1,6BAR 1 pin black	1	
5	06A 919 501	temperature sender water pump	2 pin black 20MM	1	
6	06A 919 501	temperature sender code field cooling	2 pin black 20MM	1	
7 + N	013 811 5	sealing washer	A10X13,5	1	
(8)	N 100 636 02	bolt, hex. hd. (combi.)	M6X25Z1	3	
9 + N	903 168 02	round seal	19,6X3,6	2	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:11	12.12.2006		ETKA
PA	2005	9	19	919-90		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model
		warning lights cigarette lighter electrical outlet			
1	3B0 919 238 C	warning lamp	also use: 1H0 972 702 A	1	
3	1J0 919 309	electrical outlet		1	
(3)	1J0 919 309	electrical outlet boot lining		X	
4C	1J0 919 307	cigarette lighter		1	PR-9JB
	05/02-06/059B9	satin black			
(4C)	7M3 919 311	cigarette lighter dummy		1	PR-9JA
5	1J0 919 341 A	expansion pin		1	
7A	3B0 925 071 A	electrical outlet center console	(folding) rear	1	
10	+ 3B0 919 243 B	bulb holder with bulb air vent		1	
(11)	7L6 919 341 F	housing for lighter with cover boot lining		1	sedan
(11)	7L6 919 341 F	housing for lighter with cover boot lining		2	wagon
(13)	1H0 972 702 A	flat contact housing	2 pin	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:11	12.12.2006		ETKA
PA	2005	9	20	920-00		597	USA			

	Pos	Part Number	Name	Remarks	Qty	Model
			instrument cluster for vehicles with multi function indicator			
	(2)	f#3B0 920 827 CX	instrument cluster	260KM/H	1	"CDN"
	(2)	f#3B0 920 927 BX	instrument cluster	160MPH	1	"USA"
			instrument cluster for vehicles with multi function indicator and check package			
	(2)	f#3B7 920 846 EX	instrument cluster	300KM/H	1	"CDN": 8 cylinder
	(2)	f#3B7 920 946 EX	instrument cluster	180MPH	1	"USA": 8 cylinder
			single parts F >> 3B-3-700 000			
	3	+ 4A0 919 040 C	bulb for instrument lighting and for warning lamps	12V1,1W clear glass	X	
	4	N 907 091 01	tapping screw, fill. hd.	4,2X16	2	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	20	920-01		597	USA			

	Pos	Part Number	Name	Remarks	Qty	Model
			instrument cluster for vehicles with multi function indicator			
	(2)	#3B0 920 829 CX	instrument cluster	260KM/H	1	"CDN": gas engine
	(2)	f#3B0 920 829 BX	instrument cluster	260KM/H	1	"CDN": diesel eng.
	(2)	f#3B0 920 929 BX	instrument cluster	160MPH	1	"USA": gas engine
	(2)	f#3B0 920 929 CX	instrument cluster	160MPH	1	"USA": diesel eng.
			instrument cluster for vehicles with multi function indicator and check package			
	(2)	f#3B7 920 849 AX	instrument cluster	300KM/H	1	"CDN": 8 cylinder
	(2)	f#3B7 920 949 AX	instrument cluster	180MPH	1	"USA": 8 cylinder
	3	+ 4A0 919 040 C	single parts F 3B-4-000 001>> bulb for instrument lighting and for warning lamps	12V1,1W clear glass	X	
	4	N 907 091 01	tapping screw, fill. hd.	4,2X16	2	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	27	927-00		597	USA			








Pos	Part Number	Name	Remarks	Qty	Model
(1)	4B0 998 375	anti lock brake system control module -abs- repair kit anti lock brake system control module to be used for:	4B0 614 517 G 4B0 614 517 J	1	
(1)	4B0 998 375 A	repair kit anti lock brake system control module -abs- to be used for:	4B0 614 517 H 4B0 614 517 K	1	
(1)	4B0 998 375 B	repair kit anti lock brake system control module -abs- to be used for:	4B0 614 517 E 4B0 614 517 F	1	
(1)	8E0 998 375	repair kit anti lock brake system control module -abs- to be used for:	8E0 614 111 E 8E0 614 111 A	1	
(1)	8E0 998 375 A	repair kit anti lock brake system control module -abs- to be used for:	8E0 614 111 F 8E0 614 111 B	1	
(1)	8E0 998 375 J	repair kit anti lock brake system control module -abs- to be used for:	8E0 614 111 AQ 3B0 614 111	1	
3	8D0 927 803 D	speed sensor for vehicles with brake pad wear indicator	front	2	
(3)	3B0 927 807 B	speed sensor	rear	2	
2	3B0 927 807 G	speed sensor for vehicles with electronic stability program -esp-	rear	2	4motion
(3)	3B0 927 807 H	speed sensor for vehicles with automatic headlight range control	left rear	1	
(2)	3B0 927 807 G	speed sensor for vehicles with automatic headlight range control	right rear	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	27	927-00		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
5	443 927 817	clamping sleeve		2							
6	4B0 971 821	cable holder	left rear	1	4motion						
(6)	4B0 971 822	cable holder	right rear	1	4motion						
8	+ N 906 437 01	tie wrap with bracket for weld pin:	10X187 5	X							
9	893 927 809	cup	front	2							
11	4D0 972 643	round connector housing with contact lock	4 pin	1							
12	7M0 973 119	flat contact housing sensor for headlight range control	6 pin black	1							
		for single wiring:	000 979 009	X	0,5						
25	8E0 614 193	bracket for speed sensor		1							
		electronic stability programme	-esp-								
15		not a spare part for this model									
16		not a spare part for this model									
(17)	8E0 907 637 A	combi sensor for acceleration and rpm		1							
18		not a spare part for this model									
19	4B0 907 663	securing clip		1							
20	+ N 015 082 5	shouldered hex. nut	M6	X							
21	+ N 901 063 02	shouldered hex. nut	M6	2							
25	8E0 614 193	bracket for speed sensor		2							
26	443 614 133 C	sleeve		2							
27	443 927 817	clamping sleeve		2							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	27	927-40		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model
1		back up lamp switch not a spare part for this model			
2		not a spare part for this model			
3		not a spare part for this model			
4	01E 941 521 A	back up lamp switch flat contact housing	M14X1,5 2 pin 1J0 973 702	1	6 speed- transmission
5		not a spare part for this model			
7	012 919 823 F	switch for back-up light	2 pin	1	5 speed- transmission
8	N 040 255 2	screw, hex. hd.	M8X14	1	5 speed- transmission
9	012 301 483 D	flat spring		1	5 speed- transmission







Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	27	927-45		597	USA			


					Pos	Part Number	Name	Remarks	Qty	Model
							control unit for 5 speed automatic transmission			
					(1)	3B0 927 156 AJ	control unit for 5 speed automatic transmission F >> 3B-3-600 000		1	ATQ+ fr.wheel drv
					(1)	3B0 927 156 AT	control unit for 5 speed automatic transmission F 3B-4-000 001>> 3B-4-400 000		1	ATQ+ fr.wheel drv
					(1)	3B0 927 156 CC	control unit for 5 speed automatic transmission F 3B-5-000 001>>		1	ATQ+ fr.wheel drv
					(1)	3B0 927 156 AK	control unit for 5 speed automatic transmission F >> 3B-3-600 000		1	ATQ+ 4motion
					(1)	3B0 927 156 BA	control unit for 5 speed automatic transmission F 3B-4-000 001>> 3B-4-400 000		1	ATQ+ 4motion
					(1)	3B0 927 156 CD	control unit for 5 speed automatic transmission F 3B-5-000 001>>		1	ATQ+ 4motion
					(1)	3B0 927 156 AH	control unit for 5 speed automatic transmission F >> 3B-3-600 000		1	AWM+ fr.wheel drv
					(1)	3B0 927 156 AM	control unit for 5 speed automatic transmission F 3B-4-000 001>> 3B-4-400 000		1	AWM+ fr.wheel drv
					(1)	3B0 927 156 CA	control unit for 5 speed automatic transmission F 3B-5-000 001>>		1	AWM+ fr.wheel drv
					(1)	3B0 927 156 AQ	control unit for 5 speed automatic transmission F >> 3B-4-400 000		1	AWM+ 4motion

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006	 ETKA
PA	2005	9	27	927-45		597	USA		


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B0 927 156 CB	control unit for 5 speed automatic transmission F 3B-5-000 001>>		1	AWM+ 4motion						
(1)	3B0 927 156 T	control unit for 5 speed automatic transmission F >> 3B-3-600 000		1	BDP						
(1)	3B0 927 156 BB	control unit for 5 speed automatic transmission F 3B-4-000 001>>		1	BDP						
(1)	3B0 927 156 AP	control unit for 5 speed automatic transmission F >> 3B-4-400 000		1	BHW						
(1)	3B0 927 156 CF	control unit for 5 speed automatic transmission F 3B-5-000 001>>		1	BHW						
		fasteners									


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	27	927-60		597	USA			


					Pos	Part Number	Name	Remarks	Qty	Model
							switch and sender on gearbox solenoid valve printed circuit foil valve body			
					1	01F 409 191	vehicle speed sensor	black	1	
					2	N 903 684 01	round seal	14,5X2	1	
					3	01V 919 821 B	multi-function switch for automatic transmission	10 pin	1	
					4	01V 919 838	bolt, with polygon socket hd. (combi.)	M6X15	1	
					5	01V 321 544	dowel pin		1	
					6	01V 927 321	transmission speed sender	G38	1	
					7	01V 927 390 A	spacer bushing		1	
					8	01F 325 061	bolt, with polygon socket hd. (combi.)	M6X27	1	
					9	01V 927 321 A	transmission speed sender valve body	G182 E17	1	
					9A	01V 927 321 B	transmission speed sender	G182	1	GAK, GMR, EZS, EZZ, FAS, FAL
							for valve body:	E18		
					10	01V 927 390	spacer bushing		1	
					11	01V 325 061	bolt, with polygon socket hd. (combi.)	M5X40	1	
					12	01V 927 137	retaining plate		1	
					13	01V 927 333	pressure regulating valve with o-ring	0,4-5,4	3	
					(13)	01V 927 333 B	pressure regulating valve with o-ring	0,2-4,0 black	3	
					(14)	01L 927 331	solenoid valve		3	
					(14)	01V 927 331 A	solenoid valve	trans. code:	3	
					15	01V 927 333 A	pressure regulating valve with o-ring	0,4-5,4	1	
					(15)	01V 927 333 C	pressure regulating valve with o-ring	0,3-4,5 yellow	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006	 ETKA
PA	2005	9	27	927-60		597	USA		


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(18)	01V 927 359 AC	valve body	trans. code:	1	EZS, EZZ, FAS, FAL						
(18)	01V 927 359 AJ	valve body	trans. code:	1	GAK						
18	01V 927 359 AH	valve body	trans. code:	1	GMR						
19	N 900 463 01	fill. hd. screw (combi.)	M5X12	1							
20	01V 321 415 B	retaining plate		1							
21	01V 927 322 A	round seal		2							
22A	01V 971 661 B	harness for 5 speed automatic gearbox	trans. code:	1	EZS, EZZ, GAK, FAS, FAL, GMR						
(23)	018 315 155 A	bolt, with polygon socket hd. (combi.)	M6X30	1							
(24)	018 325 061 B	bolt, with polygon socket hd. (combi.)	M6X60	16							
25	01V 971 848	retaining clip		1							
26		see illustration:	321-60								
27		see illustration:	321-60								

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	37	937-00		597	USA			


						Pos	Part Number	Name	Remarks	Qty	Model
						1	8D0 937 503 E	fuse box/relay plate, relay plate, relays			
						2	4B0 937 530	bracket for connector housing	13 point	1	
						2A	1J0 937 510 A	bracket for connector housing flat contact housing	2 pin	X	
						3	+ N 017 131 11	flat fuse 19/2x5	10-red	X	
						(3)	+ N 017 131 13	flat fuse 19/2x5	20-yellow	X	
						(3)	+ N 017 131 14	flat fuse 19/2x5	25-natural.col	X	
						(3)	+ N 017 131 16	flat fuse 19/2x5	5-light brown	X	
						(3)	8L0 998 131	1 set of flat fuses		X	
						4	443 937 527	relay plate	9 pin	X	
						5	4A0 937 529	dual relay plate		X	
								----- relay turn signal see illustration: switches in dashboard -----	941-50		
						6	8D0 951 253 A	relay for electric fan relay location/code no.: to be used for:	35A 1/373 214	1	
						(6)	191 927 841	relay cutoff relay for solar sliding roof relay location/code no.:	2/79	1	
						(6)	8D0 919 578 A	retardation relay for vehicles with manually regulated air conditioner relay location/code no.:	3/384	1	
						(6)	443 919 578 C	electro clutch control module for vehicles with electroni- cally regulated air condit. relay location/code no.:	3/267	1	air condit.
						(6)	3B0 911 251	contact close relay immobilizer relay location/code no.:	12/185	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	37	937-00		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(6)	3A0 941 589	contact close relay for day driving headlights relay location/code no.:	5/173	1	"CDN"	(10)	4D0 951 253	contact close relay for fuel pump relay location/code no.:	4/372 208	1	
(6)	191 927 841	relay for selector lever lighting relay location/code no.:	40A 6/79 205	1		(10)	1J0 906 383 C	relay for fuel pump relay location/code no.:	4/409	1	
(6)	431 951 253 G	relay for fog lamp relay location/code no.:	12V/40A 7/381	1		(10)	8A0 951 253	contact close relay control module for glow plug relay location/code no.:	4/202	1	
(6)	1J0 907 487 C	control unit for multi- function steering wheel relay location/code no.:	8-9/451	1		(10)	4B0 955 531 E	intermittent wash-wipe automatic control module relay location/code no.:	5+6/603 377/378	1	
(6)	1J0 907 487 B	control unit for multi- function steering wheel relay location/code no.:	8-9/452 450	1		(10)	1J0 955 531	intermittent wash-wipe automatic control module for vehicles with rain sensor relay location/code no.:	5+6/192	1	
(6)	191 906 383 C	contact close relay fuel pump relay location/code no.:	10/167	1		11 + N	902 867 03	hex. nut, self-locking with washer	M6	2	
(6)	3A0 927 181	relay-park neutral positionpnp 4 speed automatic transmission relay location/code no.:	13/175	1	automatic	12 +	171 857 026 A	shouldered hex. nut	M5	6	
(6)	141 951 253 B	relay relay location/code no.:	13/53 204	1		13 + N	901 752 03	shouldered hex. nut	M6	7	
7	8L0 941 822 A	fuse box/relay plate		1		15	8D1 941 824	fuse holder	lhd	1	
8	443 937 105 A	thermo fuse	30A	X		16	N 010 213 9	bolt, hex. hd., self-locking	M5X15	2	
(8)	N 017 131 20	flat fuse	19/2x5	1		17	N 012 130 1	shake-proof washer	A5,3	2	
9	4A0 937 530	fuse holder	2 pin	X		18 + N	102 615 01	flat fuse	10/2x2,8	5-light brown	
(9)	4B0 937 530	fuse holder	2 pin	1		(18) + N	102 615 02	flat fuse	10/2x2,8	7.5-brown	X
10	141 951 253 B	relay for horn relay location/code no.:	1/53 204	1		(18) + N	102 615 03	flat fuse	10/2x2,8	10-red	X
(10)	8D0 951 253	relay for relief relay x contact relay location/code no.:	50A 2/370 213	1		19 + N	017 131 12	flat fuse	19/2x5	15-light blue	X
						(19) + N	017 131 13	flat fuse	19/2x5	20-yellow	X
						(19) + N	017 131 14	flat fuse	19/2x5	25-natural.col	X
						(19) + N	017 131 15	flat fuse	19/2x5	30-light green	X
						(19)	N 017 131 20	flat fuse	19/2x5	40-orange	1
						20	8D0 941 802	tool for fuse replacement		1	
						30	1J1 998 824	1 set of contact bridges only for:	8D1 941 824	lhd 1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	37	937-00		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
		fuse box									
31	8Z0 941 824 C	fuse box with fuse	A150	1							
31	3B0 941 828	fuse box without fuses	1 point	1							
(31)	3B0 941 828 A	fuse box without fuses	2 point	1							
32	N 104 249 08	fuse	A60	1							
(32) +	N 104 249 06	fuse	A150	1							
33 +	N 901 752 03	shouldered hex. nut	M6	X							
		relay for vehicles with heated windscreen window									
35	3B0 951 253	contact close relay water box		1							
		control module for glow plug									
(35)	038 907 281 C	control module for glow plug		1							
	3B0 907 368	retaining bracket		1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	37	937-30		597	USA			

Pos	Part Number		Name	Remarks	Qty	Model			
			relay plate and relays						
1	8D1	937 545	relay plate	8 point	1				
3 + N	902	867 03	hex. nut, self-locking with washer	M6	1				
4 + N	013	969 4	tapping screw, fill. hd.	B4, 8X16	1				
5 + N	902	056 01	washer	5, 3X12X1	1				
			----- relay turn signal see illustration: switches in dashboard -----	941-50 POS.4					
(6)	8D0	951 253	relay for electric fan relay location/code no.:	lhd 2/370	1				
(6)	8D0	951 253 A	relay relay location/code no.:	35A 2/373	1				
(6)	8D0	951 253 A	relay for electric fan relay location/code no.:	lhd 3/373	1				
(6)	447	965 571 A	switch unit for water pump, relay fan stage 1 relay location/code no.:	lhd 3/324	1				
(6)	8D0	951 253 A	relay for vehicles with electronic stability program -esp- relay location/code no.: to be used for code no.:	35A 4/373 214	1				
(6)	8D0	951 253 A	relay for vehicles with electronic stability program -esp- relay location/code no.: to be used for code no.:	35A 7/373 214	1				
9	4B0	937 530	fuse holder	2 pin	X				
10 + N	017	131 16	flat fuse	19/2x5 5-light brown	X				
(10) + N	017	131 12	flat fuse	19/2x5 15-light blue	X				
(10) + N	017	131 13	flat fuse	19/2x5 20-yellow	X				
(10) + N	017	131 15	flat fuse	19/2x5 30-light green	X				
(10) N	017	131 20	flat fuse	19/2x5 40-orange	X				
11	4A0	937 530	fuse holder	2 pin	X				





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:12	12.12.2006		ETKA
PA	2005	9	37	937-30		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
12	443 937 105 A	thermo fuse	5-light brown	X							
13	8A0 937 530	fuse holder	2 pin	X				relay plate for additional heater	3 point PTC		
14	+ N 102 519 01	flat fuse 29/2x8	40-orange	X		42	N 010 264 4	screw, hex. hd.	M5X20	2	
(14)	+ N 102 519 04	flat fuse 29/2x8	50-red	X		43	8A0 937 530	fuse holder	2 pin to be used for: N 102 519 ..	X	
(14)	+ N 102 519 05	flat fuse 29/2x8	80-natural col	X		(43)	4B0 937 530	fuse holder	2 pin to be used for: N 017 131 ..	X	
		relay plate and relays water box				44	+ N 102 519 01	flat fuse 29/2x8	40-orange	X	
(20)	8D0 937 503 D	mounting for relay plate	3 point	1		(44)	+ N 102 519 02	flat fuse 29/2x8	60-light blue	X	
21	191 906 383 C	contact close relay relay location/code no.:	1/167	1	W8	(44)	+ N 017 131 12	flat fuse 19/2x5	15-light blue	X	
(21)	8D0 951 253 A	relay secondary air pump relay location/code no.:	35A 2/373	1							
(21)	7M0 951 253 A	contact close relay secondary air pump relay location/code no.:	2/100	1	W8						
(21)	141 951 253 B	relay additional water pump relay location/code no.:	3/53	1	W8						
(21)	1J0 906 381	contact close relay relay location/code no.:	3/429	1							
(21)	443 951 253 AA	contact close relay relay location/code no.:	3/219	1	diesel eng.						
(21)	165 906 381	relay for: control module - engine relay location/code no.:	3/30	1							
(23)	+ N 017 131 11	flat fuse 19/2x5	10-red	X							
(23)	+ N 017 131 16	flat fuse 19/2x5	5-light brown	X							
(23)	N 017 131 20	flat fuse 19/2x5	40-orange	1							
		electric fan control module			W8						
36	3B0 919 506	electric fan control module		1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	41	941-00		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B0 941 015 AQ	twin halogen headlamps			
(1)	3B0 941 016 AQ	twin halogen headlamps	left	1	
(1)	3B0 941 016 AQ	twin halogen headlamps	right	1	
		single parts			
3	3B0 941 607 E	cap for low beam		2	
4	3B0 941 607 F	cap for high beam		2	
(6)	3B0 953 123 D	socket for bulb		2	
7	+ N 017 753 5	bulb 'longlife'	W5WLL12V5W	2	
(8)	N 104 759 02	bulb, yellow glass	27/7W 3457 A	2	
9	+ N 103 201 02	halogen bulb 'longlife'	12V55W H7	4	
10	N 909 609 01	bolt, hex. hd. with polygon socket	BM5X16X9 upper	4	
(11)	N 909 857 01	bolt, hex. hd. with shoulder	BM5X33X9 lower	4	
12	N 903 682 03	speed nut	M5X21X15/4.3 lower	4	
13	N 909 817 01	speed nut	M5X15, 3X21 upper	4	
17	3B0 941 160 B	retaining clip for low beam		2	
18	3B0 941 160 C	retaining clip for high beam		2	
19	3B0 998 225	repair kit for headlamp housing	left	1	
(19)	3B0 998 226	repair kit for headlamp housing	right	1	
20	3B0 971 671	adapter wiring harness to fit use workshop material		2	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	41	941-20		597	USA			


									
Pos	Part Number	Name	Remarks	Qty	Model				
(1)	3B7 941 017 T	halogen twin headlamp unit for gas discharge bulb see parts bulletin:	left 0-171	1					
(1)	3B7 941 018 T	halogen twin headlamp unit for gas discharge bulb see parts bulletin:	right 0-171	1					
		single parts							
2	3B7 941 295	range control adjustment motor		2					
3	3B7 941 607	cap for high beam		2					
4	3B7 941 607 A	cap for low beam	left	1					
(4)	3B7 941 608 A	cap for low beam	right	1					
5	3B7 941 089	cap position lever		2					
6	3B7 941 613	bracket for elec.contr. module gas discharge bulb		2					
7	3B7 941 641	control module for gas discharge bulb(xenon)		2					
8	3B0 941 645	retaining ring for gas discharge bulb		2					
(10)	1J0 953 123 B	socket for bulb		2					
11	N 104 457 01	gas discharge bulb	12V/35W D2S	2					
12	+ N 017 753 10	bulb, blueglass	12V/W5W	2					
(13)	N 104 759 02	bulb, yellow glass	27/7W 3457 A	2					
(14)	+ N 103 201 02	halogen bulb 'longlife'	12V55W H7	2					
15	N 907 323 01	tapping screw, fill. hd.	ST5,5X28X8	8					
16	N 909 609 01	bolt, hex. hd. with polygon socket	BM5X16X9 upper	4					
17	N 909 857 01	bolt, hex. hd. with shoulder	BM5X33X9 lower	4					
18	N 903 682 03	speed nut	M5X21X15/4,3 lower	8					

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	41	941-20		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
19	N 909 817 01	speed nut	M5X15,3X21 upper	4							
22	3B0 941 160 C	retaining clip for high beam		2							
23	3B0 998 225 A	repair kit for gas discharge headlamp	left	1							
(23)	3B0 998 226 A	repair kit for gas discharge headlamp	right	1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	41	941-25		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
1	4Z7 907 357	electronic control unit for headlight range control for vehicles with gas discharge bulb		1	
2 + N	013 968 1	tapping screw, fill. hd.	ST4,8X13-C	2	
3	N 907 867 01	expanding nut	4,8X12,5	2	
4	4B0 907 503	beam length adjustment for vehicles with gas discharge bulb selve levelling sensor	front	1	
5	8D0 941 291 A	retaining plate		1	sport-type running gear
(5)	3B0 941 291	retaining plate		1	
6	8D0 941 299 B	linkage for headlamp beam length adjustment	right	1	
7 + N	011 183 12	hex. nut, self-locking	M6	1	
8	N 104 343 01	screw, cheese hd.	M5X10	2	
10	3B0 505 465	beam length adjustment for vehicles with gas discharge bulb selve levelling sensor	rear	1	fr.wheel drv
12	3B0 505 573	connecting link		1	
13	3B0 505 575	retaining plate		1	sport-type running gear
(13)	3B0 505 575 A	retaining plate		1	
15	4B0 907 503	selve levelling sensor		1	
16 + N	011 183 12	hex. nut, self-locking	M6	1	
18	N 103 389 01	bolt, hex. hd. with shoulder	M6X16	2	
19	N 104 343 01	screw, cheese hd.	M5X10	2	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	41	941-25		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
		beam length adjustment for vehicles with gas discharge bulb selve levelling sensor	rear		4motion						
11	4B0 505 465 A	connecting link		1							
14	4B0 505 577	retaining plate		1	sport-type running gear						
14	4B0 505 577 A	retaining plate		1							
15	4B0 907 503	selve levelling sensor		1							
17	N 023 002 8	hex. nut, self-locking	AM6	2							
19	N 104 343 01	screw, cheese hd.	M5X10	2							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	41	941-50		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		switches in dashboard switches in console			
(1)	1C0 941 531 B	switch for driving headlights		1	
	05/02-06/0520H	black		1	
(1)	1C0 941 531 C	multiple switch f.side lights, headlights and fog lights	lighting: red	1	
	05/02-06/0520H	black			
(1)	3B7 941 531	multiple switch for side lights, headlights and rear fog light and driving lights		1	
	05/02-06/0520H	black			
(2)	3B0 941 333 D	rheostat for instrument lighting	lighting: red	1	
	05/02-06/0501C	satin black			
(3)	3B0 927 133 A	switch for anti-slip regulation	lighting: red	1	
	05/02-06/0501C	satin black			
(3)	3B0 927 134 A	switch for electronic satbility program	-esp- lighting: red	1	
	05/02-06/0501C	satin black			
(4)	3B0 953 235 D	emergency light switch with relay turn signal/emerg.light	12V 4X21W	1	
	05/02-06/0501C	satin black			
(5)	3B0 959 621 D	pushbutton with timer switch for heated backlite	lighting: red	1	
	05/02-11/0301C	satin black			
(5)	3B0 959 621 D	pushbutton with timer switch for heated backlite	lighting: red	1	
	11/03-06/0501C	satin black			


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	41	941-50		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
6	3B0 959 622	switch with timer for heated windshield		1			11/03-06/056BK	walnut	-BL, GV, JG, LT, MZ, NN, QY, VU, XE		
	11/03-06/0501C	satin black					11/03-06/0575R	anthracite	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 92, 93, 94, 95, 96		
(7)	3B0 963 563 C	switch for seat heating for cloth trim level	left	1							
		lighting:	red								
	05/02-01/0401C	satin black									
(7)	3B0 963 563 D	switch for seat heating for vehicles with leather trim	left	1							
		lighting:	red								
	05/02-01/0401C	satin black									
(7)	3B0 963 563 C	switch for seat heating	left	1		(25)	3B1 907 044 J	display and operating unit with control unit for electr. regulation air conditioner	rhd	1	
		lighting:	red								
	01/04-06/0501C	satin black									
(8)	3B0 963 564 C	switch for seat heating	right	1		(25)	3B7 907 044	display and operating unit with control unit for electr. regulation air conditioner	rhd	1	
		lighting:	red								
	05/02-06/0501C	satin black									
(8)	>3B0 963 563 G	switch for seat heating center console	rear	2					red	1hd	1 8 cylinder
	05/02-06/0501C	satin black									
15		blind cover	see illustration:	857-10							
						26	1J0 907 047 H	trim		1	
							05/02-06/0501C	satin black			
19	3B0 907 539	sun sensor		1		(26)	3B0 907 047 B	trim		1	
							05/02-06/052WE	burr walnut			
	05/02-11/032AQ	black	-BJ, FP, GA, JJ, JL, NG, RW, TW, TZ, VA, XR, XT, YU, YY, ZA, ZR, ZT, 53			(26)	1J0 907 047 M	trim for vehicles with radio cut out 183x112mm		1	
							05/02-06/0501C	satin black			
	05/02-11/034ET	platinum	-FQ, GB, GC, JC, JD, NH, NJ, RN, TX, TY, VB, VD, XS, YT, ZH, ZJ, ZS, 54			(26)	1J0 907 047 N	trim for vehicles with radio cut out 183x112mm		1	
							05/02-06/052WE	burr walnut			





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	41	941-50		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
	05/02-06/0593G	vavona (amber)									
(26)	1J0 907 047 P	trim for vehicles with radio cut out 183x112mm		1							
	05/02-06/052ZS	black/brown-netoptic									
27	N 906 989 01	speed nut	4,2X16X12	4							
(28) +	N 906 986 03	innensechsrund-blechschraube	ST4,2X16-C-T20	4							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	41	941-80		597	USA			


						Pos	Part Number	Name	Remarks	Qty	Model
								halogen fog lamp			
						(1)	3B7 941 699 A	halogen fog lamp	left	1	
						(1)	3B7 941 700 A	halogen fog lamp	right	1	
						2	3B7 941 603	cap	left	1	
						(2)	3B7 941 604	cap	right	1	
						3	+ N 013 967 1	tapping screw, fill. hd.	B4,2X19-C	6	
						4	+ N 017 762 2	halogen bulb	YC12V55W H3	2	
						5	+ N 905 353 01	speed nut	4,2X11	6	
								turn signal F >> 3B-4-160 015* F >> 3B-4E187 003*	side		
						10	1J0 949 117	turn signal	clear glass	2	
						11	+ N 017 753 4	bulb, yellow glass	WY5W12V5W	2	
						12	6X1 971 273 A	wiring harness for side turn signal		2	
								turn signal rear view mirror F 3B-4-160 016>>* F 3B-4E187 004>>*	side		
						13	1K0 949 101	turn signal	left	1	
						(13)	1K0 949 102	turn signal	right	1	
						14		1 set of securing parts see illustration:	857-40		
								side marker light			
						15	3B0 945 071	side marker light	left front	1	
						(15)	3B0 945 072	side marker light	right front	1	
						(15)	3B0 945 071 A	side marker light	left rear	1	
						(15)	3B0 945 072 A	side marker light	right rear	1	
						16	+ N 017 752 2	bulb	W10-3-12V3W	4	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	45	945-00		597	USA			

					Pos	Part Number	Name	Remarks	Qty	Model
							taillight			sedan
					(1)	3B5 945 095 AC	taillight	left	1	
					(1)	3B5 945 096 AC	taillight	right	1	
					(1)	3B7 945 095 B	taillight	left	1	W8
					(1)	3B7 945 096 B	taillight	right	1	W8
					(2)	3B5 945 257 D	bulb holder	left	1	
					(2)	3B5 945 258 D	bulb holder	right	1	
					3	3B5 945 191 A	gasket taillight		2	
					4	3B5 945 257 C	socket for bulb		2	
					5	+ 171 857 026 A	shouldered hex. nut	M5	6	
					6	+ N 102 510 01	bulb	P21/4W-12V	8	
					(6)	N 102 510 02	bulb 'longlife'	P21/4W-12V	X	
					8	+ N 102 564 01	bulb, yellow glass	PY21W	2	
							taillight			WAGON
					(20)	3B9 945 095 S	taillight	left	1	
					(20)	3B9 945 096 S	taillight	right	1	
					(20)	3B7 945 095 G	taillight	left	1	W8
					(20)	3B7 945 096 G	taillight	right	1	W8
					21	3B9 945 257 D	bulb holder	left	1	
					(21)	3B9 945 258 D	bulb holder	right	1	
					22	3B9 945 191 A	gasket taillight		2	
					23	3B9 945 257 C	socket for bulb		2	
					24	+ 171 857 026 A	shouldered hex. nut	M5	6	
					25	+ N 102 510 01	bulb	P21/4W-12V	8	
					(25)	N 102 510 02	bulb 'longlife'	P21/4W-12V	X	
					27	+ N 102 564 01	bulb, yellow glass	PY21W	2	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	45	945-00		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
		additional brake light									
30	1J5 945 121 D	additional brake light		1	sedan						
31	3B5 945 135 C	trim		1	sedan						
	05/02-06/05B41	satin black									
	05/02-06/05U71	flannel grey									
	05/02-06/0592F	petrol (green)									
	05/02-06/0589H	sunshine beige									
32	1J6 945 131 C	additional brake light		1	WAGON						
33	1J6 945 121	housing with reflector		1	WAGON						
		license plate light									
35	1J5 943 021 A	license plate light		2	WAGON						
(35)	3B5 943 021	license plate light		2	sedan						
36	+ N 017 725 2	bulb	L12V5W	2							
37	N 902 357 01	tapping screw	3,9X9,5	4							
38	3B5 827 359	gasket		2	sedan						
		to be used for:	3B5 943 021								
(38)	+ 411 945 279	washer		4	sedan						
		to be used for:	3B5 943 021								


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:13	12.12.2006		ETKA
PA	2005	9	45	945-50		597	USA			

					Pos	Part Number	Name	Remarks	Qty	Model
					(1)	3B0 945 511 A	switch - brake light			
							switch - brake light	4 pin black	1	
							housing color:			
							as required use:			
					-	8D0 721 673	clip		1	
					5	1H0 947 561 A	switch for hand brake warning light			
							switch		1	
					(25)	1J0 927 189 E	switches at pedal cluster			
							switch		1	



Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	47	947-00		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B0 947 105 C	interior and reading light		1		(1)	3B7 947 106 B	interior and reading light for vehicles with sliding roof		1	8 cylinder
	11/03-06/05Y20	pearl grey	-JF, JH, LM, LP, NM, NQ, QW, QZ, XA, XB				05/02-11/032EN	pearl grey	-TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZR, ZT		
	11/03-06/057G8	beige	-JG, LT, NN, QY, XE				05/02-11/0392Y	sunshine beige	-TY, VD, XS, YT, ZS		
(1)	1J0 947 106	interior and reading light for vehicles with sliding roof		1				interior and reading light	rear		
	05/02-11/03Y20	pearl grey	-BJ, FP, FQ, GA, GB, JC, JJ, JL, NG, NJ, RN, RW, TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZA, ZH, ZR, ZT, 53			3	3B0 947 291 B	reading light	rear	2	
	11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 93, 94, 95, 92, 96				05/02-11/03Y20	pearl grey	-BJ, FP, FQ, GA, GB, JC, JJ, JL, NG, NJ, RN, RW, TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZA, ZH, ZR, ZT, 53		
	01/03-11/037H7	sunshine beige	-GC, JD, NH, VD, XS, ZJ, ZS, 54				11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 93, 94, 95, 92, 96		
	11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, VU				11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, QY, VU, XE		
	05/02-01/0389H	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54				01/03-11/037H7	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54		
(1)	1J0 947 106	interior and reading light for vehicles with sliding roof		1	8 cylinder		05/02-01/0389H	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54		
	11/03-06/05Y20	pearl grey	-JF, JH, LM, LP, NM, NQ, QW, QZ, XA, XB					single parts for interior and reading light			
	11/03-06/057G8	beige	-JG, LT, NN, QY, XE					lens for interior light to be used for:	3B0 947 105 C 1U0 947 105 B	1	
(1)	3B7 947 105 F	interior and reading light		1	8 cylinder	(8)	3B0 947 125	lens for interior light to be used for:			
	05/02-11/032EN	pearl grey	-TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZR, ZT					lens for interior light for vehicles with sliding roof to be used for:	1J0 947 106	1	
	05/02-11/0392Y	sunshine beige	-TY, VD, XS, YT, ZS			8	3B0 947 125 A	lens for interior light for vehicles with sliding roof to be used for:			

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006	 ETKA
PA	2005	9	47	947-00		597	USA		


ETKA

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(8)		not a spare part				18	+ N 017 725 2	bulb	L12V5W	X	
(9)	3B7 919 039	socket for bulb		1	8 cylinder	19	+ N 017 753 2	bulb	W5W-12V	X	8 cylinder
11	1J0 959 613 G	potentiometer connecting piece	4B0 971 978	1				make-up light			
	05/02-11/03Y20	pearl grey	-BJ, FP, FQ, GA, GB, JC, JJ, JL, NG, NJ, RN, RW, TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZA, ZH, ZR, ZT, 53			20	3B0 947 109	light		2	
							11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 93, 94, 95, 92, 96		
	11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 93, 94, 95, 92, 96				11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, QY, VU, XE		
	11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, VU				05/02-11/037H7	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54		
	01/03-11/037H7	sunshine beige	-GC, JD, NH, VD, XS, ZJ, ZS, 54					glove box light			
	05/02-01/0389H	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54			25	1H0 947 301	light		1	
(11)	3B7 959 613 A	potentiometer		1	8 cylinder	26	+ N 017 726 2	bulb	M12V3W	1	
	05/02-11/032EN	pearl grey	-TW, TX, TZ, VA, VA, XR, XT, YU, YY, ZR, ZT					luggage compartment light			
	11/03-06/052EN	pearl grey	-JF, JH, LM, LP, NM, NQ, QW, QZ, XA, XB			30	3B9 947 101 A	light		1	WAGGON
	11/03-06/057R3	beige	-JG, LT, NN, QY, XE				05/02-11/03Y20	pearl grey	-BJ, FP, FQ, GA, GB, JC, JJ, JL, NG, NJ, RN, RW, TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZA, ZH, ZR, ZT, 53		
	05/02-01/0389H	sunshine beige	-TY, VD, XS, YT, ZS, 54								
	01/03-11/0392Y	sunshine beige	-TY, VD, XS, YT, ZS				11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 92, 93, 94, 95, 96		
16	+ N 013 965 5	tapping screw, fill. hd.	B4,2X9,5	2							
17	N 017 723 4	bulb	K12V10W	1							




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	47	947-00		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
	11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, QY, VU, XE				11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 92, 93, 94, 95, 96		
	05/02-11/037H7	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54								
(30)	1H0 947 101	light		1	sedan		11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, VU		
(30)	3B0 947 415 B	light for vehicles with anti-theft alarm system		1	sedan	(1)	3B0 947 105 C	interior and reading light		1	
33	+ N 017 725 2	bulb	L12V5W only for: 1H0 947 101	1			05/02-11/03Y20	pearl grey	-BJ, FP, FQ, GA, GB, JC, JJ, JL, NG, NJ, RN, RW, TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZA, ZH, ZR, ZT, 53		
(33)	+ N 017 753 2	bulb	W5W-12V only for: 3B0 947 415 B	1							
		switch	see illustration: 827-10				11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 93, 94, 95		
		entry light									
40	3B0 947 415 B	light		4			05/02-11/037H7	sunshine beige	-GC, JD, NH, VD, XS, ZJ, ZS, 54, TY, YT		
43	3B0 947 419	reflector (self-adhering)		4			11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, VU		
	05/02-06/051SU	red	30X1,8			(1)	3B7 947 105 F	interior and reading light		1	8 cylinder
45	+ N 017 753 2	bulb	W5W-12V	4			05/02-11/032EN	pearl grey	-TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZR, ZT		
		interior and reading light make-up light glove box light switch for hand brake control system luggage compartment light entry light					11/03-06/052EN	pearl grey	-FA, GT, LM, MX, VT		
		interior and reading light	front				05/02-11/0392Y	sunshine beige	-TY, VD, XS, YT, ZS		
(1)	1U0 947 105 B	interior and reading lights with warning lamp for deactivation of passenger airbag		1		(1)	3B7 947 106 B	interior and reading light for vehicles with sliding roof		1	8 cylinder
							05/02-11/032EN	pearl grey	-TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZR, ZT		

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	47	947-00		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
1	11/03-06/052EN	pearl grey	-JF, JH, LM, LP, NM, NQ, QW, QZ, XA, XB	1			11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 93, 94, 95		
	05/02-11/0392Y	sunshine beige	-TY, VD, XS, YT, ZS								
	1J0 947 106	interior and reading light for vehicles with sliding roof									
	05/02-11/03Y20	pearl grey	-BJ, FP, FQ, GA, GB, JC, JJ, JL, NG, NJ, RN, RW, TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZA, ZH, ZR, ZT, 53				11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, QY, VU, XE		
							01/03-11/037H7	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54		
	11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 93, 94, 95				05/02-01/0389H	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54		
								single parts for interior and reading light			
	11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, VU			(8)	3B0 947 125	lens for interior light to be used for:	3B0 947 105 C 1U0 947 105 B	1	
3	01/03-11/037H7	sunshine beige	-GC, JD, NH, VD, XS, ZJ, ZS, 54	2		8	3B0 947 125 A	lens for interior light for vehicles with sliding roof to be used for:	1J0 947 106	1	8 cylinder
	05/02-01/0389H	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54			(8)		not a spare part			
						(9)	3B7 919 039	socket for bulb		1	
		interior and reading light -----	rear			11	1J0 959 613 G	potentiometer connecting piece	4B0 971 978	1	
	3B0 947 291 B	reading light					05/02-11/03Y20	pearl grey	-BJ, FP, FQ, GA, GB, JC, JJ, JL, NG, NJ, RN, RW, TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZA, ZH, ZR, ZT, 53		
	05/02-11/03Y20	pearl grey	-BJ, FP, FQ, GA, GB, JC, JJ, JL, NG, NJ, RN, RW, TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZA, ZH, ZR, ZT, 53								
							11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 93, 94, 95		


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	47	947-00		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(11)	11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, VU	1	8 cylinder		11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 93, 94, 95	1	
	01/03-11/037H7	sunshine beige	-GC, JD, NH, VD, XS, ZJ, ZS, 54								
	05/02-01/0389H	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54								
	3B7 959 613 A	potentiometer connecting piece	4B0 971 978				11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, QY, VU, XE		
	05/02-11/032EN	pearl grey	-TW, TX, TZ, VA, VA, XR, XT, YU, YY, ZR, ZT				05/02-11/037H7	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54		
	11/03-06/052EN	pearl grey	-JF, JH, LM, LP, NM, NQ, QW, QZ, XA, XB					glove box light			
	11/03-06/057R3	beige	-JG, LT, NN, QY, XE			25	1H0 947 301	light		1	
	05/02-01/0389H	sunshine beige	-TY, VD, XS, YT, ZS, 54			26	+ N 017 726 2	bulb	M12V3W	1	
13	1J0 973 332	flat contact housing	2 pin	1				luggage compartment light			
(14)	3B0 035 711 B	microphone for hands-free operation for vehicles with telephone		1		(30)	1H0 947 101	light		1	sedan
	05/02-06/05B41	satin black				(30)	3B9 947 101 A	light		1	WAGGON
16	+ N 013 965 5	tapping screw, fill. hd.	B4,2X9,5	2			05/02-11/03Y20	pearl grey	-BJ, FP, FQ, GA, GB, JC, JJ, JL, NG, NJ, RN, RW, TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZA, ZH, ZR, ZT, 53		
17	N 017 723 4	bulb	K12V10W	1							
18	+ N 017 725 2	bulb	L12V5W	X							
19	+ N 017 753 2	bulb	W5W-12V	2			11/03-06/05Y20	pearl grey	-BH, BK, BM, FA, FH, GT, GU, JF, JH, LM, LP, MX, MY, NC, ND, NM, NM, NQ, QW, QZ, RU, RV, VN, VP, VT, XA, XB, 93, 94, 95		
		make-up light reading light									
20	3B0 947 109	light		2			11/03-06/057G8	beige	-BL, GV, JG, LT, MZ, NN, QY, VU, XE		
	05/02-11/03Y20	pearl grey	-BJ, FP, FQ, GA, GB, JC, JJ, JL, NG, NJ, RN, RW, TW, TX, TZ, VA, VB, XR, XT, YU, YY, ZA, ZH, ZR, ZT, 53				05/02-11/037H7	sunshine beige	-GC, JD, NH, TY, VD, XS, YT, ZJ, ZS, 54		


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006	 ETKA
PA	2005	9	47	947-00		597	USA		


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(30)	3B0 947 415 B	light for vehicles with anti-theft alarm system		1	sedan						
33	+ N 017 725 2	bulb	L12V5W only for: 1H0 947 101	1							
(33)	+ N 017 753 2	bulb	W5W-12V only for: 3B0 947 415 B	1							
		entry light									
40	3B0 947 415 B	light		4							
43	3B0 947 419	reflector (self-adhering)		4							
	05/02-06/051SU	red	30X1,8								
45	+ N 017 753 2	bulb	W5W-12V	4							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	51	951-00		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		fanfare horn			
(1)	3B0 951 206 D	fanfare horn	low tone	1	
(2)	3B0 951 206 C	fanfare horn	high tone	1	
(5)	3B0 951 181 D	bracket	left	1	AWM, ATQ, BHW
(5)	3B7 951 181 B	bracket	left	1	BDP
(5)	3B7 951 181 C	bracket	right	1	ATQ, AWM, BHW
(5)	3B7 951 181 E	bracket	right	1	BDP
(7)	N 019 519 4	bolt, hex. hd. with shoulder	M8X16	2	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	51	951-10		597	USA			

					Pos	Part Number	Name	Remarks	Qty	Model
							anti-theft alarm system			
					(1)	8D5 951 113	horn for anti-theft alarm system also use:	357 972 743 357 951 772	1	
					-	357 951 772	flat contact housing	2 pin	1	
					-	357 972 743	single wire seal	9,0X23,5	1	
					(1)	3B0 951 101 A	horn		1	
					(3)	3B9 951 167 A	bracket		1	
					(4)	3B0 953 236 D	micro switch		1	
					5		see illustration:	947-00		

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	53	953-50		597	USA			





Pos	Part Number	Name	Remarks	Qty	Model
(1)	1J0 953 513	switch for turn signals, high and low beams, headlight flasher, wipers and wash-wipe operation		1	
	05/02-06/0501C	satin black			
(1)	8L0 953 513 S	switch for turn signals, high and low beams, headlamp flasher and parking light for vehicles with cruise control system		1	
	05/02-06/0501C	satin black			
(2)	4B0 953 503 E	switch for wipers/wash-wipe operation		1	sedan
	05/02-06/0501C	satin black			
(2)	4B0 953 503 F	switch for wipers/wash-wipe operation		1	WAGON
	05/02-06/0501C	satin black			
(2)	4B0 953 503 G	switch for wipers/wash-wipe operation and on-board computer		1	sedan
	05/02-06/0501C	satin black			
(2)	4B0 953 503 H	switch for wipers/wash-wipe operation and on-board computer		1	WAGON
	05/02-06/0501C	satin black			
4		see illustration:	857-10		
5		see illustration:	857-10		
6	8D0 905 869	grommet		1	
	05/02-06/0501C	satin black			
7-9		see illustration:	857-10		


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	53	953-50		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
11	1J0 959 537 F	multiple switch with ecu for radio remote control and cruise control	left	1							
(11)	1J0 959 537 G	multiple switch with ecu for radio and/or telephone remote control and cruise control	left	1							
12	1J0 959 538 F	switch for radio remote control and cruise control system	right	1							
13	3B0 971 584 C	air bag harness-steering wheel and multifunction button		1							
14	3B0 971 344	adapter wiring harness		1							
20		see illustration:	959-00								





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	55	955-00		597	USA			

					Pos	Part Number	Name	Remarks	Qty	Model
							windshield wiper bracket with wiper motor windshield wiper			
					(1A)	3B1 955 113 D	wiper motor	lhd	1	
					2	3B0 955 121	crank		1	
					2A		not a spare part for this model			
					3	1J0 955 205 A	cap		2	
						05/02-06/0501C	satin black			
					4	3B0 955 229	sealing washer		2	
					5	8D1 955 325	operating rod	left	lhd	1
					(5)	8D1 955 326 B	operating rod	right	lhd	1
					(6A)	3B1 955 409 C	aero-wiper arm (drivers side)	left	lhd	1
					(6A)	3B1 955 410 C	aero-wiper arm (passenger side)	right	lhd	1
					(7A)	1J1 955 425 A	aero-wiper blade (drivers side)	left	lhd	1
							as required use:	3B7 955 205		
					(7A)	3B1 955 426	aero-wiper blade (passenger side)	right	lhd	1
							as required use:	3B7 955 205		
					(9)	3B1 955 603 B	base, windshield wiper		lhd	1
					10		not a spare part			
					11	893 955 995 A	grommet		1	
					12	893 955 746	spacer bushing	18/22X11,25	1	
					13	+ N 014 344 1	bolt, hex. hd. with shoulder, self-locking	M6X18	3	
					14	+ N 022 148 11	hex. nut, self-locking	VM6	1	
					15	+ N 900 744 01	hex. nut, self-locking	M8	2	
					16	N 902 291 02	shouldered hex. nut	M8	1	
					17	N 903 053 02	bolt, hex. hd. with shoulder	M6X10	3	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006	 ETKA
PA	2005	9	55	955-00		597	USA		

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
18	3B0 971 411 A	adapter wiring harness with rain sensor for automatic anti-dazzle interior rear view mirror	VALEO	1							
-	1J0 955 609	gel film for rain sensor (self adhesive)	VALEO	1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	55	955-10		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		windshield washer unit F >> 3B-3-450 000*	front		
(1)	3B0 955 453 AF	fluid container as required use:	4,0ltr. 171 957 857	1	
(1)	3B0 955 453 AG	fluid container for vehicles with headlight washer system as required use: also use:	4,0ltr. 171 957 857 2D0 955 465 B	1 1	
(1)	3B7 955 453 D	fluid container for vehicles with headlight washer system and water level	6,5LTR	1	8 cylinder
2	2D0 955 465 B	sealing washer	28X24X9MM	1	
(3)	1K0 955 455	sealing cap	54MM	1	
4	443 955 465	gasket	12X6,5	1	
5	1C0 955 485	strainer		1	
(6)	1T0 955 651	pump	also use: 1J0 955 665 H	1	sedan
(6)	1T0 955 651 A	pump for vehicles with wipe-wash system for rear window also use:	1J0 955 665 H	1	wagon
-	1J0 955 665 H	elbow	5X1	X	
7	1J0 955 665 C	elbow		1	
(8)	3B0 955 665 B	elbow		2	
9	893 955 665	elbow		1	
10	443 955 665	connecting hose		1	
11	7D0 955 747 A	bracket for hose		5	
12	3B0 955 837 B	grommet	left	1	
13	3B0 955 837 C	grommet	right	1	
(14)	1J0 955 873 D	y-piece		1	
15-18	N 020 150 5	tube in coils of 5m 'order qty. 5' shorten if necessary	6X1X5000MM	*	
22	3B0 955 831	grommet		2	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:14	12.12.2006		ETKA
PA	2005	9	55	955-10		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
-	2D0 955 962	hose	3,8X2,1X1300MM								
23		shorten to:	85MM	2							
(24)	6E0 955 985 A	spray jet	adjustable	2							
		also use:	1J0 955 875 P	X							
			1J0 955 665 H	X							
-	1J0 955 875 P	coupling piece	black	X							
(25)	6E0 955 986 A	heated spraying jet		2							
		also use:	1J0 955 875 P	X							
			1J0 955 665 H	X							
26	171 957 857	plug	28	1							
27	8D0 971 841 D	grommet		1							
28	7M0 919 376	water level switch		1							
29 +	7M0 919 382	sealing washer		1							
30	N 907 246 01	bolt, hex. hd. (combi.)	M6X22	3							
31	G 052 164 A1	windshield cleaner concentrate with anti freeze	0.5ltr.	1							
		'order qty. 12'									
(31)	G 052 164 A2	windshield cleaner concentrate with anti freeze	1,0ltr.	1							
		'order qty. 10'									
(31)	G 052 184 A1	windshield cleaner concentrate	250ML	1							
(31)	G 052 184 A2	windshield cleaner concentrate	1,0ltr.	1							
(31)	G 060 164 A2	disc wheel cleaning agent with frost protection	1,0ltr.	1							
(31)	G 060 164 A4	disc wheel cleaning agent with frost protection	5ltr.	1							
32 +	N 020 902 2	tie wrap	6X246	X							
33 +	N 024 528 1	clamp	LC8-12	X							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:15	12.12.2006		ETKA
PA	2005	9	55	955-15		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		windshield washer unit F 3B-3-450 000>>*			
1	1K0 955 455	sealing cap		1	
2	1C0 955 485	strainer		1	
(3)	3B0 955 453 AF	fluid container	4,0ltr.	1	
3	3B0 955 453 AG	fluid container for vehicles with headlight washer system	4,0ltr.	1	
(3)	3B7 955 453 D	fluid container for vehicles with headlight washer system and water level	6,5LTR	1	
4	+ 7M0 919 382	sealing washer		1	
5	7M0 919 376	water level switch		1	
(5)	8E0 955 465 A	plug for vehicles without water level switch		1	
6	N 100 092 02	bolt, hex. hd. (combi.)	M6X20-Z2	1	
10	443 955 465	gasket	12X6,5	1	
11	1T0 955 651	pump windshield washer unit		1	sedan
(11)	1T0 955 651 A	pump for vehicles with wipe-wash system for rear window		1	WAGON
12	1J0 955 665 H	elbow	5X1	X	
13	+ N 020 902 2	tie wrap	3,6X246	X	
14	2D0 955 962	hose to fit use workshop material	3,8X2,1X1300MM	1	
15	1J0 955 751 D	corrugated pipe	6X0,75X10000MM	1	
16	8D0 971 841 D	grommet		1	
17	1J0 955 875 R	coupling piece		X	
18	1J0 955 875 P	coupling piece		X	
19	000 979 992	1 set of shrink fit sleeves can be welded watertight contents of package:	12MM/4MM 8 STK	X	
20	1J0 955 998 C	grommet		1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:15	12.12.2006		ETKA
PA	2005	9	55	955-15		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
21	1J0 955 873 D	y-piece		1							
22	3B0 955 665 B	elbow		1							
25	1J0 955 875 B	connecting piece		1							
30	6E0 955 985 A	spray jet		2							
(30)	6E0 955 986 A	heated spraying jet		2							
31	823 971 988	male blade terminal housing	2 pin	2							
45	G 052 164 A1	windshield cleaner concentrate with anti freeze 'order qty. 12'	0.5ltr.	1							
(45)	G 052 164 A2	windshield cleaner concentrate with anti freeze 'order qty. 10'	1,0ltr.	1							
(45)	G 052 184 A1	windshield cleaner concentrate	250ML	1							
(45)	G 052 184 A2	windshield cleaner concentrate	1,0ltr.	1							
(45)	G 060 164 A2	disc wheel cleaning agent with frost protection	1,0ltr.	1							
(45)	G 060 164 A4	disc wheel cleaning agent with frost protection	5ltr.	1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:15	12.12.2006		ETKA
PA	2005	9	55	955-20		597	USA			





Pos	Part Number	Name	Remarks	Qty	Model
		wiper and washer system for rear window			
(1)	3B9 955 427	wiper blade	380MM VALEO	1	
2	895 955 429 A	rubber for wiper blade	550MM	1	
(2)	1J0 955 429 A	1 set wiper blade rubber	600MM VALEO	1	
3	3B9 955 435 A	cap		1	
	05/02-03/0301C	satin black			
(3)	7M3 955 435	cap		1	
	03/03-06/0501C	satin black			
4	8D9 955 407 A	wiper arm		1	
	F	>> 3B-3-367 000			
(4)	1J6 955 707 A	wiper arm		1	
	F 3B-3-367 001>>				
5	3B9 955 711 C	wiper motor		1	
	F	>> 3B-3-400 000*			
(5)	1J6 955 711 G	wiper motor		1	
	F 3B-3-400 001>>*				
	F	>> 3B-2-325 000*			
		also use:			
		6Q6 955 758		1	
		1J0 955 665 H		1	
-	8L0 998 711	repair kit for rear wiper motor	VALEO		
		only for:	1J6 955 711 G		
-	1J0 955 665 H	elbow	5X1	X	
6	8D9 955 758 A	gasket		1	
	F	>> 3B-3-400 000*			
(6)	6Q6 955 758	gasket		1	
	F 3B-3-400 001>>*				
-	1J0 955 751 D	corrugated pipe	6X0,75X10000MM	*	
7-9		to fit use workshop material		1	
-	2D0 955 962	hose	3,8X2,1X1300MM	*	
14-16		to fit use workshop material		1	
17	3B9 955 985 A	spray jet		1	
(18)	3B9 971 840 B	grommet		1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:15	12.12.2006		ETKA
PA	2005	9	55	955-20		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
19	3B9 998 754	1 set of bushings		1							
20	N 011 151 3	hex. nut	M8	1							
21	+ N 011 558 11	washer	8,4X15X1,6	1							
22	+ N 024 399 2	clamp	A7X8	X							
23	+ N 906 661 01	tie wrap	5X6,5	X							
24	N 907 143 02	hex. nut with washer	M6	3							
(25)	1T0 955 651 A	pump		1							
		also use:	1J0 955 665 H	1							
26		see illustration:	955-10;955-35								
28		not a spare part									
29	1J0 955 665 C	elbow		1							
30	1J0 955 875 B	connecting piece		1							



Model	Year	MG	SG	Illustration	Restrictions	UPD	17:15	12.12.2006		ETKA
PA	2005	9	55	955-35		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		headlight washer system			
1	3B0 955 103 A	jet carrier with jet	left	1	
2	3B0 955 104 A	jet carrier with jet	right	1	
3		cover	see illustration: 807-00		
(4)	3B0 955 978 E	pressure cylinder		2	
5	N 908 073 01	innensechsrund-linsenbund-schraube, selbstsichernd	M6X25-H	1	
6	+ N 901 063 02	shouldered hex. nut	M6	1	
(7)	3B0 955 453 AG	fluid container	4,0ltr.	1	
(7)	3B7 955 453 D	fluid container	6,5LTR	1	
8	3B7 955 681	pump	also use: 1J0 973 722 A as required use: N 903 038 01	1 1	
-	N 903 038 01	round seal	9X1,5	1	
-	1J0 973 722 A	flat contact housing with helper contact catch	2 pin	X	
9	431 955 465 A	gasket	20,2X9,5	1	
10	7M0 919 376	water level switch		1	
11	+ 7M0 919 382	sealing washer		1	
(12)	1K0 955 455	sealing cap	54MM	1	
(13)	1C0 955 485	strainer		1	
14	N 100 092 02	bolt, hex. hd. (combi.)	M6X20-Z2	2	
15	N 904 861 01	hex. nut with washer	M6	1	
(16)	N 906 833 02	halbrundschraube (kombi) mit innensechsrund	M6X20-TC-S11	1	
(20)	4B0 955 873	connecting piece		1	
21	1J0 955 875 C	connecting piece	angled	1	
22	8D0 955 875	connecting piece		1	
23	8D0 955 873	distributor piece		1	
24	1J0 955 665 E	connecting piece		2	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:15	12.12.2006	 ETKA
PA	2005	9	55	955-35		597	USA		


ETKA


Pos	Part Number	Name	Remarks	Qty	Model
(25)	1J0 955 964 F	hose in coils of 5m 'order qty. 5' to fit use workshop material	S10X3	*	
26	+ N    100 980 01	clamp	18,5	X	
27	3B0 955 846	bracket for hose		3	





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:15	12.12.2006		ETKA
PA	2005	9	59	959-00		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
	f 05/02-06/0500C	driver, passenger, side and head airbag control module		1	PR-5C7						
	f 05/02-06/05009	driver, passenger, side and head airbag control module		1	PR-5C0,5C1						
	f 05/02-06/0500G	driver, passenger, side and head airbag control module and the possibility of deactivation the front passenger airbag		1	PR-5SH						
(13)	1J0 971 254 B	cap nut	M6	3							
(14)	N 014 774 1	bolt, with hex. socket hd.	M6X18	4							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:15	12.12.2006		ETKA
PA	2005	9	59	959-05		597	USA			

										Pos	Part Number	Name	Remarks	Qty	Model
										1	1J1 959 565 E	switches in door trim panel switches in console			
											05/02-06/0501C	satin black			
										(1)	1J1 959 565 F	switch for interior mirror electric adjustment, heated and fold-up feature	lhd	1	
											05/02-06/0501C	satin black			
										3	3B0 959 855 B	switch for electrically operated and heated rear view mirror	lhd	1	
											05/02-06/0501C	satin black			
										3	3B0 959 855 B	switch for electric windows		3	
											05/02-06/0501C	satin black			
										(5)	1J4 959 857 D	switch for window and safety switch for central locking system	driver's door 4-door	1	
										11	1J0 962 125 A	safety switch for central locking system		2	
											05/02-06/0501C	satin black			
										16	4B0 962 109 A	button for vehicles with anti-theft alarm system and interior movement detection		1	
											05/02-06/0501C	satin black			
										17	1J0 959 831 A	button for electrically operated flap - lock		1	
											05/02-06/0501C	satin black			
										18	1J0 959 833 A	button for electrically operated flap for fuel filler		1	
											05/02-06/0501C	satin black			
										21	8G0 959 727 D	switch for vehicles with alarm system		1	
											05/02-06/0501C	satin black			
										(28)	535 959 665	switch	front	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:28	12.12.2006		ETKA
PA	2005	9	59	959-10		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
(2)	1C0 959 801	window lifter motor for vehicles with elec. folding mirror * order only with color code *	driver's door	1	
f	05/02-06/05009	window lifter motor		1	
(2)	1C1 959 801	window lifter motor * order only with color code *		1	
f	05/02-06/05008	window lifter motor		1	
(3)	1C0 959 802 A	window lifter motor for vehicles with elec. folding mirror * order only with color code *	passenger door	1	
f	05/02-06/05009	window lifter motor		1	
(3)	1C1 959 802	window lifter motor * order only with color code *		1	
f	05/02-06/05001	window lifter motor	lhd	1	
(4)	1C0 959 812	window lifter motor * order only with color code *	rear right	1	
f	05/02-06/05001	window lifter motor		1	
(5)	1C0 959 811	window lifter motor * order only with color code *	left	1	
f	05/02-06/05001	window lifter motor		1	
(6)	1C0 959 799 C	central electronic control unit for comfort system for vehicles with electrically operated windows  central electronic control unit for comfort system for vehicles with radio contr. central locking system * order only with color code *	front	1	sedan


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:28	12.12.2006		ETKA
PA	2005	9	59	959-10		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(6)	f 05/02-06/05072	central electronic control unit for comfort system	front and rear	1	PR-4R8,4K0	(9)	1J0 959 821	innensechsrund-zyylinderblech-schraube	6X15	3	
		central electronic control unit for comfort system for vehicles with electrically operated windows			sedan	(10)	8D0 927 355 A	housing for control modules		1	
						(10)	8D0 927 613	cover		1	
	1C0 959 799 C	central electronic control unit for comfort system for vehicles with radio contr. central locking system * order only with color code *	front and rear	1	wagon						
	f 05/02-06/05009	central electronic control unit for comfort system for vehicles with elec. folding mirror and anti-theft alarm system									
	f 05/02-06/05008	central electronic control unit for comfort system for vehicles with anti-theft alarm system									
(6)	1C0 959 799 C	central electronic control unit for comfort system for vehicles with electrically operated windows									
		central electronic control unit for comfort system for vehicles with radio contr. central locking system * order only with color code *									
	f 05/02-06/05081	central electronic control unit for comfort system for vehicles with elec. folding mirror and anti-theft alarm system									
	f 05/02-06/05080	central electronic control unit for comfort system for vehicles with anti-theft alarm system									
		single parts									
7	+ N 014 128 11	fillister hd. screw	M5X8	X							
(8)	3B0 959 507	bracket for elec.contr. module	M5X8	1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:28	12.12.2006		ETKA
PA	2005	9	59	959-25		597	USA			


						Pos	Part Number	Name	Remarks	Qty	Model
								electrical parts for seat and backrest adjustment			
						(1)	3B1 959 760 E	memory seat and backrest adjustment control module		1	
						(2)	3B0 959 761 AH	motor for seat adjustment for height adjustment	left	1	
						(2)	3B0 959 762 AH	motor for seat adjustment for height adjustment	right	1	
						3	N 013 890 5	tapping screw, hex. hd.	ST6, 3X13-C	12	
						(4)	3B0 959 761 AD	motor for seat adjustment for longitudinal adjustment	left	1	
						(4)	3B0 959 762 AD	motor for seat adjustment for longitudinal adjustment	right	1	
						(5)	3B0 959 761 AF	motor for seat adjustment for rake adjustment	left	1	
						(5)	3B0 959 762 AF	motor for seat adjustment for rake adjustment	right	1	
						6	3B0 959 761 T	motor for backrest adjustment	left	1	
						(6)	3B0 959 762 T	motor for backrest adjustment	right	1	
						10 +	171 857 026 A	shouldered hex. nut	M5	6	
						11	1J0 972 712	flat connector housing with additional contact catch	2 pin black	X	
						(11)	191 972 714	male blade terminal housing	4 pin	X	
						12	N 014 117 9	fillister hd. screw	M4X15	1	
						15	3B0 959 765	switch for seat adjustment	left	1	
							05/02-06/0501C	satin black		1	
						(15)	3B0 959 766	switch for seat adjustment	right	1	
							05/02-06/0501C	satin black		1	
						16	3B0 959 765 A	memory switch for seat adjustment	left	1	
							05/02-06/0501C	satin black		1	
						(16)	3B0 959 766 A	memory switch for seat adjustment	right	1	
							05/02-06/0501C	satin black		1	





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:28	12.12.2006		ETKA
PA	2005	9	59	959-50		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model
		viscous fan see illustration:	121-90		
		electric fan for vehicles with air condit.			
(1)	8D0 959 455 R	electric fan	300W 280MM GATE	1	ATQ,AWM,BWH
(1)	3B0 959 453 D	electric fan with control unit	500W 360MM TEMIC	1	BDP
(1)	3B0 959 453 B	electric fan	500W 290MM TEMIC	1	BDP
		single parts			
2	N 010 261 3	screw, hex. hd.	M4X15	1	
3	8D0 959 493	series resistor		1	ATQ,AWM
(3)	8D0 959 493 A	series resistor		1	BWH
4	+ N 901 752 03	shouldered hex. nut	M6	2	
5	8D0 959 481 B	dual thermal switch	95-84C/102-91C	1	ATQ,AWM,BWH
-	+ N 903 168 02	round seal	19,6X3,6	1	
-	032 121 142	retaining spring		1	
6	4B0 973 712	flat contact housing with helper contact catch	4 pin	1	
7	867 972 525 B	grommet	26X13	1	
8	813 972 926	flat contact housing with helper contact catch and grommet	2 pin	1	
		for electric fan:	9		
(8)	1J0 973 852	flat contact housing	2 pin black 10,11,12	1	
		for electric fan:			
9	+ N 043 808 3	sealing washer	A22X29	1	
15	8D0 959 501 C	electric fan control module for vehicles with heavy-duty water cooling system		1	ATQ




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:28	12.12.2006		ETKA
PA	2005	9	63	963-00		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
					
(1)		electrical parts for seat and backrest heater heater element-seat * for sewed in heat element * see illustration:	881-00 885-20/25 885-40/45		
(2)	3B0 963 556 A	heater element-seat	side leather	2	
(2)	3B0 963 556 B	heater element-seat	side	2	
(2)	3B0 963 556 B	heater element-seat	side	2	
3		heater element-backrest * for sewed in heat element * see illustration:	881-50 885-60/65 885-70/75		
5	1J0 972 702	flat contact housing	2 pin	1	
(6)	1J0 937 723	flat contact housing with helper contact catch also use:	3 pin black 1J0 937 724	X	
(6)	1J0 937 724	flat contact housing with helper contact catch	3 pin black	X	
7	1J0 972 722	female blade terminal housing	4 pin	1	
(10)	1J0 937 545 M	bracket for connector housing	left	1	
(10)	1J0 937 546	bracket for connector housing	right	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:28	12.12.2006		ETKA
PA	2005	9	71	971-00		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		harness for lighting * insulate unconnected * cable ends F >> 3B-3-350 000*	left front		4-,6-cyl.
(1)	3B1 971 075 AJ	harness for lighting	left front	1	
(1)	3B1 971 075 AE	harness for lighting for vehicles with automatic headlight range control	left front	1	
1A	8D0 971 273	wiring harness for side turn signal as required use:	N 017 753 4	X	
1A	3B0 971 273	wiring harness for side marker light as required use:	N 017 752 2	X	
		harness for lighting * insulate unconnected * cable ends F 3B-3-350 001>> 3B-4-200 000*	left front		4-,6-cyl.
(1)	3B1 971 075 BE	harness for lighting	left front	1	
(1)	3B1 971 075 BJ	harness for lighting for vehicles with automatic headlight range control	left front	1	
1A	8D0 971 273	wiring harness for side turn signal as required use:	N 017 753 4	X	
1A	3B0 971 273	wiring harness for side marker light as required use:	N 017 752 2	X	
		harness for lighting * insulate unconnected * cable ends F 3B-4-200 001>>*	left front		4-,5-,6-cyl.
(1)	3B1 971 075 CJ	harness for lighting	left front	1	
(1)	3B1 971 075 CN	harness for lighting for vehicles with automatic headlight range control	left front	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:28	12.12.2006		ETKA
PA	2005	9	71	971-00		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
		harness for lighting * insulate unconnected * cable ends F >> 3B-3-350 000*	left front		8 cylinder	2	8D0 941 189	grommet for vehicles with fog lamps		1	
(1)	3B7 971 075 C	harness for lighting	left front	1		3	4B0 971 848	cable holder		X	
1A	8D0 971 273	wiring harness for side turn signal as required use:	N 017 753 4	X		4	8D0 971 871	grommet F >> 3B-4-200 000* for harness	51/15	1	
1A	3B0 971 273	wiring harness for side marker light as required use:	N 017 752 2	X		(4)	8E0 971 871 G	grommet F 3B-4-200 001>>* for harness	51/18	1	
		harness for lighting * insulate unconnected * cable ends F 3B-3-350 001>> 3B-4-200 000*	left front		8 cylinder	5	8D0 971 897	cable holder		1	
(1)	3B7 971 075 F	harness for lighting	left front	1		6	1J0 973 722	flat contact housing with helper contact catch pump windshield washer unit connecting piece halogen fog lamp	2 pin black	X	
1A	8D0 971 273	wiring harness for side turn signal as required use:	N 017 753 4	X		(6)	1J0 973 202	flat contact housing water level indicator	2 pin	1	
1A	3B0 971 273	wiring harness for side marker light as required use:	N 017 752 2	X		(6)	7M0 973 119	flat contact housing selve levelling sensor also use:	6 pin 4B0 972 840	1	
		harness for lighting * insulate unconnected * cable ends F 3B-4-200 001>>*	left front		8 cylinder	(7)	1J0 973 735	flat contact housing connecting piece for headlamps	10 pin	1	
(1)	3B7 971 075 J	harness for lighting	left front	1		8	--- --- --- .	discontinued / replacement: dashboard harness	4A0 972 241 4A0 972 243	1 1	
		single parts  * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements -----				(8)	1J0 937 723 B	flat contact housing with helper contact catch as required use:	3 pin 1J0 937 724 B		
						(8)	1J0 937 723 D	flat contact housing with helper contact catch as required use:	3 pin 1J0 937 724 D	X	
						(8)	1J0 937 724 B	flat contact housing with helper contact catch as required use:	3 pin 1J0 937 723 B	X	
						(8)	1J0 937 724 D	flat contact housing with helper contact catch as required use:	3 pin 1J0 937 723 D	X	
(2)	4A0 941 189	grommet	28	1		(8)	1J0 937 743 B	flat connector housing with additional contact catch dashboard harness	10 pin	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:28	12.12.2006	 ETKA
PA	2005	9	71	971-00		597	USA		

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(8)	1J0 937 743 D	flat connector housing with additional contact catch dashboard harness	10 pin	1							
9	357 972 741	single wire seal for wire cross section:	5,6X7,8 blue 1,0	3							
(11)	813 972 927	flat contact housing with helper contact catch and grommet turn signal-parking light	3 pin	1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-05		597	USA			





Pos	Part Number	Name	Remarks	Qty	Model
		harness for lighting * insulate unconnected * cable ends F >> 3B-3-350 000*	right front		4-,6-cyl.
(1A)	8D0 971 273	wiring harness for side turn signal		X	
		as required use:	N 017 753 4	X	
(1)	3B1 971 076 AD	harness for lighting	right front	1	
(1A)	3B0 971 273	wiring harness for side marker light		X	
		as required use:	N 017 752 2	X	
		harness for lighting * insulate unconnected * cable ends F 3B-3-350 001>> 3B-4-200 000*	right front		4-,6-cyl.
(1A)	8D0 971 273	wiring harness for side turn signal		X	
		as required use:	N 017 753 4	X	
(1)	3B1 971 076 AT	harness for lighting	right front	1	
(1)	3B1 971 076 BD	harness for lighting for vehicles with automatic headlight range control	right front	1	
(1A)	3B0 971 273	wiring harness for side marker light		X	
		as required use:	N 017 752 2	X	
		harness for lighting * insulate unconnected * cable ends F 3B-4-200 001>>*	right front		4-,6-cyl.
(1)	3B1 971 076 CE	harness for lighting	right front	1	
(1)	3B1 971 076 CJ	harness for lighting for vehicles with automatic headlight range control	right front	1	
		harness for lighting * insulate unconnected * cable ends F >> 3B-3-350 000*	right front		8 cylinder

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-05		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B7 971 076 A	harness for lighting for vehicles with gas discharge bulb	right front	1	8 cylinder	(3)	4D0 971 992	flat connector housing with additional contact catch fanfare horn	2 pin black/violet	1	
(1A)	3B0 971 273	wiring harness for side marker light as required use:	N 017 752 2	X		(3)	1J0 973 722	flat contact housing with helper contact catch halogen fog lamp	2 pin black	1	
(1A)	8D0 971 273	wiring harness for side turn signal as required use:	N 017 753 4	X		4	8D0 971 847 C	cable holder	8MM	1	
						5	4B0 971 848	cable holder		1	
						6	8D0 971 871	grommet sectional wire harness halogen headlamp	51/15	1	
		harness for lighting * insulate unconnected * cable ends F 3B-3-350 001>> 3B-4-200 000*	right front			8	8D0 971 966	rd. connector sleeve housing headlamp	5 pin	1	
(1A)	3B0 971 273	wiring harness for side marker light as required use:	N 017 752 2	X		(9)	4A0 972 241	pin (male) terminal housing	3 pin		
						(9)	4A0 972 243	pin (male) terminal housing	3 pin		
(1A)	8D0 971 273	wiring harness for side turn signal as required use:	N 017 753 4	X		(9)	1J0 937 723 B	flat contact housing with helper contact catch as required use:	3 pin 1J0 937 724 B		
						(9)	1J0 937 724 B	flat contact housing with helper contact catch as required use:	3 pin 1J0 937 723 B		
(1)	3B7 971 076 C	harness for lighting for vehicles with gas discharge bulb  single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements -----	right front	1	8 cylinder	(9)	1J0 937 723 D	flat contact housing with helper contact catch as required use:	3 pin 1J0 937 724 D		
						(9)	1J0 937 724 D	flat contact housing with helper contact catch as required use:	3 pin		
						(13)	813 972 927	flat contact housing with helper contact catch and grommet turn signal-parking light  single parts which do not belong to the supply scope of the wiring harness	3 pin	1	
(2)	4A0 941 189	grommet	28	1		20	8D0 971 897	cable holder		1	
3	357 951 772	flat contact housing high volume horn	2 pin	2		(20)	701 971 848 B	clip		1	




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-18		597	USA			



Pos	Part Number	Name	Remarks	Qty	Model
		harness for engine compartment F >> 3B-3-370 000* F >> 3B-3E350 000*			AWM,AUG
(1)	3B1 971 072 BE	harness for engine compartment	lhd	1	
(1)	3B1 971 072 BF	harness for engine compartment	lhd	1	automatic
		harness for engine compartment F 3B-3-370 001>> 3B-4-193 213* F 3B-3E350 001>> 3B-4E237 000*			AWM,AUG
(1)	3B1 971 072 FF	harness for engine compartment	lhd	1	
(1)	3B1 971 072 FH	harness for engine compartment	lhd	1	automatic
		harness for engine compartment F 3B-4-193 214>>* F 3B-4E237 001>>*			AWM,AUG
(1)	3B1 971 072 FF	harness for engine compartment	lhd	1	
(1)	3B1 971 072 FH	harness for engine compartment	lhd	1	automatic
		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
2	N 020 620 1	clamp	D1-13X15	X	
5	058 103 592 A	guide piece flat contact housing		2	
6	4A0 906 102	grommet ignition transformer	30	1	
6	4A0 906 102	grommet oxygen sensor	30	2	
7	4A0 906 102 A	grommet ignition transformer		1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-18		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
8	8D0 906 102 A	protective cap ignition coil	angled	4		(12)	1J0 973 722	flat contact housing with helper contact catch evaporative emission canister with valve elec. vacuum pump for brake servo	2 pin	X	AUG
9	443 906 102 B	grommet sender for vehicle speed	18X20,5	1						1	
10	443 906 102 D	grommet back up lamp switch		1						1	
11	443 906 102 G	grommet injector activated carbon filter system kick down actuator knock sensor speed sender temperature sensor wastegate temperature sensor camshaft position trigger wheel throttle valve control unit	13,5X19	X 4 1 1 2 1 1 1 1 1 1		(12)	1J0 973 703 B	flat contact housing with helper contact catch knock sensor	3 pin I	1	AUG
						(12)	3B0 973 703 A	flat contact housing with helper contact catch knock sensor	3 pin II	1	AUG
						(12)	4B0 973 724	flat contact housing with helper contact catch ignition coil	4 pin	4	AUG
						(12)	1J0 973 704	flat contact housing with helper contact catch thrust sensor	4 pin	1	AUG
11	443 906 102 G	grommet egr valve temperature sensor exhaust recirculation	13,5X19	X 1 1		13	4D0 906 232	flat contact housing ignition coil	3 pin	4	
12	443 906 232	flat contact housing temperature sensor exhaust recirculation secondary air control valve sensor camshaft adjuster unit compl. secondary air pump	2 pin	X 1 1 1 1 1 1	AUG	14	443 906 233	flat contact housing altitude corrector knock sensor knock sensor camshaft position trigger wheel sender for vehicle speed speed sender	3 pin I II	X 1 1 1 1 1 1	
12	443 906 232	flat contact housing kick down actuator activated carbon filter system injector wastegate temperature sensor	2 pin	X 1 1 4 1 1		15	4A0 906 234	flat contact housing ignition transformer	4 pin	1	
12	443 906 232	flat contact housing temperature sensor intake air duct F >> 3B-3-370 000* F >> 3B-3E350 000*	2 pin			16	443 906 235	flat contact housing back up lamp switch ignition transformer	5 pin	X 1 1	
(12)	1J0 973 702	flat contact housing temperature sensor intake air duct F 3B-3-370 001>>* F 3B-3E350 001>>*	2 pin black	1 1 1 1		(16)	1J0 906 379 B	flat contact housing with gasket electronic control module	28 pin	1	
						(16)	1J0 906 380 B	flat contact housing with gasket electronic control module	52 pin	1	
						17	447 911 921	female blade terminal housing oil temperature gauge sender	1 pin	1	
						18	357 919 754	flat contact housing temperature sender		1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-18		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(18)	443 937 527	relay plate relay secondary air pump	9 pin	1		36	357 972 741	single wire seal for wire cross section:	5,6X7,8 1,0	X	
(19)	8E0 971 845 A	bracket water box	left	1		37	357 972 754	flat contact housing mass air flow sensor	4 pin	1	
(19)	8D0 971 848 A	cable holder		3		(40)	4B0 972 840	plug	4,0X7,8 natural	X	
(19)	8D0 971 848 B	cable holder for lambda probe		2		(41)	1J0 973 723	flat contact housing water level indicator	3 pin	1	
20	8D0 971 847 G	cable holder harness for oxygen sensor transmission case		X		(42)	4D0 971 992	flat connector housing with additional contact catch alternator	2 pin	1	AUG
(20)	811 971 848 B	retaining clip harness for oxygen sensor transmission case		X		44	3A0 973 204	flat contact housing oxygen sensor	4 pin black	2	
(20)	8D0 971 848 G	cable holder		1		(44)	1J0 973 081	flat contact housing oil pressure switch	1 pin black	1	AUG
(20)	811 971 845 E	clamp adapter wiring harness oil level sensor		1		(44)	1J0 973 724 A	flat contact housing oxygen sensor	4 pin brown	1	AUG
(20)	8D0 971 847 J	cable holder harness for oxygen sensor	TIPPTRONIK	X		45	3A0 973 714	flat contact housing throttle position sensor	8 pin	1	
25		see catalogue:	198			(45)	4B0 973 712	flat contact housing with helper contact catch temperature sender for coolant temperature gauge	4 pin	1	AUG
26	811 971 867	grommet oil pressure switch	10X32	1							
(27)	4B0 906 102	grommet ignition coil	11,9X53		AWM	(45)	1J0 973 713	flat contact housing throttle position sensor	6 pin	1	
(27)	4B1 971 871	grommet harness for engine compartment	86,2/274	1	AWM	(45)	1J0 973 723 G	flat contact housing speed sender	3 pin grey	1	AUG
28	8D0 971 897 B	cable holder activated carbon filter system		1		(45)	1J0 973 733	flat contact housing coupling piece oxygen sensor	6 pin black	2	AUG
29	4D0 971 872 A	grommet mass air flow sensor		1							
30	071 973 751	flat contact housing starter	1 pin KL.50	1				single parts which do not belong to the supply scope of the wiring harness			
35	357 972 740 D	single wire seal for wire cross section:	3,9X7,8 0,5-1,0	X		-	4A0 121 093	bracket		X	
(35)	357 972 740 E	single wire seal for wire cross section:	3,9X7,8 red 0,35-0,5	X		-	811 971 845 E	clamp		X	
						-	8A0 971 847 F	bracket		X	
						-	811 971 848 B	retaining clip		X	




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-24		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		harness for engine compartment			BHW
(1)	3B1 971 072 DP	harness for engine compartment	lhd	1	
(1)	3B1 971 072 DQ	harness for engine compartment	lhd	1	AUTOMATIK
		single parts			
2		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
3	4A0 906 102	grommet mass air flow sensor	30	1	
4	443 906 102 B	grommet sender for vehicle speed	18X20,5	1	
5	443 906 102 D	grommet back up lamp switch		1	
6	443 906 102 G	grommet wastegate egr valve pressure sensor for boost pressure gauge heater ventilation for cylinder block mass air flow sensor switch for back-up light	13,5X19	X 1 1 1 1 1 1 1	
(6)	6N0 906 102	grommet cover for starter	11,9X53	1	
7	443 906 232	flat contact housing egr valve wastegate pressure sensor for boost pressure gauge	2 pin	X 1 1 1 1	
(7)	1J0 973 722	flat contact housing with helper contact catch heater ventilation for cylinder block	2 pin black	1	
8	443 906 233	flat contact housing sender for vehicle speed	3 pin	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-24		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
9	1J0 973 702	flat contact housing back up lamp switch	2 pin	1		24	3B0 971 845 J	bracket water box	left	1	
10	3B0 906 379 B	flat contact housing electronic control module	60 pin	1		(24)	8E0 971 845 M	bracket		1	
11	3B0 906 385 C	flat contact housing with helper contact catch electronic control module	94 pin	1		25	8D0 971 847 J	cable holder harness for oxygen sensor	TIPPTRONIK	1	
12	447 911 921	female blade terminal housing oil temperature gauge sender	1 pin	1		(26)	4B1 971 871	grommet harness for engine compartment	86,2/274 lhd	1	
(13)	4B0 973 712	flat contact housing with helper contact catch temperature sender	4 pin	1		(26)	4B2 971 871 A	grommet harness for engine compartment	86,2/199 rhd	1	
14	8D0 937 503 D	mounting for relay plate	3 point	1		(26)	8D2 971 871 A	grommet harness for engine compartment	26/26 rhd	1	
15	443 937 527	relay plate additional heater	9 pin	1		(27)	071 973 751	flat contact housing starter	1 pin KL.50	1	
16	441 937 528	relay plate additional heater additional heater	4 pin 1.stage ii.stage	X 1 1		28	4B0 972 585	flat contact housing dashboard harness	15 pin black	2	
17	8D0 937 528	dual small relay plate for additional heater for vehicles with fuel cooling		X 1 1		(29)	4D0 971 992	flat connector housing with additional contact catch	2 pin 6,3	1	
18	4B0 937 530	fuse holder additional heater additional heater for vehicles with fuel cooling	2 pin 1.STUFE 2.STUFE	X 1 1 1				harness for alternator	KL.61		
19	1J0 937 714 B	flat contact housing with helper contact catch dashboard harness	3 pin red	X		30	038 973 121 B	flat contact housing adapter wiring harness injector	8 pin	1	
20	1J0 937 733	flat contact housing with helper contact catch dashboard harness	10 pin black	X		(30)	038 973 721 B	flat contact housing control module for glow plug	11 pin	1	
21	1J0 937 733 A	flat contact housing with helper contact catch dashboard harness	10 pin brown	X		31	046 971 921	protective cap injector	8 pin	1	
22	1J0 937 733 D	flat contact housing with helper contact catch dashboard harness	10 pin blue	X		32	1J0 973 081	flat contact housing oil pressure switch	1 pin	1	
(23)	028 971 782 A	angled connector with harness glow plug additional heater		X 4 3	diesel eng.	33	1J0 973 702	flat contact housing additional water pump temperature sensor fuel line emissions temperature sensor turbocharger switch for back-up light	2 pin black	X 1 1 1 1 1	
						(33)	1J0 973 702 A	flat contact housing emissions temperature sensor	front 2 pin brown	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-24		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(33)	1J0 973 703	flat contact housing with helper contact catch oil level sensor differential pressure sensor particulate filter for diesel engine	3 pin	X 1 1		-	4A0 121 093	bracket		X	
						- +	171 201 969	shouldered hex. nut	5	X	
						-	4A0 820 199	double tie wrap		X	
34	1J0 973 704	flat contact housing with helper contact catch wastegate regulating flap	4 pin	X 1 1		-	443 957 818 C	tie wrap	7X273-8	X	
						-	8E0 971 818 B	tie wrap	4,6X210	X	
						-	811 971 845 E	clamp		X	
35	1J0 973 723	flat contact housing speed sender camshaft gear water level indicator	3 pin black	X 1 1		-	8E0 971 845 E	bracket engine		1	
						-	8A0 971 847 F	bracket		X	
36	1J0 973 723 G	flat contact housing speed sender	3 pin grey	1		-	803 971 847	cable terminal	5	X	
						-	4B0 971 848	cable holder		X	
37	1J0 973 999 A	flat contact housing with helper contact catch mass air flow sensor	5 pin black/blue	1		-	811 971 848 B	retaining clip		X	
						-	8D0 971 850 C	tie wrap	9/6X119	X	
(37)	1J0 973 713	flat contact housing oxygen sensor	6 pin black	1		- +	N 906 661 01	tie wrap	5X6,5	X	
(37)	1J0 973 713 G	flat contact housing governor for vehicles with exhaust recirculation also to be used for:	6 pin grey  black	1		- +	N 907 750 01	innensechsrund-blechschraube	4,8X16	X	
						- +	N 908 214 01	expanding nut	D4,8	X	
		adapter wiring harness injector									
50	038 971 600	adapter wiring harness injector		1							
		single parts									
51	038 906 231	flat contact housing injector	2 pin	4							
52		not a spare part									
53	038 971 803	wiring conduit		1							
		single parts which do not belong to the supply scope of the wiring harness									

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-30		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		harness for engine compartment F >> 3B-3-384 511* F >> 3B-3E366 508*			ATQ
(1)	3B1 971 072 ER	harness for engine compartment			
(1)	3B1 971 072 ES	harness for engine compartment			automatic
		harness for engine compartment F 3B-3-384 512>>* F 3B-3E366 509>>*			ATQ
(1)	3B1 971 072 ER	harness for engine compartment		1	
(1)	3B1 971 072 ES	harness for engine compartment		1	automatic
		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
(2)	N 020 620 1	clamp	D1-13X15	X	
3	4A0 906 102	grommet	30	X	
4	4A0 906 102 A	grommet		X	
5	443 906 102 C	grommet	18X20,5	X	
6	443 906 102 D	grommet		X	
7	443 906 102 G	grommet	13,5X19	X	
8	443 906 232	flat contact housing injector idle stabilizer valve vacuum unit for intake manifold valve	2 pin     'AKF'	X 6 1  1 1	
8	443 906 232	flat contact housing kick down actuator temperature sender exhaust control system egr valve	2 pin	X 1 1 1 1	automatic





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-30		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
9	443 906 233	flat contact housing mass air flow sensor	3 pin	1		(15)	8D0 971 847 J	cable holder harness for oxygen sensor bracket water box	TIPTRONIK	X	
9	443 906 233	flat contact housing thrust sensor activated carbon filter system	3 pin	X 1 1		(19)	4B0 971 848	cable holder		X	
(10)	3A0 973 714	flat contact housing throttle valve positioner	8 pin	1		(19)	8D0 971 897 B	cable holder activated carbon filter system		1	
(11)	4D0 973 725	flat contact housing ignition coil	5 pin	1		20	4B1 971 871	grommet	86,2/274	1	
12	443 906 235	flat contact housing switch for back-up light	5 pin	1		21	357 972 741	single wire seal  for wire cross section:	5,6X7,8 blue 1,0	4	
(12)	1J0 906 379 B	flat contact housing with gasket electronic control module	28 pin	1		26	813 972 923	flat contact housing with helper contact catch and grommet reservoir harness for battery +	2 pin	X	
(12)	1J0 906 380 B	flat contact housing with gasket electronic control module	52 pin	1		(27)	1J0 937 733	flat contact housing with helper contact catch dashboard harness to be used for:	10 pin black violet green	X	
13	357 919 754	flat contact housing temperature sender	4 pin	1		(27)	1J0 937 733 A	flat contact housing with helper contact catch dashboard harness to be used for:	10 pin brown grey	X	
(13)	443 937 527	relay plate relay secondary air pump	9 pin	1		(27)	1J0 937 733 D	flat contact housing with helper contact catch to be used for:	10 pin blue dark brown light pink orange	X	
(14)	4B0 971 845 K	cable holder water box	right	1		(28)	4A0 972 244	rd. connector sleeve housing dashboard harness as required use:	3 pin 4A0 972 242	X	
15	8D0 971 845 AN	bracket water box	left	1	manual transmission	(28)	1J0 937 714 B	flat contact housing with helper contact catch to be used for:	3 pin white khaki grey	X	
(15)	4B0 971 845 N	cable holder water box	right	1		(28)	4B0 972 585	flat contact housing dashboard harness		X	
(15)	8D0 971 845 Q	cable holder harness for oxygen sensor	left	1	manual transmission	(28)	357 972 772	flat contact housing secondary air pump	2 pin	1	
(15)	8A0 971 845 H	bracket starter		1							
(15)	8D0 971 846	cable holder harness for oxygen sensor	right	1	manual transmission						
(15)	8D0 971 847 G	cable holder harness for oxygen sensor transmission case		X							
(15)	811 971 848 B	retaining clip harness for oxygen sensor transmission case		X							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006	 ETKA
PA	2005	9	71	971-30		597	USA		

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(29)	3A0 973 204	flat contact housing oxygen sensor	4 pin	4							
36		not a spare part									
37	447 911 921	female blade terminal housing	1 pin	1							
38	1J0 973 081	flat contact housing oil pressure switch	1 pin	2							
39	811 971 867	grommet	10X32	1							
		adapter wiring harness cam position sensor(hall sens)									
(35)	8D0 971 067	harness		1							
		single parts									
(36)		not a spare part									
(38)	443 906 233	flat contact housing cam position sensor(hall sens)	3 pin	1							
(39)	443 906 102 G	grommet	13,5X19	1							
		single parts which do not belong to the supply scope of the wiring harness									


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-40		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		harness for engine compartment F >> 3B-4-400 000			BDP
1	07D 971 610 BQ	harness for engine compartment	lhd	1	
(1)	07D 971 610 BS	harness for engine compartment F >> 3B-3-140 000*	lhd	1	
(1)	07D 971 610 CB	harness for engine compartment F 3B-3-140 001>>*	lhd	1	
(1)	07D 971 610 CC	harness for engine compartment	lhd	1	
		harness for engine compartment			BDP
(1)	07D 971 610 CL	harness for engine compartment	lhd	1	BDP
(1)	07D 971 610 CM	harness for engine compartment	lhd	1	BDP
2		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
3		heat deflector hose (glasfasergewebe) see catalogue:	198		
5	3B7 906 102	grommet		X	
6	4A0 906 102 A	grommet		X	
7	443 906 102 G	grommet	13,5X19	X	
8	8A0 906 102	grommet	18X20,5	X	
9	443 906 233	flat contact housing sender for vehicle speed	3 pin	1	
10	038 906 379 B	flat contact housing electronic control module	40 pin	1	
11	1J0 906 385 C	flat contact housing electronic control module	81 POLIG	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-40		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
12	443 937 527	relay plate relay	9 pin	1		28	1J0 973 702	flat contact housing camshaft adjuster unit temperature sender temperature sensor back up lamp switch additional water pump	2 pin exhaust	X 2 1 1 1 1	
13	6X0 937 527	relay plate relay	6 pin	1							
14	441 937 528	relay plate relay	4 pin	1		29	1J0 973 703	flat contact housing with helper contact catch speed sender knock sensor oil level sender thrust sensor for air conditioner	3 pin black	X 1 1 1 1	
15	4B0 937 530	fuse holder	2 pin	4							
16	8A0 937 530	fuse holder	2 pin	1							
17	1J0 937 714 B	flat contact housing with helper contact catch to be used for: dashboard harness	3 pin red white khaki grey	X		30	1J0 973 703 C	flat contact housing with helper contact catch knock sensor	3 pin orange 3	1	
18	1J0 937 733	flat contact housing with helper contact catch dashboard harness to be used for:	10 pin black violet green	X		31	3B0 973 703 A	flat contact housing with helper contact catch knock sensor	3 pin brown 2	1	
19	1J0 937 733 A	flat contact housing with helper contact catch dashboard harness to be used for:	10 pin brown grey	X		32	3B0 973 703 G	flat contact housing with helper contact catch knock sensor	3 pin grey 4	1	
20	1J0 937 733 D	flat contact housing with helper contact catch to be used for: dashboard harness	10 pin blue dark brown light pink orange	X		(32)	1J0 973 704	flat contact housing with helper contact catch brake booster	4 pin	1	
21	4B0 972 585	flat contact housing dashboard harness	15 pin	X		33	1J0 973 713	flat contact housing throttle valve positioner	6 pin black	1	
22	07D 971 824	wiring conduit injector		2		34	07C 973 722	flat contact housing with helper contact catch injector	2 pin	8	
23	8D0 937 503 D	mounting for relay plate	3 point	1		35	1J0 973 722	flat contact housing with helper contact catch camshaft adjuster unit elec. vacuum pump for brake servo evaporative emission canister with valve engine mounting thermostat secondary air control valve additional water pump	2 pin black intake	X 2 1 1 1 1 1 1	
(24)	4B0 971 848	cable holder		X							
25	4B1 971 871	grommet	86,2/274 lhd	1							
26	1J0 971 921 K	protective cap connecting piece	1J0 973 703	1		36	1J0 973 723	flat contact housing camshaft position trigger wheel water level indicator	3 pin black	X 4 1	
27	1J0 973 081	flat contact housing oil pressure gauge sender	1 pin black	1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-40		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
37	1J0 973 724	flat contact housing coupling piece harness for oxygen sensor	4 pin black right	1				single parts which do not belong to the supply scope of the wiring harness			
38	1J0 973 724 A	flat contact housing coupling piece harness for oxygen sensor	4 pin brown left	1		90	3B7 971 845	bracket water box		1	
39	4B0 973 724	flat contact housing with helper contact catch ignition coil	4 pin black	8		91	3B7 971 845 D	bracket		1	5 speed- automatic
40	1J0 973 733	flat contact housing coupling piece harness for oxygen sensor	6 pin black right	1		92	4B0 971 845 N	cable holder water box	right	1	
41	1J0 973 733 A	flat contact housing coupling piece harness for oxygen sensor	6 pin brown left	1		93	8A0 971 845 H	bracket starter		1	
42	1J0 973 752	flat contact housing coupling piece adapter wiring harness secondary air pump	2 pin black	1		94	4B0 971 845 K	cable holder water box	right	1	
43	1J0 973 753	flat contact housing coupling piece harness for battery + and alternator	3 pin black	1		95	8D0 971 845 AN	bracket water box	left	1	
44	1J0 973 999 A	flat contact housing with helper contact catch mass air flow sensor	5 pin red/black	1		96	8D0 971 845 Q	cable holder harness for oxygen sensor	left	1	manual transmission
		adapter wiring harness thermostat				(96)	8D0 971 846	cable holder harness for oxygen sensor	right	1	manual transmission
		adapter wiring harness thermostat				97	8D0 971 847 G	cable holder harness for oxygen sensor transmission case		X	
		single parts				98	8D0 971 847 J	cable holder harness for oxygen sensor bracket water box	TIPTRONIK	X	
60	07D 971 640 A	adapter wiring harness thermostat		1		99	811 971 848 B	retaining clip harness for oxygen sensor transmission case		X	
						100	8D0 971 897 B	cable holder activated carbon filter system		1	
61	1J0 973 702	flat contact housing harness for engine compartment	2 pin black	1							
62	1J0 973 802	male blade terminal housing thermostat	2 pin	1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-65		597	USA			



Pos	Part Number	Name	Remarks	Qty	Model
		harness for battery + F >> 3B-4-160 014* F >> 3B-4E187 002* as required use: see illustration:	N 907 736 01 971-66	X	
(1)	8D1 971 225 C	harness for battery +	lhd	1	gas engine
		harness for battery + as required use:	N 907 736 01	*	ALT
		single parts harness for battery + * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			4 cylinder
2	N 011 116 5	hex. nut	BM6	1	
3	N 903 449 01	square head screw	M6X30	1	
4		see catalogue:	198		
5		see catalogue:	198		
7	8E0 971 824 R	wiring conduit harness for battery +		1	
8	3B7 971 824	wiring conduit harness for battery +, starter and alternator		1	
9	8D0 971 845 H	holder for harness starter		1	
(9)	8D0 971 532	bracket spacer ground strap		1	
-	441 971 848 A	bracket		1	
-	8D0 972 127	protective pipe		1	
-	3B0 972 127	protective pipe		1	BHW


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006		ETKA
PA	2005	9	71	971-65		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
		harness for battery +, starter and alternator			6 cylinder			single parts harness for battery +			8 cylinder
(10)	8D1 971 225 T	harness for battery +, starter and alternator	lhd	1	gas engine	11	N 011 116 5	hex. nut	BM6	1	
		single parts harness for battery +			6 cylinder	12	N 017 405 2	square head screw	M6X38	1	
11	N 011 116 5	hex. nut	BM6	1		13		see catalogue:	198		
12	N 017 405 2	square head screw	M6X38	1		14		see catalogue:	198		
13		see catalogue:	198			(16)	3B7 971 824	wiring conduit harness for battery +, starter and alternator		1	
14		see catalogue:	198			(17)	4D0 971 992	flat connector housing with additional contact catch alternator	2 pin KL.61/DF	1	
15	8E0 971 824 N	wiring conduit harness for battery + side member		1		(18)	6Q0 973 853	flat contact housing harness for engine compartment	3 pin black	1	
16	3B7 971 824	wiring conduit harness for battery +, starter and alternator		1				single parts which do not belong to the supply scope of the wiring harness			8 cylinder
-	441 971 848 A	bracket		1		-	1J0 971 260 E	retainer ground strap battery		1	
17	191 971 922	female blade terminal housing starter	1 pin KL.50	1				battery harness -			
(17)	4D0 971 992	flat connector housing with additional contact catch alternator	2 pin KL.61/DF	1		(20)	4B1 971 235 E	battery harness -		1	4-,6-,8-cyl.
18	813 972 926	flat contact housing with helper contact catch and grommet harness for engine compartment	2 pin right	1	gas engine			single parts battery harness -			
		harness for battery +, starter and alternator			8 cylinder	21	N 011 116 5	hex. nut	BM6	1	
(10)	3B7 971 225 D	harness for battery +, starter and alternator F >> 3B-3-700 000* F >> 3B-3-700 000*	lhd	1		22	N 017 405 2	square head screw	M6X38	1	
				1		(23)	N 011 525 20	washer	A8,4X16X1,6	1	
(10)	3B7 971 225 F	harness for battery +, starter and alternator F 3B-4-000 001>>*	lhd	1		24	N 010 236 6	screw, hex. hd.	M8X13	1	
								ground strap			
						(20)	3B7 971 235	ground strap engine mounting bracket		1	BDP

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:29	12.12.2006	 ETKA
PA	2005	9	71	971-65		597	USA		


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(20)	8D1 971 235 B	ground strap engine mounting bracket		1	ATQ						
(20)	8D1 971 235 P	ground strap engine mounting bracket for vehicle use in warm countries		1	ATQ						
(20)	4B1 971 235 A	ground strap engine mounting bracket		1	AWM, AUG, BHW						




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:30	12.12.2006		ETKA
PA	2005	9	71	971-66		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		harness for battery + F 3B-4-160 015>>* F 3B-4E187 003>>* see illustration:	971-65		
(1)	3B1 971 225 C	harness for battery +	lhd	1	AWM
(1)	3B1 971 225 D	harness for battery +	lhd	1	BHW
(1)	3B1 971 225 G	harness for battery + F >> 3B-4-200 000* F >> 3B-4E222 002*	lhd	1	
(1)	3B1 971 225 L	harness for battery + F 3B-4-200 001>>* F 3B-4E222 003>>*	lhd	1 1	BHW
		single parts harness for battery +  * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements -----			4 cylinder
2	N 011 116 5	hex. nut	BM6	1	
3	N 903 449 01	square head screw	M6X30	1	
4		see catalogue:	198		
5		see catalogue:	198		
7	8E0 971 824 R	wiring conduit harness for battery +		1	
8	3B7 971 824	wiring conduit harness for battery +, starter and alternator		1	
9	8D0 971 845 H	holder for harness starter		1	
(9)	8D0 971 532	bracket spacer ground strap		1	
-	441 971 848 A	bracket		1	
-	8D0 972 127	protective pipe		1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:30	12.12.2006		ETKA
PA	2005	9	71	971-66		597	USA			

Pos	Part Number		Name	Remarks	Qty	Model	Pos	Part Number		Name	Remarks	Qty	Model
			harness for battery +, starter and alternator			6 cylinder	(16)	3B7 971 824		wiring conduit harness for battery +, starter and alternator		1	
			single parts harness for battery +			6 cylinder	(17)	4D0 971 992		flat connector housing with additional contact catch alternator	2 pin KL.61/DF	1	
11	N	011 116 5	hex. nut	BM6	1		(18)	6Q0 973 853		flat contact housing harness for engine compartment	3 pin black	1	
12	N	017 405 2	square head screw	M6X38	1								
13			see catalogue:	198									
14			see catalogue:	198						single parts which do not belong to the supply scope of the wiring harness			8 cylinder
15	8E0	971 824 N	wiring conduit harness for battery + side member		1		-	1J0 971 260 E		retainer ground strap battery		1	
16	3B7	971 824	wiring conduit harness for battery +, starter and alternator		1								
-	441	971 848 A	bracket		1					battery harness -			
17	191	971 922	female blade terminal housing starter	1 pin KL.50	1					single parts battery harness -			
(17)	4D0	971 992	flat connector housing with additional contact catch alternator	2 pin KL.61/DF	1		21	N 011 116 5		hex. nut	BM6	1	
18	813	972 926	flat contact housing with helper contact catch and grommet harness for engine compartment	2 pin right	1	gas engine	22	N 017 405 2		square head screw	M6X38	1	
							(23) +	N 011 525 20		washer	A8, 4X16X1, 6	1	
							24	N 010 236 6		screw, hex. hd.	M8X13	1	
			harness for battery +, starter and alternator			8 cylinder				ground strap			
			single parts harness for battery +			8 cylinder	(20)	3B7 971 235		ground strap engine mounting bracket		1	BDP
							(20)	8D1 971 235 B		ground strap engine mounting bracket		1	ATQ
11	N	011 116 5	hex. nut	BM6	1		(20)	8D1 971 235 P		ground strap engine mounting bracket for vehicle use in warm countries		1	ATQ
12	N	017 405 2	square head screw	M6X38	1								
13			see catalogue:	198									
14			see catalogue:	198			(20)	4B1 971 235 A		ground strap engine mounting bracket		1	AWM, AUG, BHW


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:30	12.12.2006	 ETKA
PA	2005	9	71	971-66		597	USA		

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
30	8E0 971 349 A	harness for starter and alternator		1	4 cylinder						
		as required use:	191 972 922	1							
			000 979 204	1							
		to fit use workshop material	111 971 939 B	1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:30	12.12.2006		ETKA
PA	2005	9	71	971-70		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		harness for compressor and electric fan for vehicles with air condit.			
		----- see list of locally-made harnesses -----	see no.: 1-725		
(1)	3B1 971 725 C	harness for compressor and electric fan	1hd	1	AWM,AUG
(1)	3B1 971 725 D	harness for compressor and electric fan	1hd	1	ATQ
(1)	3B1 971 725 F	harness for compressor and electric fan	1hd	1	BHW
(1)	3B1 971 725 G	harness for compressor and electric fan for vehicle use in warm countries	1hd	1	ATQ
(1)	3B1 971 725 H	harness for compressor and electric fan	1hd	1	BDP
		single parts			
		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
2	4A0 121 093	bracket		1	
(4)	4B0 973 712	flat contact housing with helper contact catch dual thermal switch	4 pin	1	ALZ,AUG,AWT, AZM,AZX,AVB, AVF
(4)	1J0 973 713	flat contact housing electric fan control module	6 pin black	1	AMX,ATQ,AKN, BBG
(4)	4B0 971 955	flat contact housing electric fan control module	2 pin black	1	AMX,ATQ,AKN, BBG
6	4A0 937 527	relay plate for electric fan	4 pin ii.stage	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:30	12.12.2006		ETKA
PA	2005	9	71	971-70		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(6)	443 937 527	relay plate relay for vehicles with radiator fan run-on	9 pin	1							
7	443 937 527	relay plate for electric fan	9 pin 1.stage	1							
9	8A0 937 530	fuse holder for electric fan	2 pin KL.30	1							
(9)	4B0 937 530	fuse holder for electric fan	2 pin KL.75	1							
10	8A0 971 841	grommet	47	1							
11	4B0 971 845	bracket connecting piece abs unit with elec.contr.unit		1							
12	8D0 971 847 A	cable terminal		X							
13	1H0 971 939	clip		X							
15	813 972 923	flat contact housing with helper contact catch and grommet harness lock carrier	2 pin	1							
(15)	1J0 973 752	flat contact housing electric fan	2 pin black	1							
18	4B0 972 575	male blade terminal housing dashboard harness	15 pin	1							
(18)	1J0 937 724 A	flat contact housing with helper contact catch dashboard harness to be used for:	3 pin brown grey light green	1							
(18)	6X0 973 717	flat contact housing harness lock carrier	14 pin black	1							
20	4B0 971 845 T	bracket F >> 3B-3-370 000* F >> 3B-3E350 000*		1	4-,6-cyl.						
(20)	3B0 971 845 H	bracket F 3B-3-370 001>>* F 3B-3E350 001>>*		1	4-,6-cyl.						


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:30	12.12.2006		ETKA
PA	2005	9	71	971-75		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B1 971 271 M	harness for wiper motor heated spraying jet			
		harness for wiper motor heated spraying jet for vehicles with battery-cut-off relay	lhd	1	
(1)	3B1 971 271 N	harness for wiper motor heated spraying jet for vehicles with heated windscreen window			
		harness for wiper motor heated spraying jet for vehicles with heated windscreen window	lhd	1	
(1)	3B2 971 271 Q	harness for wiper motor heated spraying jet for vehicles with heated windscreen window			
		harness for wiper motor heated spraying jet for vehicles with heated windscreen window	rhhd	1	
		single parts			
		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
2	4B0 973 724	flat contact housing with helper contact catch wiper motor	4 pin	1	
3	1J0 973 702	flat contact housing harness for heated jet	2 pin	2	
4	1J0 937 743	flat connector housing with additional contact catch dashboard harness	10 pin black	1	
		to be used for:	violet green		
(4)	071 973 851	flat contact housing windshield glass	1 pin	X	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:30	12.12.2006		ETKA
PA	2005	9	71	971-75		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(4)	7M3 973 721 A	relay plate for vehicles with heated windscreen window	9 pin	1							
5	1J0 973 702	flat contact housing switch brake fluid	2 pin	1							
6		grommet not a spare part		1							
(8)	3D0 971 838 A	tie wrap with bracket for weld pin:	5X200 5	X							
(8) + N	906 437 01	tie wrap with bracket for weld pin: see catalogue:  not a spare part  harness for heated jet front hood	10X187 5MM 198	X							
20	3B0 971 271 A	harness heated spraying jet front hood		1							
22	1J0 973 802	single parts male blade terminal housing harness for wiper motor	2 pin	1							
30	3B0 971 843	single parts which do not belong to the supply scope of the wiring harness cable holder hinge - hood	front	1							
31	3D0 971 843	cable holder flat contact housing heated spraying jet		1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:30	12.12.2006		ETKA
PA	2005	9	71	971-80		597	USA			


					Pos	Part Number	Name	Remarks	Qty	Model
							harness front frame =====			4-,6-cyl.
							* insulate unconnected * cable ends			
					1	8D0 971 073 D	harness front frame		1	4 cylinder
					(1)	8D0 971 073 F	harness front frame		1	6 cylinder
							single parts =====			
					-		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
					2	357 919 754	flat contact housing pressure sensor high pressure switch	4 pin	1	4-,5-,6-cyl.
					3	813 972 924	flat contact housing with helper contact catch and grommet air conditioner compressor	1 pin	1	4 cylinder
					4	813 972 925	flat contact housing with helper contact catch and grommet electro-magnetic clutch	1 pin	1	4 cylinder
					5	1J0 973 702	flat contact housing outside temperature sensor switch front hood for vehicles with anti-theft alarm system	2 pin black	X 1 1	
					(5)	1J0 973 702	flat contact housing additional water pump	2 pin black	1	6 cylinder
					6	6X0 973 817	flat contact housing harness for compressor and electric fan	14 pin black	1	4-,5-,6-cyl.





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:30	12.12.2006		ETKA
PA	2005	9	71	971-80		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
10	3B7 971 073 A	harness front frame =====		1	8 cylinder						
11	1J0 973 702	single parts =====			8 cylinder						
11	1J0 973 702	flat contact housing outside temperature sensor	2 pin black	X 1							
12	1J0 973 802	male blade terminal housing harness for engine compartment	2 pin	1							
13	1J0 973 822 A	flat contact housing harness for engine compartment	2 pin dark brown	1							
14	6N0 906 102 A	grommet	11,9X53	1							
20	3B0 971 845 G	single parts which do not belong to the supply scope of the wiring harness		1							
21	3D0 971 838 E	bracket flat contact housing mounting front frame		X							
-	3B7 971 845 A	tie wrap with socket for rod thickness:	4,6X200 1-3MM	1							
-	3B7 971 845 A	bracket flat contact housing front frame		1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:30	12.12.2006	 ETKA
PA	2005	9	71	971-81		597	USA		

					Pos	Part Number	Name	Remarks	Qty	Model
					(1)	3B0 971 658	adapter wiring harness heater crankcase			
							adapter wiring harness heater crankcase F >> 3B-3-700 000*		1	
					1	3B0 971 658 A	adapter wiring harness heater crankcase F 3B-4-000 001>>*		1	
					(2)	443 906 102 G	single parts grommet F >> 3B-3-700 000*	13,5X19	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	971-90		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		dashboard harness			
(1) f	3B1 971 315 F	dashboard harness * part number must be ordered * manually with details of * vehicle identification * number enclose a copy of * the vehicle data plate * if possible F >> 3B-3-300 000*	lhd	1	
(1) f	3B1 971 315 G	dashboard harness * part number must be ordered * manually with details of * vehicle identification * number enclose a copy of * the vehicle data plate * if possible F 3B-3-300 001>> 3B-3-600 000*	lhd	1	
(1) f	3B1 971 315 H	dashboard harness * part number must be ordered * manually with details of * vehicle identification * number enclose a copy of * the vehicle data plate * if possible F 3B-4-000 001>> 3B-4-200 001*	lhd	1	
(1) f	3B1 971 315 J	dashboard harness * part number must be ordered * manually with details of * vehicle identification * number enclose a copy of * the vehicle data plate * if possible F 3B-4-200 001>>*	lhd	1	
		----- harness for navigation system v receiver (tuner) operating electronic see illustration: -----	972-45		
		single parts =====			

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	971-90		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
2-5		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements				(9)	7M0 035 727	flat contact housing telephone	18 pin	1	
						(9)	4A0 972 643	flat contact housing radio navigation unit F >> 3B-2-100 000*	6 pin yellow	1	
7	533 863 288 A	felt strip (adhesivel) 'order qty. 25'	20X3X880MM	X		(9)	3B0 972 722	female blade terminal housing connecting piece for vehicles with tv reception, dach- und diversity-scheibenantenne F 3B-2-100 001>>*	4 pin black	1	
8	059 905 371 D	diode connector	3A	1							
(8)	813 972 924	flat contact housing with helper contact catch and grommet connecting piece diode connector	1 pin 6,3	X		(9)	4A0 972 643 A	flat contact housing radio navigation unit	6 pin green	1	
(8)	813 972 925	flat contact housing with helper contact catch and grommet connecting piece diode connector	1 pin 6,3	X		(9)	4A0 972 643 B	flat contact housing radio navigation unit	8 pin blue	1	
(9)	357 035 447	flat contact housing radio	8 pin black	1		(9)	443 906 231	female blade terminal housing ventilation valve switch for brake pedal switch for clutch pedal	2 pin	X 1 1	
(9)	3B7 035 444	flat contact housing with helper contact catch and additional contact housing catch radio F 3B-2-100 001>>*	8 pin black	1		(9)	443 906 232	flat contact housing outside temperature sensor for air conditioner	2 pin	1	
(9)	357 035 447 A	flat contact housing radio loudspeaker	8 pin brown	1		(9)	4A0 906 234	flat contact housing test socket cruise control system 4 speed automatic transmission	4 pin	X 1 1	automatic
(9)	3B7 035 447 A	flat contact housing radio F 3B-2-100 001>>*	12 pin blue	1		(9)	037 906 240	flat contact housing low pressure switch for air conditioner	2 pin	1	air condit.
(9)	3B7 035 447 B	flat contact housing radio F 3B-2-100 001>>*	12 pin green	1		9	191 919 321	flat contact housing cigarette lighter	3 pin	1	
(9)	3B7 035 447	flat contact housing with helper contact catch radio loudspeaker F 3B-2-100 001>>*	8 pin brown	1		(9)	3B0 919 754	flat contact housing with cap interface for vehicles with naviga- tion system	26 pin green/black	1	
(9)	357 035 447 B	flat contact housing for radio with cd player navigation unit	10 pin red	X 1 1		(9)	8L0 972 977 H	flat contact housing with cap coupling piece for vehicles with naviga- tion system F 3B-2-100 001>>*	32 pin grey	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	971-90		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(9)	4B0 972 643	flat contact housing coupling piece for vehicles with navigation system F 3B-2-100 001>>*	20 pin	1		(10)	4A0 937 529	dual relay plate intermittent wash-wipe automatic control module for vehicles with multifunction steering wheel	18 pin	X 1	
(9)	8E0 972 483 B	flat contact housing with helper contact catch also to be used for: coupling piece for vehicles with telematics	17 pin red grey	1		11	8D0 937 503 E	bracket for connector housing	13 point	X	
(9)	813 972 927	flat contact housing with helper contact catch and grommet coupling piece additional equipment F 3B-2-100 001>>*	3 pin	1	emer.service vehicles authority	12	8D1 937 545 B	bracket for connector housing F >> 3B-2-100 000*	6 point lhd	1	
(9)	813 972 928	flat contact housing with helper contact catch and grommet coupling piece additional equipment F 3B-B-100 001>>*	3 pin	1	emer.service vehicles authority	(12)	8D1 937 545 C	bracket for connector housing F 3B-2-100 001>>*	6 point lhd	1	
(10)	3B0 937 527	relay plate relay for glow plug relay	9 pin	1	automatic	13	8D0 937 545 D	bracket for connector housing	1 point	X	
(10)	4B0 937 527	relay plate for additional heater	6 pin	1		(13)	8D0 937 545 F	bracket for connector housing	1 point	X	
10	443 937 527	relay plate starter inhibitor switch for automatic transmission for high beam electric fan button for electrically operated flap - lock for vehicles with additional water pump additional heater	9 pin	X 1 1 1 1 2 2	AUTOMATIC	(14)	4B0 937 530	fuse holder roller blind tachograph	2 pin	X 1 1	TAXI
(10)	443 937 527	relay plate telephone for day driving headlights solar sliding roof immobilizer vacuum pump air conditioner for selector lever lighting	9 pin	X 1 1 1 1 1 1 1		(14)	8A0 937 530	fuse holder additional heater	2 pin	2	
						14	8D1 941 824	fuse holder	lhd	1	
						(14)	8D2 941 824	fuse holder	rhd	1	
						-	4B0 971 824 C	wiring conduit	lhd	1	
						-	4B0 971 824 D	wiring conduit	lhd	1	
						(15)	357 959 545	female blade terminal housing fan	6 pin	1	
						(15)	893 971 632	flat contact housing switch for clutch pedal starter inhibitor switch	2 pin	X 1	
						(15)	893 971 634	flat contact housing loudspeaker	4 pin	1	
						(15)	4B0 971 636	flat contact housing sensor for power steering	6 pin	1	
						(15)	893 971 636	flat contact housing steering col. combinat. switch with intermittent contact	6 pin	1	
						19	4A0 971 943	rd. connector sleeve housing switch - brake light	4 pin	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	971-90		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(19)	3B0 937 713	flat contact housing with helper contact catch as required use: harness for loudspeaker	4 pin black 3B0 937 714 front	1 1		(19)	1J0 937 714 B	flat contact housing with helper contact catch harness for navigation system	3 pin red	1	
(19)	1J0 937 714	flat contact housing with helper contact catch as required use: fuse box/relay plate beam length adjustment	3 pin black 1J0 973 713	1 1		(19)	1J0 937 713 A	flat contact housing with helper contact catch also use: fuse box/relay plate blower control harness for anti locking brake system -abs-	6 pin brown 1J0 937 714 A	X X 1 1	
(19)	1J0 937 713	flat contact housing with helper contact catch as required use: alarm switch, push-pull, rotary harness wiper motor	3 pin black 1J0 937 714 rear	X 1 1		(19)	1J0 937 713 A	flat contact housing with helper contact catch harness for interior also use: electronic control module	6 pin brown 1J0 937 714 A	X X	automatic
(19)	1J0 937 713	flat contact housing with helper contact catch as required use: adapter wiring harness fuel tank tire pressure controll system harness for wiper motor	3 pin black 1J0 937 714	X X 1 1		(19)	1J0 937 713 B	flat contact housing with helper contact catch harness for lighting harness fuel tank fuse box/relay plate	3 pin red right	X 1 1	
(19)	1J0 937 713 D	flat contact housing with helper contact catch as required use: coupling piece halogen headlamp harness	3 pin blue 1J0 937 714 D rear	X X 1 1		(19)	1J0 937 714 B	flat contact housing with helper contact catch fuse box/relay plate	3 pin red	1	
(19)	1J0 937 714 D	flat contact housing with helper contact catch as required use: harness for interior harness for lighting	3 pin blue 1J0 937 713 D right	X X 1 1		(19)	1J0 937 714 B	flat contact housing with helper contact catch harness for lighting	3 pin red right	1	
(19)	1J0 937 714 D	flat contact housing with helper contact catch as required use: tachograph wiring harness	3 pin blue 1J0 937 713 D	1 1		(19)	1J0 937 733 C	flat contact housing with helper contact catch harness for heated seats and/or air bag harness	10 pin yellow	1	
(19)	1J0 937 714 A	flat contact housing with helper contact catch harness electric fan air conditioner compressor	3 pin brown	1		(19)	1J0 937 733	flat contact housing with helper contact catch alarm switch, push-pull, rotary harness for wiper motor harness for electric sliding roof for rear view mirror, electrically operated cd-changer	10 pin black	X 1 1 1 1 1	
(19)	1J0 937 714 B	flat contact housing with helper contact catch harness for vehicles with sound system	3 pin red	X		(19)	1J0 937 733 A	flat contact housing with helper contact catch harness for automatic gearbox harness for heated seats	10 pin brown	X 1 1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	971-90		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(19)	1J0 937 733 A	flat contact housing with helper contact catch harness for anti locking brake system -abs- coupling piece for harness navigation unit	10 pin brown rear	X 1 1 1		21	8L0 971 972	male blade terminal housing roller blind for vehicles with traction control -asr-	6 pin	X 1 1	
(19)	1J0 937 733 B	flat contact housing with helper contact catch harness for lighting for vehicles with telematics	10 pin red left	X 1 1		(21)	8D0 971 975	flat contact housing ignition starter switch	8 pin	1	
(19)	1J0 937 733 D	flat contact housing with helper contact catch harness for anti locking brake system -abs- harness for automatic gearbox	10 pin blue	X 2 1		(21)	443 971 989	female blade terminal housing electrical outlet	2 pin 12V	1	
(19)	1J0 937 733 D	flat contact housing with helper contact catch harness for lighting control unit drivers door harness for telephone	10 pin blue	1 1 1		22	8D0 971 969	pin (male) terminal housing airbag	3 pin orange	X	
20	443 971 943	rd. connector sleeve housing switch - brake light solar sliding roof roller blind	2 pin	X 1 1 1		(22)	4D0 972 575	male blade terminal housing air bag harness	2 pin yellow	X	
(20)	8A0 972 623	rd. connector sleeve housing harness for headlight washer system	1 pin	1		(22)	6X0 972 773	flat contact housing airbag (passenger side) F 3B-2-100 001>>*	3 pin yellow	X	
(20)	8D0 971 959	flat contact housing fan	2 pin	1		(22)	8D0 972 576	flat contact housing air bag harness	4 pin yellow	X	
(20)	8D0 906 102 B	as required use: grommet fan	8D0 906 102 B	1		(22)	535 972 705	female blade terminal housing motor for adjustment fresh air and heater controls	5 pin	1	
(21)	1J0 971 972	male blade terminal housing temperature sensor evaporator	2 pin	1		23	8D0 971 975	flat contact housing ignition starter switch	8 pin	1	
21	8L0 971 972	male blade terminal housing pressure warning switch switch for inner light potentiometer heater element-seat switch for roof sign switch for heated rear window	6 pin	X 1 1 2 1 1 1		(24)	8L0 971 978	male blade terminal housing steering col. combi switch switch for turn signals, high and low beams, headlamp flasher and parking light	12 pin	1	
						(25)	6Q0 971 582 E	flatcontact housing with cable cancelling ring with slip ring airbag unit for steering wheel also use: F 3B-2-100 001>>*	111 971 941 A	1	
						(26)	4B0 972 571	flat contact housing with cap motor for adjustment flap for fresh and hot air temperature regulating flap ventilation flap flap for defroster and footwell	6 pin	X 1 1 1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	971-90		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
27	443 972 081	clip		X		31	8D0 972 623 AA	flat contact housing	2 pin	X	
(27)	4B0 971 848	cable holder		X				read coil		1	
		f. hole/sheet metal thickness:	6,5/0,6-3MM					anti-theft alarm system		X	
(28)	4A0 972 242	rd. connector sleeve housing	3 pin	X		(31)	4D0 972 643	round connector housing with	4 pin	1	
		harness for	black/pink	1				contact lock			
		daylight driving lights		1				receiving modul - radio clock			
		harness		1		32	3A0 972 695	flat contact housing	16 pin	1	
		leak detection pump		1				for diagnosis plug			
		harness for		1		(32)	8D0 972 695	flat contact housing	16 pin	1	
		cruise control system		X				connecting piece			
		as required use:	4A0 972 244	X				for diagnosis plug			
29	8L0 971 971	flat contact housing	7 pin	X		(32)	1J0 972 702	flat contact housing	2 pin	1	
		emergency light switch		1				glove box			
		button for electronic		1				with aluminatation			
		satbility program -esp-		1		(32)	1H0 972 702 A	flat contact housing	2 pin	X	
		bottom for heated windscreen		1				temperature sensor			
		window						warm air vent	center	1	
(29)	443 972 523 A	female blade terminal housing	12 pin	1				warm air vent	lower	1	
		control module for				(32)	3B0 972 702	flat contact housing with	2 pin	1	
		cruise control system						helper contact catch			
(29)	4B0 972 575	male blade terminal housing	15 pin	X				cd-player			
		harness for engine compartment		1		(32)	3B0 972 703	flat contact housing with	3 pin	1	
		harness for navigation		1				helper contact catch			
		system		1				motor for adjustment			
		harness for engine		1				fresh air			
(29)	4B0 972 585	flat contact housing	15 pin	X				and heater controls			
		harness	black	1	0,5	(32)	1J0 972 924	flat contact housing	3 pin	1	
		for vehicles with sound system		1				rheostat for instrument			
		harness		1				lighting			
		electric fan		1		(32)	1J0 972 704	flat contact housing	4 pin	1	
		air conditioner compressor		1				switch - brake light			
		parking aid		1		(32)	3B0 972 705	female blade terminal housing	5 pin	1	
		for vehicles with automatic		1	automatic			switch	ECO		
		dynamic headlight						heater			
		range control				(32)	535 972 706	flat contact housing	6 pin	1	
(29)	4B0 972 585	flat contact housing	15 pin	1				accelerator pedal sender			
		electronic control module	black			(32)	3B0 972 712	flat contact housing with	2 pin	X	
(30)	4D0 972 623	rd. connector sleeve housing	4 pin	1				helper contact catch			
		sun sensor						light			
(30)	8A0 972 623	rd. connector sleeve housing	1 pin	X				adapter for air vent			
		harness for interior light		1							
		for gearshift indicator		1							
		harness for interior		1							
		harness for		1							
		outer temperature switch									





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	971-90		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(32)	1J0 972 722	female blade terminal housing switch flap-lock, electrically operated	4 pin	1		(36)	4A0 972 929	1 set of connectors (catalyst-control)		X	"J.."
(32)	1J0 972 723	female blade terminal housing switch for beam length regulator	6 pin	1		(36)	1J0 972 930	flat contact housing telematics control module	10 pin	1	
(32)	1J0 972 723	female blade terminal housing for vehicles with beam range adjustment	6 pin	1		(36)	8L0 972 974	flat contact housing steering col. combi switch	8 pin	1	
(32)	191 972 724	flat contact housing switch for fresh or recirculated air selection	8 pin	1		(36)	8L0 972 977 C	flat contact housing with cap instrument cluster F 3B-3-300 001>> 3B-3-600 000*	32 pin green	1	
(32)	3B0 972 732	flat contact housing receiving modul - radio clock	4 pin	1		(36)	1J0 972 977 C	flat contact housing with cap instrument cluster F 3B-4-000 001>>*	32 pin green	1	
(32)	357 972 752	flat contact housing outside temperature sensor	2 pin	1		(36)	8L0 972 977 D	flat contact housing with cap instrument cluster F 3B-3-300 001>> 3B-3-600 000*	32 pin blue	1	
(32)	1J0 972 753	flat contact housing additional heater electrical outlet blower control	3 pin PTC rear	X 1 1 1		(36)	1J0 972 977 D	flat contact housing with cap instrument cluster F 3B-4-000 001>>*	32 pin blue	1	
(32)	1J0 972 754	flat contact housing series resistor fan air conditioner	4 pin	X 1 1		(36)	8L0 972 980	flat contact housing with helper contact catch steering col. combi switch cruise control system switch for two-way radio case for submaschine gun	10 pin	X 1 1 1	
(32)	6X0 972 783	flat contact housing airbag	3 pin yellow	4		(36)	1J0 937 724 B	flat contact housing with helper contact catch as required use: harness for engine compartment	3 pin 1J0 937 723 B	X X	
33	4A0 972 883	flat contact housing control unit for air condit. keyless entry control module v receiver (tuner)	12 pin	X 1 1 1		(37)	1J0 937 743	flat connector housing with additional contact catch harness for engine compartment	10 pin black	1	
(33)	4A0 972 883 A	flat contact housing control unit for air condit.	16 pin	1		(37)	1J0 937 743 A	flat connector housing with additional contact catch harness for engine compartment	10 pin brown	1	
(33)	4A0 972 883 B	flat contact housing control unit for air condit. on-board computer check package	20 pin	X 1 1		(37)	1J0 937 743 D	flat connector housing with additional contact catch harness for engine compartment	10 pin blue	1	
(33)	4A0 972 883 C	flat contact housing control unit for air condit.	16 pin	1		(37)	4B0 972 575	male blade terminal housing harness for engine compartment	15 pin	1	
(36)	6Q0 972 928	flat contact housing for vehicles with the possibility of deactivating the passenger airbag	8 pin	1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	971-90		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
38	8A0 972 986	rd. connector sleeve housing harness for wiper motor harness for centralized locking and anti-theft alarm system harness for emergency service vehicles harness for loudspeaker, front/rear and cd-changer harness for telephone harness, rear	10 pin	X 1 1  2 3  1 1		-	3B0 971 981	cap		1	
38	8A0 972 986	rd. connector sleeve housing harness for taximeter and two-way radio harness for electric radiator fan	10 pin	X 1  1							
(38)	1J0 972 924	flat contact housing rheostat for instrument lighting	3 pin	1							
(38)	1J0 972 999	flat contact housing switch for driving headlights	17 pin	1							
(40)	1J0 973 119	flat contact housing switch antenna	2 pin	1							
40	1H0 973 121 C	flat contact housing switch for hand brake control system	2 pin	1							
(41)	6E0 971 582 C	flatcontact housing with cable cancelling ring with slip ring	5 pin yellow	1							
42	3A0 973 713	flat contact housing accelerator pedal sender	6 pin	1							
		single parts which do not belong to the supply scope of the wiring harness									
-	3B5 971 824	wiring conduit steering column		1	8 cylinder sedan						
-	3B0 971 824 B	wiring conduit steering column		1	8 cylinder wagon						
-	3B0 971 848 G	cable holder antenna cable for vehicles with radio contr. central locking system		1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-00		597	USA			

					Pos	Part Number	Name	Remarks	Qty	Model
					1		wiring harnesses list of uses			
					(1)		harness for lighting harness for engine compartment harness for battery +/- dashboard harness see illustration:	971-..		
					(1)		harness for electric radiator fan see illustration:	972-08		
					(1)		harness for automatic gearbox see illustration:	972-16		
					(2)		air bag harness- steering wheel see illustration:	972-24		
					(2)		air bag harness see illustration:	972-25		
					(2)		wire harness for electri- cally-operated seat see illustration:	972-26		
					(2)		harness for heated seats see illustration:	972-28		
					(2)		rain sensor with adapter lead set see illustration:	972-29		
					(2)		roof wiring harness see illustration:	972-30		
					(2)		roof wiring harness for vehicles with multimedia option see illustration:	972-31		
					(2)		roof wiring harness for vehicles with telematics see illustration:	972-32		
					(2)		harness for navigation system antenna cable see illustration:	972-45		
					(2)		harness particulate filter for diesel engine see illustration:	972-76		


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-00		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(2)		harness for fuel pump see illustration:	972-78								
(2)		harness for anti locking brake system -abs- see illustration:	972-79								
(2)		harness for interior see illustration:	972-82								
3		harness for door see illustration:	left front 972-33								
4		harness for door see illustration:	right front 972-35								
5		harness for door see illustration:	left rear 972-37								
6		harness for door see illustration:	right rear 972-37								
7		harness for parking aid control unit harness for ultrasonic sensors see illustration:	972-40								
(7)		harness for rear, trunk lid see illustration:	972-86								


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-08		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		harness for electric radiator fan for vehicles without air conditioner			
(1)	3B1 971 284 E	harness for electric radiator fan for vehicles with engine water cooling system >> >> version:	1	1	BHW
(1)	3B1 971 284 J	harness for electric radiator fan for vehicles with engine water cooling system >> >> version:	2/4	1	BHW
(1)	3B1 971 284 F	harness for electric radiator fan for vehicles with engine water cooling system >> >> version: for vehicles without trailers	1	1	ATQ
(1)	>3B1 971 284 G	harness for electric radiator fan for vehicles with engine water cooling system >> >> version:	2/4	1	ATQ
(1)	3B1 971 284 G	harness for electric radiator fan for vehicles with engine water cooling system >> >> version: for vehicles with trailers	1	1	ATQ
		single parts			
		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
2		see catalogue:	198		
3		see catalogue:	198		
(4)	4B0 973 712	flat contact housing with helper contact catch dual thermal switch	4 pin	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-08		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(4)	1J0 973 713	flat contact housing electronic control module electric fan for vehicle use in warm countries	6 pin	1		(15)	1J0 937 724 A	flat contact housing with helper contact catch dashboard harness as required use: also to be used for:	3 pin brown 1J0 937 723 A grey light green	X	
(4)	4B0 971 955	flat contact housing electronic control module electric fan for vehicle use in warm countries	2 pin black	1		(15)	1J0 973 713	flat contact housing electronic control module for vehicles with additional water pump	6 pin black	1	
5	4A0 937 527	relay plate for electric fan	4 pin ii.stage 300W	1		(15)	6X0 973 717	flat contact housing	14 pin black	1	
(5)	443 937 527	relay plate relay for vehicles with radiator fan run-on	9 pin	1							
6	443 937 527	relay plate for electric fan	9 pin 1.stage 80W ii.stage 300W	1							
8	4B0 937 530	fuse holder for electric fan	2 pin KL.30/75	X							
(8)	8A0 937 530	fuse holder for electric fan	2 pin KL.30	X							
9	8A0 971 841	grommet	47	1							
10	803 971 847	cable terminal	5	X							
11	8D0 971 847 A	cable terminal		1							
12	1H0 971 939	clip line beam length adjustment electric fan		X							
13	867 972 525 B	grommet dual thermal switch	26X13	1							
(14)	1J0 973 752	flat contact housing coupling piece electric fan	2 pin	1							
(15)	4B0 972 575	male blade terminal housing dashboard harness	15 pin	1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-16		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B1 971 769 E	harness for automatic gearbox		1	5-speed automatic+ ATQ,AWM
(1)	3B1 971 769 F	harness for 5 speed automatic gearbox		1	5-speed automatic+ AWM,ATQ,BHW
(1)	3B7 971 769 B	harness for 5 speed automatic gearbox	8 cylinder	1	5-speed automatic+ BDP
		single parts			
		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
(3)	N 013 953 7	tapping screw, fill. hd.	ST2,5X9,5	1	
-	N 020 640 2	clamp	D1-18X15	X	
-	8A0 803 948	speed nut		X	
5	443 906 102 F	grommet	8X20	1	
(5)	6X0 971 921 A	protective cap flat contact housing to be used for:	10 pin 1J0 973 715	1	
6	443 906 102 G	grommet coupling piece speed sender sun gear transmission speed sender	13,5X19	X 1	
7	443 906 233	flat contact housing coupling piece speed sender sun gear transmission speed sender	3 pin	X 1	
8	8D1 906 370	flat contact housing with gasket automatic transmission control module	88 pin	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-16		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(8)	1H0 906 370 J	flat contact housing with gasket automatic transmission control module	68 pin	1		23	3D0 973 993	pin (male) terminal housing 5 speed automatic transmission	16 pin	1	
9	893 971 632	flat contact housing switches on transmission locking unit	2 pin P/N	1		(24)	1J0 937 733	flat contact housing with helper contact catch coupling piece guide also to be used for:	10 pin black TIPPTRONIC violet green	1	5 speed- automatic
10	893 971 634	flat contact housing selector lever	4 pin	1		(24)	4B0 972 575	male blade terminal housing dashboard harness	15 pin black	1	
(10)	8L0 972 980	flat contact housing with helper contact catch coupling piece guide	10 pin	1		(24)	1J0 937 723 A	flat contact housing with helper contact catch also to be used for:	3 pin brown grey light green	1	
11	8D0 971 815	wiring conduit		1				dashboard harness			
12	8D0 971 841 A	grommet	20/16	1		(24)	1J0 937 743 D	flat connector housing with additional contact catch also to be used for:	10 pin dark brown light pink orange	1	
(14)	8D0 971 845 J	bracket harness for 5 speed automatic gearbox		1				dashboard harness			
14	8D0 971 845 K	cable holder harness for oxygen sensor		1		25	3A0 973 207 A	flat contact housing multi-function switch for automatic transmission	7 pin	1	
15	8D0 971 845 N	bracket harness for automatic		1		26		pin (male) terminal housing not a spare part		1	
16	8D0 971 847 C	cable holder f. hole/sheet metal thickness:	8MM/--	1				adapter wiring harness for speed sensor			
17	893 971 908 G	grommet	51X13	1		30	4A0 971 698 B	adapter wiring harness for speed sensor transmission speed sender speed sender sun gear		X 1 1	
18	8D0 972 525	grommet		1				single parts			
19	357 972 741 A	single wire seal for wire cross section:	5,6X7,8 red 1,5	X				* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
20	4A0 972 750	gasket flat contact housing electronic control module	20X120 88 pin	1							
21	357 972 841	plug	5,6X7,8 green	1							
22	443 972 984	rd. connector sleeve housing coupling piece switch for gear recognition	8 pin TIPPTRONIC	1							
(22)	1J0 973 715	flat contact housing coupling piece switch for gear recognition	10 pin	1							




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-16		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
31	443 906 102 G	grommet	13,5X19	1							
32	443 906 232	flat contact housing transmission speed sender	2 pin	1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-24		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		harness airbag unit for steering wheel			
1	1J0 971 584 K	air bag harness sports steering wheel horn	3-spokes	1	
2	1J0 971 584 H	air bag harness steering wheel horn		1	
3	1J0 971 584 J	air bag harness steering wheel horn	4-spokes	1	
4	1J0 971 584 L	air bag harness steering wheel for vehicles with steering wheel-balance weight	3-spokes	1	
5	1J0 971 584 M	air bag harness sports steering wheel	3-spokes	1	
6	3B0 971 584 C	air bag harness- steering wheel and multifunc- tion button		1	
7	3B0 971 344	adapter wiring harness harness for multi-function button		1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-25		597	USA			





Pos	Part Number	Name	Remarks	Qty	Model
		air bag harness			
(1)	3B1 971 581 R	air bag harness	lhd	1	
(1)	3B1 971 581 T	air bag harness for vehicles with side airbag	lhd	1	
(1)	3B5 971 581 L	air bag harness for vehicles with side airbag for vehicles with head airbag	lhd	1	sedan
		front			
(1)	3B9 971 581 G	air bag harness for vehicles with side airbag for vehicles with head airbag	lhd	1	WAGON
		front			
		single parts			
		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
(2)	1J0 937 743 C	flat connector housing with additional contact catch dashboard harness	10 pin yellow	1	
3	8A0 972 643	pin (male) terminal housing harness for centralized locking	1 pin	1	
(4)	6Q0 972 509 E	male blade terminal housing driver, passenger and side airbag control module	75 pin yellow/brown	1	
(4)	6Q0 972 509 D	male blade terminal housing driver and passenger airbag control module	75 pin yellow/orange	1	
(4)	6Q0 972 509 F	male blade terminal housing driver, passenger, side and head airbag control module	75 pin yellow/turquos	1	
(5)	6X0 972 773	flat contact housing for vehicles with head airbag side air bag harness dashboard harness	3 pin	X X X X X	
		counter part to:	6X0 972 783		

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-25		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(5)	4E0 972 576	flat contact housing side air bag unit for vehicles with the possibility of deactivating the passenger airbag F 3B-4-200 001>>*	3 pin yellow	1		-		harness for belt tensioner replacement: shorten to: also use:	front and rear 4B1 971 259 A 200MM 111 971 940 A N 103 113 04 yellow		
(5)	3B0 937 510	adapter bracket for connector housing to be used for: F 3B-4-200 001>>*	4E0 972 576	1		25	4B1 971 259 A	harness for belt tensioner	rear center	1	
(6)	6Q0 972 623	flat contact housing with helper contact catch acceleration sensor	2 pin	2		26		not a spare part			
(6)	1J0 971 972	male blade terminal housing adapter wiring harness cam position sensor(hall sens) airbag	2 pin	1		27		not a spare part			
(6)	3B0 972 722	female blade terminal housing adapter wiring harness cam position sensor(hall sens) airbag	4 pin	1				air bag harness steering wheel			
(6)	4E0 973 205	flat contact housing with helper contact catch side air bag unit F 3B-4-200 001>>*	5 pin black	1		(30)		see illustration:	972-24		
		adapter wiring harness side air bag unit	front and rear			(40)		see illustration:	972-24		
(20)	6N0 971 499 A	adapter harness for side airbag	front	X		50		not a spare part for this model			
(20)	3B0 971 582 D	adapter harness for head airbag		1	sedan	51		not a spare part for this model			
(20)	3B0 971 582 G	adapter harness for head airbag		1	WAGON	52		not a spare part for this model			
(21)	6X0 972 783	flat contact housing for vehicles with head airbag	3 pin rear	X		53		not a spare part for this model			
22		not a spare part		2							
		adapter harness for belt tensioner									


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-26		597	USA			

		Pos	Part Number	Name	Remarks	Qty	Model
				wire harness for electrically-operated seat			
				----- see list of locally-made harnesses -----	see no.: 1-384		
		(1)	3B0 971 384 F	seat frame wiring harness for vehicles with electrically adjustable 8-way seats	left front	1	PR-3L5, 3L6
		(1)	3B0 971 384 H	seat frame wiring harness for vehicles with electrically adjustable 8-way seats	right front	1	PR-3L4, 3L5
		(2)	3B0 971 384 G	seat frame wiring harness for vehicles with electric memory seat and backrest adjustment	left front	1	PR-3L4
		(2)	3B0 971 384 K	seat frame wiring harness for vehicles with electric memory seat and backrest adjustment	right front	1	PR-3L6
		3		see illustration:	972-25		
				single parts			
				* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
		5	3B0 959 743	flat contact housing with helper contact catch motor for seat adjustment	4 pin black	X	PR-3L4, 3L5, 3L6
		(6)	1J0 937 723 B	flat contact housing with helper contact catch to be used for:	3 pin red	1	PR-3L4, 3L5, 3L6
				also use:	white khaki grey 1J0 937 724 B	1	
				harness for interior			


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:31	12.12.2006		ETKA
PA	2005	9	71	972-26		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(6)	1J0 937 724 B	flat contact housing with helper contact catch to be used for:	3 pin red	1	PR-3L4,3L5,3L6						
		also use:	white								
		1J0 937 723 B	khaki grey	1							
		harness for interior									
(7)	1J0 972 774	flat contact housing switch for seat adjustment	8 pin	X	PR-3L5,3L6						
(8)	1J0 972 771	flat contact housing coupling piece voltage supply harness	2 pin	1	PR-3L4,3L6						
(9)	4A0 972 883 A	flat contact housing memory switch for seat adjustment	16 pin	1	PR-3L4,3L6						
(10)	1J0 937 743 A	flat connector housing with additional contact catch to be used for:	10 pin brown grey	1	PR-3L4,3L6						
		harness for interior									
(15)	1J0 972 726	flat contact housing with helper contact catch memory seat and backrest adjustment control module	12 pin black	1	PR-3L4,3L6						
(16)	1H0 972 529	female blade terminal housing memory seat and backrest adjustment control module	28 pin red	1	PR-3L4,3L6						
17	N 906 851 01	bracket for connector housing	A6,5	1							
18	4B0 937 545 B	bracket for connector housing	right	1							
(18)	4B0 937 545 C	bracket for connector housing	left	1							
20	3B0 971 446	cable holder		1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:32	12.12.2006		ETKA
PA	2005	9	71	972-28		597	USA			





Pos	Part Number	Name	Remarks	Qty	Model
		harness for heated seats	front and rear		
		----- see list of locally-made harnesses -----	see no.: 1-386		
(1)	3B0 971 381 C	harness for heated seats	front	1	
1	3B0 971 381 E	harness for heated seats	front and rear	1	
(1)	3B1 971 381	harness for heated seats for vehicles with electri- cally adjustable 8-way seats	front	1	
		single parts			
		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
-		flat contact housing heater element-seat discontinued / replacement:	front 1J0 937 713 1J0 937 714	1 1	
10	1J0 937 743 A	flat connector housing with additional contact catch also to be used for: coupling piece harness for interior	10 pin brown grey	1	
11	1J0 937 713	flat contact housing with helper contact catch as required use: also to be used for: counter part to: coupling piece heater element-seat	3 pin black 1J0 937 714 green violet 1J0 937 723	X	
12	8L0 971 972	male blade terminal housing switch for seat heating	6 pin rear	2	
13	1J0 972 712	flat connector housing with additional contact catch coupling piece seat and backrest heater element	2 pin black rear	4	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:32	12.12.2006	 ETKA
PA	2005	9	71	972-28		597	USA		


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
14	3B0 955 831	grommet seat and backrest heater element  see illustration:	rear	2							
15			941-50								
16	3B0 971 615 G	cable holder		1							
17	3B0 971 615 D	cable holder		1							
18	3B0 971 615 H	cable holder		1							
19	4B0 937 545 B	bracket for connector housing	right	1							
(19)	4B0 937 545 C	bracket for connector housing	left	1							




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:32	12.12.2006		ETKA
PA	2005	9	71	972-29		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
1	3B0 971 411 A	adapter wiring harness rear view mirror inner for vehicles with rain sensor		1	
2		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
3	4B0 971 833	flat contact housing rear view mirror inner	6 pin	1	
4	4B0 971 834	flat contact housing roof wiring harness	6 pin	1	
5	1J0 971 615 AR	wiring conduit		1	
6	1J0 971 845 F	bracket flat contact housing	4D0 972 643 4B0 971 834	1	
7	4D0 972 643	round connector housing with contact lock roof wiring harness	4 pin	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:32	12.12.2006		ETKA
PA	2005	9	71	972-30		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		roof wiring harness			4-, 6-cyl.
(1)	3B0 971 100 GD	adapter wiring harness roof for vehicles with radio wave garage door opener		1	
(1)	3B0 971 100 GE	adapter wiring harness roof for vehicles with radio wave garage door opener glass sliding roof anti-theft alarm system		1	
		roof wiring harness F >> 3B-4-160 000* F >> 3B-4E187 000*			4-, 6-cyl.
1	3B0 971 100 ER	adapter wiring harness roof anti-theft alarm system may also be used for vehicles with telefon		1	
(1)	3B0 971 100 EM	adapter wiring harness roof anti-theft alarm system and movement detection		1	
(1)	3B0 971 100 GK	adapter wiring harness roof anti-theft alarm system and movement detection may also be used for vehicles with telefon		1	
(1)	3B0 971 100 ES	adapter wiring harness roof glass sliding roof anti-theft alarm system may also be used for vehicles with telefon		1	
(1)	3B0 971 100 EN	adapter wiring harness roof glass sliding roof anti-theft alarm system and movement detection		1	
(1)	3B0 971 100 FL	adapter wiring harness roof solar sliding roof anti-theft alarm system may also be used for vehicles with telefon		1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:32	12.12.2006		ETKA
PA	2005	9	71	972-30		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B0 971 100 FN	adapter wiring harness roof solar sliding roof glass sliding roof anti-theft alarm system and movement detection may also be used for vehicles with telefon		1		(1)	3B7 971 100 DA	adapter wiring harness roof solar sliding roof anti-theft alarm system and movement detection		1	8 cylinder
(1)	3B0 971 100 FR	adapter wiring harness roof for vehicles with solar sliding roof and garage door opener		1		(1)	3B7 971 100 CQ	adapter wiring harness roof for vehicles with radio wave garage door opener solar sliding roof glass sliding roof anti-theft alarm system		1	8 cylinder
(1)	3B0 971 100 FP	adapter wiring harness roof for vehicles with solar sliding roof and garage door opener anti-theft alarm system		1				roof wiring harness F 3B-4-160 001>>* F 3B-4E187 001>>*			4-,6-cyl. 8 cylinder
		roof wiring harness F >> 3B-4-160 000* F >> 3B-4E187 000*		8 cylinder		(1)	3B0 971 100 JD	adapter wiring harness roof anti-theft alarm system may also be used for vehicles with telefon		1	
(1)	3B7 971 100 BN	adapter wiring harness roof anti-theft alarm system		1	8 cylinder	(1)	3B0 971 100 HT	adapter wiring harness roof anti-theft alarm system and movement detection		1	
(1)	3B7 971 100 BS	adapter wiring harness roof anti-theft alarm system and movement detection		1	8 cylinder	(1)	3B0 971 100 KB	adapter wiring harness roof anti-theft alarm system and movement detection may also be used for vehicles with telefon		1	
(1)	3B7 971 100 BN	adapter wiring harness roof glass sliding roof anti-theft alarm system		1	8 cylinder	(1)	3B0 971 100 JE	adapter wiring harness roof glass sliding roof anti-theft alarm system may also be used for vehicles with telefon		1	
(1)	3B7 971 100 BS	adapter wiring harness roof with/without glass sliding roof anti-theft alarm system and movement detection		1	8 cylinder	(1)	3B0 971 100 JA	adapter wiring harness roof glass sliding roof anti-theft alarm system and movement detection		1	
(1)	3B7 971 100 CR	adapter wiring harness roof solar sliding roof anti-theft alarm system		1	8 cylinder						


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:32	12.12.2006		ETKA
PA	2005	9	71	972-30		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B0 971 100 JM	adapter wiring harness roof solar sliding roof anti-theft alarm system may also be used for vehicles with telefon		1				adapter wiring harness roof taximeter			
(1)	3B0 971 100 JQ	adapter wiring harness roof solar sliding roof glass sliding roof anti-theft alarm system and movement detection may also be used for vehicles with telefon		1				adapter wiring harness roof for special armoured vehicle			
(1)	3B0 971 100 JS	adapter wiring harness roof for vehicles with radio wave garage door opener solar sliding roof		1				single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements -----			
(1)	3B0 971 100 JR	adapter wiring harness roof for vehicles with radio wave garage door opener solar sliding roof anti-theft alarm system		1							
		adapter wiring harness roof				2	893 971 633	flat contact housing interior light	3 pin	1	
						(2)	3B0 972 706	flat contact housing interior light	6 pin	1	
						3	893 971 636	flat contact housing electric sliding roof control module	6 pin	1	
(1)	3B0 971 371 B	adapter wiring harness diode interior light for vehicles with anti-theft alarm system and interior movement detection	PR-5C0, 5C1	1		4	4B0 971 848	cable holder f. hole/sheet metal thickness:	6MM	X	
(1)	3B0 971 371 C	adapter wiring harness diode interior light for vehicles with anti-theft alarm system and interior movement detection	PR-5C7	1		(5)	1J0 937 724	flat contact housing with helper contact catch dashboard harness	3 pin	1	
		----- adapter wiring harness for rear view mirror outer, automatic anti-dazzle self made piece see illustration: -----	1-067 972-98/99			6	1H0 972 702 A	flat contact housing make-up light	2 pin	2	
						(6)	1J0 973 119	flat contact housing microphone for hands-free operation	2 pin	1	
						(6)	1J0 972 752	flat contact housing solar sliding roof	2 pin	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:32	12.12.2006		ETKA
PA	2005	9	71	972-30		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(6)	8D0 971 945	round connector housing with contact lock dashboard harness pillar a for solar sliding roof	2 pin black	1		-	3B0 998 371	repair kit for solar sliding roof adapter wiring harness spring contact		1	
7	3B0 972 703	flat contact housing with helper contact catch reading light	3 pin rear	X 2				-----			
(7)	1C0 973 119	flat contact housing switch for vehicles with radio wave garage door opener	3 pin black	X							
(7)	4D0 972 623	rd. connector sleeve housing rain sensor	4 pin	1							
(7)	4D0 972 623	rd. connector sleeve housing reading light with ultrasonic sensor	4 pin left rear	1							
(7)	4B0 971 833	flat contact housing reading light with ultrasonic sensor adapter wiring harness interior rear view mirror, automatic anti-dazzle for vehicles with telematics	6 pin right rear	X 1 1 1							
8	1J0 937 733 B	flat contact housing with helper contact catch also to be used for: harness for interior	10 pin red white light green	1							
(8)	4B0 972 575	male blade terminal housing also to be used for: harness for interior interior rear view mirror, automatic anti-dazzle	15 pin black violet green	1							
(8)	8D0 937 545 D	bracket for connector housing harness for interior interior rear view mirror, automatic anti-dazzle	1 point	X							
9	1H0 973 121 C	flat contact housing sun vizor with illuminated mirror	2 pin	2							
-	3B0 971 361 B	bracket interior light ground strap		1							
		-----									


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-31		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
1	3B0 971 100 LQ	roof wiring harness for vehicles with multimedia option	lhd	1	PR-9WK
(1)	3B0 971 100 LR	roof wiring harness for vehicles with multimedia option immobilizer anti-theft alarm system telephone	lhd	1	PR-9WK
(1)	3B0 971 100 LS	roof wiring harness for vehicles with multimedia option immobilizer anti-theft alarm system and movement detection telephone	lhd	1	PR-9WK
		single parts			
		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
2	893 971 633	flat contact housing interior light	3 pin	1	
3	893 971 636	flat contact housing electric sliding roof control module	6 pin	1	
4	4B0 971 848	cable holder f. hole/sheet metal thickness:	6MM	X	
(5)	1J0 937 724	flat contact housing with helper contact catch as required use: to be used for:	3 pin black 1J0 937 723 green violet	1	
		dashboard harness			


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-31		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(6)	1J0 973 119	flat contact housing microphone for hands-free operation sun vizor	2 pin	X 1 2		- + N	017 131 18	flat fuse 19/2x5 adapter wiring harness dvd-player	7.5-brown	2	
(6)	4B0 972 623	flat contact housing warning light for deactivating airbag	2 pin	1							
(6)	3B0 972 702	flat contact housing with helper contact catch make-up light	2 pin left a. right	2							
(6)	1J0 972 752	flat contact housing solar sliding roof	2 pin	1							
7	3B0 972 703	flat contact housing with helper contact catch reading light	3 pin rear	2							
(7)	4D0 972 623	rd. connector sleeve housing rain sensor interior and reading lights with ultrasonic sensor for monitoring interior	4 pin left rear	X 1 0,5							
(7)	4B0 971 833	flat contact housing interior and reading lights with ultrasonic sensor for monitoring interior interior rear view mirror, automatic anti-dazzle	6 pin right rear	X 1 1							
8	1J0 937 733 B	flat contact housing with helper contact catch also to be used for: harness for interior	10 pin red white light green	1							
(8)	4B0 972 575	male blade terminal housing also to be used for: harness for interior interior rear view mirror, automatic anti-dazzle	15 pin black violet green	1							
(8)	8D0 937 545 D	bracket for connector housing harness for interior interior rear view mirror, automatic anti-dazzle	1 point	X							
-	1K0 937 530	fuse holder adapter wiring harness dvd-player		2							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-32		597	USA			

					Pos	Part Number	Name	Remarks	Qty	Model
					1	3B0 971 100 FB	roof wiring harness for vehicles with telematics			4-,6-cyl.
					(1)	3B0 971 100 FC	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for vehicles with telematics F 3B-4-000 001>>		1	
					(1)	3B0 971 100 FC	roof wiring harness for vehicles with anti-theft alarm system and immobiliser glass sliding roof for vehicles with telematics F 3B-4-000 001>>		1	
					(1)	3B0 971 100 GP	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for solar sliding roof for vehicles with telematics F 3B-4-000 001>> 3B-4-160 000*		1	
					(1)	3B0 971 100 KE	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for solar sliding roof for vehicles with telematics F 3B-4-160 001>>*		1	
					(1)	3B0 971 100 GT	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for vehic.with radio wave ga- rage door opener and telematic for solar sliding roof F 3B-4-000 001>> 3B-4-160 000*		1	
					(1)	3B0 971 100 KG	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for vehic.with radio wave ga- rage door opener and telematic for solar sliding roof F 3B-4-160 001>>*		1	
					(1)	3B0 971 100 HF	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for vehic.with radio wave ga- rage door opener and telematic F 3B-4-000 001>>		1	





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-32		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B0 971 100 HG	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for vehicles with sliding roof, garage door opener and telematic F 3B-4-000 001>>		1	8 cylinder	(1)	3B0 971 100 KE	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for solar sliding roof for vehicles with telematics		1	8 cylinder
		roof wiring harness for vehicles with telematics F 3B-4-000 001>> 3B-4-160 000*				(1)	3B0 971 100 KG	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for vehic.with radio wave ga- rage door opener and telematic for solar sliding roof		1	8 cylinder
(1)	3B7 971 100 DE	roof wiring harness for vehicles with anti-theft alarm system and immobiliser glass sliding roof for vehicles with telematics		1	8 cylinder	(1)	3B0 971 100 HF	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for vehic.with radio wave ga- rage door opener and telematic		1	8 cylinder
(1)	3B7 971 100 DN	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for solar sliding roof for vehicles with telematics		1	8 cylinder	(1)	3B0 971 100 HG	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for vehicles with sliding roof, garage door opener and telematic		1	8 cylinder
(1)	3B7 971 100 DR	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for solar sliding roof for vehic.with radio wave ga- rage door opener and telematic		1	8 cylinder			single parts  * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
(1)	3B7 971 100 EE	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for vehicles with sliding roof, garage door opener and telematic		1	8 cylinder	2	893 971 633	flat contact housing interior light	3 pin	1	
		roof wiring harness for vehicles with telematics F 3B-4-160 001>>			8 cylinder	(2)	3B0 972 706	flat contact housing interior light	6 pin	1	8 cylinder
(1)	3B0 971 100 FB	roof wiring harness for vehicles with anti-theft alarm system and immobiliser for vehicles with telematics		1	8 cylinder	3	893 971 636	flat contact housing electric sliding roof control module	6 pin	1	
(1)	3B0 971 100 FC	roof wiring harness for vehicles with anti-theft alarm system and immobiliser glass sliding roof for vehicles with telematics		1	8 cylinder	4	4B0 971 848	cable holder f. hole/sheet metal thickness:	6MM	X	
						(5)	1J0 937 724	flat contact housing with helper contact catch dashboard harness	3 pin	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-32		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
6	1H0 972 702 A	flat contact housing make-up light	2 pin	2		(8)	8D0 937 545 D	bracket for connector housing harness for interior interior rear view mirror, automatic anti-dazzle for vehicles with telematics	1 point	1	
(6)	1J0 973 119	flat contact housing microphone for hands-free operation sun vizor	2 pin	X 1		9	1H0 973 121 C	flat contact housing sun vizor with illuminated mirror	2 pin	2	
(6)	1J0 972 752	flat contact housing solar sliding roof	2 pin	1		-	3B0 971 361 B	bracket interior light ground strap		1	
(6)	8D0 971 945	round connector housing with contact lock dashboard harness pillar a for solar sliding roof	2 pin black	1		-	3B0 998 371	repair kit for solar sliding roof adapter wiring harness spring contact		1	
7	3B0 972 703	flat contact housing with helper contact catch reading light	3 pin rear	X 2							
(7)	1C0 973 119	flat contact housing switch for vehicles with radio wave garage door opener	3 pin black	1							
(7)	4D0 972 623	rd. connector sleeve housing reading light with ultrasonic sensor rain sensor	4 pin left rear	X 1 1		(1)	3B5 971 223 E	harness for telematics electronic control module		1	sedan
(7)	4B0 971 833	flat contact housing reading light with ultrasonic sensor adapter wiring harness interior rear view mirror, automatic anti-dazzle for vehicles with telematics	6 pin right rear	X 1 1 1		(1)	3B9 971 223 E	harness for telematics electronic control module		1	wagon
8	1J0 937 733 B	flat contact housing with helper contact catch also to be used for: harness for interior	10 pin red white light green	1		-	1J0 937 724 B	flat contact housing with helper contact catch as required use: also to be used for:	3 pin red 1J0 937 723 B white khaki grey	1	
(8)	4B0 972 575	male blade terminal housing also to be used for: harness for interior interior rear view mirror, automatic anti-dazzle for vehicles with telematics	15 pin black violet green	1		-	4B0 972 575	coupling piece harness for interior male blade terminal housing coupling piece	15 pin black right	1	
						-	4E0 973 042	flat contact housing telematics control module	42 pin	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-33		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		harness for door F >> 3B-4-160 000* F >> 3B-4E187 000*	driver's door		
(1)	3B0 971 120 AN	harness for door	lhd	1	sedan
(1)	3B0 971 120 BE	harness for door	lhd	1	wagon
(1)	3B0 971 120 AS	harness for door for vehicles with digital sound system -dsp-	lhd	1	sedan
(1)	3B0 971 120 BA	harness for door for vehicles with digital sound system -dsp-	lhd	1	wagon
		harness for door for vehicles with telematics F >> 3B-4-160 000* F >> 3B-4E187 000*	driver's door		
(1)	3B0 971 120 BQ	harness for door for vehicles with telematics	lhd	1	sedan
(1)	3B0 971 120 BS	harness for door for vehicles with telematics	lhd	1	wagon
(1)	3B0 971 120 CA	harness for door for vehicles with digital sound system -dsp- for vehicles with telematics	lhd	1	sedan
(1)	3B0 971 120 CC	harness for door for vehicles with digital sound system -dsp- for vehicles with telematics	lhd	1	wagon
		harness for door for vehicles with turn signal in the outside rearview mirror F 3B-4-160 001>>* F 3B-4E187 001>>*	driver's door		
(1)	3B0 971 120 CG	harness for door	lhd	1	sedan
(1)	3B0 971 120 CL	harness for door	lhd	1	wagon
(1)	3B0 971 120 DG	harness for door for vehicles with digital sound system -dsp-	lhd	1	sedan

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-33		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B0 971 120 DJ	harness for door for vehicles with digital sound system -dsp-	lhd MONSOON	1	wagon	10	1J0 971 913	grommet	36,7/4,5	1	
		harness for door for vehicles with telematics for vehicles with turn signal in the outside rearview mirror F 3B-4-160 001>>* F 3B-4E187 001>>*	driver's door			11	6Q0 972 736	flat contact housing rear view mirror	12 pin	1	
						(13)	191 906 231 A	flat contact housing safety switch for vehicles with electrically operated flap - lock	2 pin	1	
						14	1J0 937 733	flat contact housing with helper contact catch coupling piece harness for interior	10 pin black	2	
(1)	3B0 971 120 DC	harness for door for vehicles with telematics	lhd	1	sedan	15	1J0 972 704	flat contact housing loudspeaker	4 pin	1	
(1)	3B0 971 120 DE	harness for door for vehicles with telematics	lhd	1	wagon	16	3B0 972 712	flat contact housing with helper contact catch loudspeaker	2 pin	1	
(1)	3B0 971 120 DL	harness for door for vehicles with digital sound system -dsp- for vehicles with telematics	lhd MONSOON	1	sedan	(16)	1J0 972 712	flat connector housing with additional contact catch loudspeaker tweeter for vehicles with digital sound system -dsp-	2 pin MONSOON	1	
(1)	3B0 971 120 DN	harness for door for vehicles with digital sound system -dsp- for vehicles with telematics	lhd MONSOON	1	wagon	17	535 972 712	flat contact housing warning lamp	2 pin	1	
		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements				(18)	8L0 972 980	flat contact housing with helper contact catch switch for rear view mirror electrically operated	10 pin	1	
						(19)	3B0 937 713	flat contact housing with helper contact catch as required use: harness for loudspeaker coupling piece	4 pin black 3B0 937 714	1 1	
(4)	1K0 971 818	tie wrap door f. hole/sheet metal thickness:	4,6X160 6,5 / 0,6-1,5	X		(19)	3B0 937 713	flat contact housing with helper contact catch as required use: harness for interior for vehicles with digital sound system -dsp- coupling piece	4 pin black 3B0 937 714	1 1	
5	1J0 959 382	flat contact housing with helper contact catch electronic control module	29 pin	1		(19)	3B0 937 714	flat contact housing with helper contact catch harness for loudspeaker	4 pin black	1	
6	4A0 972 883 A	flat contact housing switch for electric windows	16 pin	1							
9	3B0 971 905	grommet harness for door	36/8	1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-33		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(19)	3B0 937 714	flat contact housing with helper contact catch harness for loudspeaker for vehicles with digital sound system -dsp-	4 pin black	1		(8)	3B0 971 341 D	wiring conduit harness for door F 3B-4E084 661>>* F 3B-4P099 881>>*		1 1	
(20)	1J0 937 733 A	flat contact housing with helper contact catch also to be used for: coupling piece harness for outside mirror and electrically operated seats with memory	10 pin brown grey	1		(8)	8D0 971 882	protective ring pillar a	59,5	1	
						12	447 857 991 J	intermediate layer	130X165	1	
						24	8D0 937 545 G	bracket for connector housing pillar a	17 point	X	
22	1J0 973 714	flat contact housing as required use: door lock	8 pin 443 906 102 G	1 1		25	8D0 937 083	retainer bracket for connector housing	17 point	1	
23	443 906 102 G	grommet	13,5X19	1		26	8D0 959 845 F	boot with retaining frame	60X36/60X36	X	
27	893 971 632	flat contact housing entry light	2 pin	1		-	1J0 971 843 A	cable holder f. hole/sheet metal thickness:	6,5X10/0,6-1,0	X	
28	3B0 972 732	flat contact housing memory switch for seat adjustment	4 pin	1							
29	1J0 959 869 B	flat contact housing button for vehicles with electrically operated flap - lock	5 pin red	1							
30	1J0 959 869 C	flat contact housing button operating mechanism fuel tank cap	5 pin grey	1							
		single parts which do not belong to the supply scope of the wiring harness									
3	N 903 565 02	tapping screw wiring conduit	E4,2X9,5	X							
7	3B0 971 003 B	bracket		1							
8	3B0 971 047 C	wiring conduit harness for door F >> 3B-4E084 660* F >> 3B-4P099 887*		1 1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-35		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
		harness for door F >> 3B-3-350 000*	passenger door		
(1)	3B0 971 121 AB	harness for door		1	
(1)	3B0 971 121 AF	harness for door for vehicles with digital sound system -dsp-	MONSOON	1	
		harness for door F 3B-3-350 001>>*3B-4-160 000*	passenger door		
(1)	3B0 971 121 AL	harness for door		1	
(1)	3B0 971 121 AS	harness for door for vehicles with digital sound system -dsp-	MONSOON	1	
		harness for door for vehicles with electric memory adjustable rear view mirror F 3B-3-350 001>>*3B-4-160 000*	passenger door		
(1)	3B0 971 121 AQ	harness for door (passenger side)	lhd	1	
		harness for door for vehicles with turn signal in the outside rearview mirror F 3B-4-160 001>>* F 3B-4E187 001>>*	passenger door		
(1)	3B0 971 121 BD	harness for door (passenger side)		1	
(1)	3B0 971 121 BK	harness for door (passenger side) for vehicles with digital sound system -dsp-	MONSOON	1	
		harness for door for vehicles with turn signal in the outside rearview mirror for vehicles with electric memory adjustable rear view mirror F 3B-4-160 001>>* F 3B-4E187 001>>*	passenger door		


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-35		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B0 971 121 BH	harness for door (passenger side)	lhd	1		10	6Q0 972 736	flat contact housing for vehicles with rear view mirror electrically operated, folding and heated	12 pin	1	
		single parts				(10)	3B0 972 732	flat contact housing memory switch for seat and backrest adjustment	4 pin	1	
		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements -----				12	1J0 937 733	flat contact housing with helper contact catch also to be used for:	10 pin black violet green	1	
2	N 903 565 02	tapping screw fasteners wiring conduit		X		(12)	1J0 937 733	harness for interior coupling piece			
3	443 906 102 G	grommet door lock	13,5X19	1				flat contact housing with helper contact catch also to be used for:	10 pin black green	1	
4	1J0 959 382	flat contact housing with helper contact catch electronic control module	29 pin	1		(12)	1J0 937 733 A	harness for interior for vehicles with electric memory adjustable rear view mirror coupling piece			
5	1J0 959 869	flat contact housing switch for electric windows	5 pin	1				flat contact housing with helper contact catch also to be used for:	10 pin brown grey	1	
(5)	1J0 959 869 A	flat contact housing safety switch for central locking system	5 pin brown	1		(12)	8A0 972 986	harness for interior for vehicles with electric memory adjustable rear view mirror coupling piece			
6	3B0 971 003 B	bracket		X				rd. connector sleeve housing harness for outside mirror and electrically operated seats with memory coupling piece	10 pin	1	
7	3B0 971 047 B	wiring conduit harness for door F >> 3B-4-110 000*	passenger door	1		(13)	4A0 972 986	rd. connector sleeve housing harness for loudspeaker coupling piece	6 pin	1	
(7)	3B0 971 342 D	wiring conduit harness for door F 3B-4-110 001>>*	passenger door	1		(13)	3B0 937 713	flat contact housing with helper contact catch as required use: for vehicles with digital sound system -dsp- coupling piece	4 pin black 3B0 937 714	1 1	
(7)	8D0 971 882	protective ring pillar a	59,5	1		14	1J0 972 704	flat contact housing loudspeaker	4 pin	1	
8	3B0 971 905	grommet harness for door	36/8 rear door	1		15	3B0 972 712	flat contact housing with helper contact catch loudspeaker	2 pin	X	
9	1J0 971 913	grommet	36,7/4,5	1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-35		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(15)	1J0 972 712	flat connector housing with additional contact catch loudspeaker for vehicles with digital sound system -dsp-	2 pin MONSOON	X							
16	893 971 632	flat contact housing entry light	2 pin	1							
17	3B0 937 714	flat contact housing with helper contact catch as required use: coupling piece harness for interior	4 pin black 3B0 937 713	1 1							
18	1J0 973 714	flat contact housing as required use: door lock	8 pin 443 906 102 G	1 1							
-	1J0 971 843 A	cable holder f. hole/sheet metal thickness:	6,5X10/0,6-1,0	X							
19	1K0 971 818	tie wrap f. hole/sheet metal thickness:	4,6X160 6,5 / 0,6-1,5	X							
		single parts which do not belong to the supply scope of the wiring harness									
25	8D0 937 083	retainer bracket for connector housing	17 point	1							
26	8D0 937 545 G	bracket for connector housing pillar a	17 point	X							
27	8D0 959 845 F	boot with retaining frame	60X36/60X36	X							
29	447 857 991 J	intermediate layer	130X165	1							





Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-37		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
					
(1)	3B0 971 161 N	harness for door for vehicles with electrically operated windows	rear left a. right  front and rear	2	
(1)	3B0 971 161 R	harness for door for vehicles with electrically operated windows for vehicles with digital sound system -dsp-	front and rear "MONSOON"	2	
		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
3	893 971 632	flat contact housing entry light	2 pin	1	
5	1K0 971 818	tie wrap f. hole/sheet metal thickness:	4,6X160 6,5 / 0,6-1,5	X	
7	1J0 959 383 B	flat contact housing with gasket electronic control module	18 pin	1	
8	1J0 959 869	flat contact housing switch for electric windows	5 pin	1	
(9)	3B0 971 003 B	bracket		1	
12	4B0 971 848	cable holder f. hole/sheet metal thickness:	6MM	X	
(12)	1J0 971 843 A	cable holder f. hole/sheet metal thickness:	6,5X10/0,6-1,0	X	
13	3B0 971 905	grommet harness for door	36/8	1	
(14)	1J0 971 913	grommet	36,7/4,5	1	


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-37		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(15)	3B0 937 713	flat contact housing with helper contact catch as required use: coupling piece harness for interior	4 pin black 3B0 937 714	1 1		27	N 903 565 02	tapping screw attachment element wiring conduit	E4, 2X9,5	X	
(15)	1J0 937 713 B	flat contact housing with helper contact catch as required use: coupling piece harness for interior	3 pin red 1J0 937 714 B	1 1		28	447 857 991 J	intermediate layer	130X165	1	
(15)	1J0 937 714 B	flat contact housing with helper contact catch as required use: coupling piece harness for interior	3 pin red 1J0 937 713 B	1 1		29	8D0 959 845 E	boot with retaining frame door	37,5X78,5/40 rear	X	
(15)	3B0 937 714	flat contact housing with helper contact catch as required use: coupling piece harness for interior	4 pin black 3B0 937 713	1 1		30	8D0 937 545 E	bracket for connector housing pillar b		X	
16	1J0 971 972	male blade terminal housing loudspeaker	2 pin	1							
17	1J0 972 704	flat contact housing loudspeaker	4 pin	1							
18	1J0 973 713	flat contact housing door lock	6 pin	1							
19	443 906 102 G	grommet	13,5X19	1							
25	3B0 971 047	wiring conduit harness for door F >> 3B-4-110 000*	right	1							
(25)	3B4 971 342	wiring conduit harness for door F 3B-4-110 001>>*	right	1							
26	3B0 971 047 A	wiring conduit harness for door F >> 3B-4-110 000*	left	1							
(26)	3B4 971 341	wiring conduit harness for door F 3B-4-110 001>>*	left	1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-40		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
(1)	3B5 971 085 C	harness for parking aid control unit F 3B-3-331 450* F 3B-3E300 400*		1 1	sedan
(1)	3B5 971 085 D	harness for parking aid control unit F 3B-3-331 450>>*3B-4-160 000* F 3B-3E300 400>>*3B-4E187 000*		1 1	sedan
(1)	3B5 971 085 E	harness for parking aid control unit F 3B-4-160 001>>* F 3B-4E187 001>>*		1 1	sedan
(1)	3B9 971 085 B	harness for parking aid control unit F 3B-3-331 450* F 3B-3E300 400*		1 1	wagon
(1)	3B9 971 085 C	harness for parking aid control unit F 3B-3-331 450>>*3B-4-160 000* F 3B-3E300 400>>*3B-4E187 000*		1 1	wagon
(1)	3B9 971 085 D	harness for parking aid control unit F 3B-4-160 001>>* F 3B-4E187 001>>*		1 1	wagon
		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
2	4B0 972 575	male blade terminal housing dashboard harness	15 pin	1	
(2)	1J0 937 724 B	flat contact housing with helper contact catch dashboard harness	3 pin red	1	
3	8D0 972 623 AA	flat contact housing warning buzzer sender	2 pin	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-40		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(3)	191 972 711	male blade terminal housing ground strap	1 pin	1		13	1J0 973 703	flat contact housing with helper contact catch connecting piece ultrasonic sensor	3 pin	4	
(3)	1J0 973 713	flat contact housing harness for ultrasonic sensors	6 pin	1		14	1J0 971 921 K	protective cap	3 pin	4	
4	4A0 972 883	flat contact housing parking aid control unit	12 pin	1		(14)	3B0 919 136 A	bracket also to be used for:	3B5 971 095 3B9 971 095	1	
(4)	4A0 972 883 A	flat contact housing parking aid control unit	16 pin	1							
5	1H0 971 913 C	grommet		1							
(5)	3B0 971 913 G	grommet for harness	44/5,4 MM	1				adapter wiring harness side marker light			
6	443 906 102 G	grommet coupling piece harness for bumper	13,5X19	1		(30)	3B0 971 275 F	adapter wiring harness side marker light	left inner	1	
		harness for ultrasonic sensors bumper	rear			(30)	3B0 971 275 G	adapter wiring harness side marker light	right inner	1	
(10)	3B5 971 095	harness for ultrasonic sensors bumper as required use:	rear 3B0 919 136 A	1 X	sedan	(30)	3B0 971 275 H	adapter wiring harness side marker light	left inner	1	WAGON
(10)	3B9 971 095	harness for ultrasonic sensors bumper as required use:	rear 3B0 919 136 A	1 X	wagon	(30)	3B0 971 275 J	adapter wiring harness side marker light	right inner	1	WAGON
		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements						single parts			
						(31)	893 971 634	flat contact housing taillight	4 pin	X	sedan
						31	191 972 701	female blade terminal housing taillight	1 pin	1	WAGON
						32	1J0 972 702	flat contact housing taillight	2 pin	X	WAGON
						33	3B0 971 913	grommet wiring harness for side marker light	33,5/2 right	1	
						(33)	3B0 971 913 C	grommet wiring harness for side marker light F 3B-2-400 000>>*	40/2,4 right	1	
(12)	3B0 973 813	flat connector housing with additional contact catch harness for parking aid control unit	6 pin black	1		(33)	3B0 971 913 A	grommet wiring harness for side marker light	41,0/2 left	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:33	12.12.2006		ETKA
PA	2005	9	71	972-40		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(33)	3B0 971 913 B	grommet wiring harness for side marker light F 3B-2-400 000>>*	44/7 left	1							
34	1J0 973 703	flat contact housing with helper contact catch coupling piece adapter wiring harness	3 pin outer	X							
40	3B0 971 104 A	adapter wiring harness side marker light	outer	2							
-		single parts socket for bulb not a spare part									
41	+ N 017 753 2	bulb	W5W-12V	X							
42	1J0 973 803	flat contact housing with helper contact catch coupling piece adapter wiring harness	3 pin black inner	X							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-45		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
		antenna cable ===== * aerial lead conn. * housing see special * catalogue: electrical * connecting elements =====			





Technical drawing showing three antenna cable components:

- 1: A long, curved cable with a braided shield and multiple connection points.
- 2: A shorter, coiled cable with a braided shield and a connector.
- 3: A straight cable with a braided shield and a connector.

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-76		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model
		harness for fuel pump wire harness for metering pump particulate filter for diesel engine ----- additive tank with mounting parts see illustration:	201-18		
1	3B0 971 755	harness for fuel pump fuel tank additive tank		1	PR-7GG
2	3B0 971 755 A	wire harness for metering pump additive tank		1	PR-7GG
3	3B0 970 727 A	adapter wiring harness particulate filter for diesel engine		1	PR-7GG
		single parts ----- * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements -----			
10	1J0 973 704	flat contact housing with helper contact catch coupling piece adapter wiring harness fuel tank particulate filter for diesel engine	4 pin	1	
11	4B0 973 812	flat connector housing with additional contact catch coupling piece harness for interior	4 pin	1	
12	3B0 971 824 D	bracket for fuel line additive tank		1	




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-76		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(13)	1K0 973 804	flat contact housing with helper contact catch coupling piece harness for fuel pump	4 pin black	1							
14	1J0 973 702	flat contact housing fuel gauge for sender- additional fuel tank	2 pin	1							
15	037 973 202	flat contact housing fuel metering pump additive tank	2 pin	1							
16	N 908 154 01	distributor	7.5X4.5X4.5	1							
17	N 906 851 01	bracket for connector housing	A6,5	1							
18	1J0 937 723 D	flat contact housing with helper contact catch as required use: to be used for:	3 pin blue 1J0 937 724 D dark brown light pink orange	X							
19	4B0 973 712	flat contact housing with helper contact catch	4 pin	1							




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-78		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
		harness for fuel pump			4MOTION, W8
(1)	3B7 971 755 B	harness for fuel pump fuel tank F >> 3B-3E144 150*	2	1	
(1)	3B7 971 755 C	harness for fuel pump fuel tank F 3B-3E144 151>>*	2	1	
2		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements -----			
3	1J0 919 231	flat contact housing for fuel pump	4 pin	1	
4	1J0 937 724	flat contact housing with helper contact catch connecting piece harness for interior as required use: also to be used for:	3 pin black 1J0 937 723 green violet	1	
		counter part to:	1J0 937 714	X	
5	4B0 971 841 D	grommet wiring harness for fuel gauge sender		1	
6	3A0 971 913 A	grommet harness	35/10,5	1	
7	6Q0 972 726	flat contact housing electronic control module for fuel pump	12 pin	1	
8	1J0 973 722	flat contact housing with helper contact catch fuel gauge sender fuel tank counter part to:	2 pin black 1 8D0 973 822	2	




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006	 ETKA
PA	2005	9	71	972-78		597	USA		


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
9	1J0 973 726	flat contact housing with helper contact catch fuel gauge sender fuel tank	6 pin black  2	1							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-79		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
		harness for anti locking brake system -abs- see illustration: -----	972-82		
(1)	4B1 971 279 J	harness for anti locking brake system -abs- and/or for vehicles with anti-locking brake system and electronic differential lock	lhd	1	
(1)	4B1 971 279 K	harness for anti locking brake system -abs- for 4 wheel drive	lhd	1	
(1)	4B1 971 279 M	harness for anti lock brake system, electronic differential lock and anti-slip-regulation -abs/edl/asr-	lhd	1	
(1)	3B1 971 279 J	harness for anti locking brake system -abs- for vehicles with electronic stability program	lhd	1	4-,6-cyl.
(1)	3B1 971 279 K	harness for anti lock brake system, electronic differential lock and electronic stability programme -abs/eds/esp- for 4 wheel drive	lhd	1	4-,6-cyl.
		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements -----			


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-79		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(3)	1J0 973 713	flat contact housing acceleration sensor yaw sensor	6 pin black	1							
(3)	443 906 102 G	grommet to be used for:	13,5X19 1J0 973 713	1							
4	443 937 527	relay plate	9 pin	2							
5	8A0 937 530	fuse holder	2 pin	1							
6	893 971 632	flat contact housing speed sensor	2 pin	4							
7	4B0 971 848	cable holder		1							
(7)	8D0 971 848 M	bracket side member for vehicles with electronic stability program -esp-	18X50	X							
8	8D0 971 871 E	grommet	60X40	1							
9	8D0 971 977	flat contact housing with helper contact catch control and regulating unit for vehicles without electro- nic stability programme	31 pin	1							
(9)	8E0 973 042 C	flat contact housing control and regulating unit for vehicles with electronic stability program -esp-	42 pin right	1							
(10)	1J0 937 743 A	flat connector housing with additional contact catch also to be used for: coupling piece dashboard	10 pin brown grey	1							
(13)	1J0 937 743 D	flat connector housing with additional contact catch also to be used for:  coupling piece dashboard harness	10 pin blue dark brown light pink orange	1							
-	357 972 841	plug to be used for:	5,6X7,8 green 8E0 973 042 C	X							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-82		597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		harness for interior * depending upon level of * equipment also includes: harness for automatic gearbox side air bag harness harness for heated seats harness for anti locking brake system harness for navigation system harness for loudspeaker ** see accessories catalog **	972-16 972-25 972-28  972-79 972-45  VOTEX		
(1) f	3B5 971 138 A	harness for interior and luggage compl. rear * part number must be ordered * manually with details of * vehicle identification * number enclose a copy of * the vehicle data plate * if possible		1	sedan
(1) f	3B9 971 138 A	harness for interior * part number must be ordered * manually with details of * vehicle identification * number enclose a copy of * the vehicle data plate * if possible		1	WAGON
-	3B0 971 371	adapter wiring harness diode antenna cable		1	WAGON
-	000 098 670	adapter wiring harness diode load compartment light for vehicles with anti-theft alarm system	433,92 MHZ	1	PR-5D1/5D9
-	000 098 670	adapter antenna cable for vehicles with anti-theft alarm system and/or radio controlled remote control	also use: 000 098 705 A	1	
-	3B0 971 650 E	antenna connecting cable see special catalog >>ep198<< -electrical conn. elements	035-20		
-	3B0 971 650 E	antenna cable for vehicles with anti-theft alarm system and/or radio controlled remote control	315,00 MHZ	X	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-82		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
-	3B7 971 119 A	harness for daylight driving lights harness for daylight driving lights  single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements	8 cylinder	1		13	8D0 937 545 G	bracket for connector housing pillar a	17 point	X	
						(14)	3B0 937 713	flat contact housing with helper contact catch as required use: dashboard harness	4 pin black 3B0 937 714	X	
						(14)	1J0 937 713	flat contact housing with helper contact catch as required use: fuel gauge sender	3 pin black 1J0 937 714	1 1	sedan
						(14)	1J0 937 713 B	flat contact housing with helper contact catch also to be used for: seat	3 pin red white khaki grey 1J0 937 714 B	2 X	
(2) + N	017 131 11	flat fuse 19/2x5	10-red	X		(14)	1J0 937 714 B	flat contact housing with helper contact catch also to be used for: seat	3 pin red white khaki grey 1J0 937 713 B	X X	
2 + N	017 131 12	flat fuse 19/2x5	15-light blue	X							
3 + N	017 131 13	flat fuse 19/2x5	20-yellow	X							
4	N 018 014 1	insulating hose in coils of 5m 'order unit 5'	14X0,8	*		(14)	1J0 937 723	flat contact housing with helper contact catch as required use: also to be used for: coupling piece dashboard harness wiper and washer system for rear window coupling piece harness for door	4 pin black 1J0 937 724 green violet	X 2	
5		see catalogue:	198								
6		see catalogue:	198								
7	1J0 919 231	flat contact housing fuel gauge sender	4 pin	X							
(7)	357 919 321	flat contact housing electrical outlet	3 pin rear	X							
8	3B0 919 754	flat contact housing with cap interface for vehicles with navigation system	26 pin green/black	1		(14)	1J0 937 723 B	flat contact housing with helper contact catch as required use: also to be used for: coupling piece harness for door	3 pin red 1J0 937 724 B white khaki grey	2 X	
9	443 937 105 A	thermo fuse	30A	X		(14)	1J0 937 724	flat contact housing with helper contact catch as required use: also to be used for: dashboard harness harness for door	3 pin black 1J0 937 723 green violet	X X	
10	4A0 937 530	fuse holder	2 pin	X							
(11)	4B0 937 530	fuse holder	2 pin	X							
(13)	8D0 937 545 E	bracket for connector housing pillar b		X							


Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-82		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(14)	1J0 937 723 A	flat contact housing with helper contact catch also to be used for: as required use: flap-lock, electrically operated	3 pin brown grey light green 1J0 937 724 A	1	sedan	(14)	1J0 937 743	flat connector housing with additional contact catch also to be used for: coupling piece harness for door harness for anti-theft alarm system	10 pin black violet green	X 1 1	wagon
(14)	1J0 937 724 A	flat contact housing with helper contact catch also to be used for: as required use: flap-lock, electrically operated	3 pin brown grey light green 1J0 937 723 A	1		(14)	1J0 937 743 A	flat connector housing with additional contact catch also to be used for: coupling piece harness for door	10 pin brown grey front	1	
(14)	1J0 937 724 B	flat contact housing with helper contact catch as required use: also to be used for: coupling piece dashboard harness connecting piece for vehicles with digital sound system -dsp-	3 pin red 1J0 937 723 B white khaki grey	X 1 1		(14)	1J0 937 743 A	flat connector housing with additional contact catch also to be used for: coupling piece dashboard harness	10 pin brown grey	1	
(14)	1J0 937 723 D	flat contact housing with helper contact catch also to be used for: as required use: dashboard harness	3 pin blue dark brown light pink orange 1J0 937 724 D	X		(14)	1J0 937 743 B	flat connector housing with additional contact catch also to be used for: dashboard harness coupling piece roof wiring harness	10 pin red white light green	X 1 1	
(14)	1J0 937 724 D	flat contact housing with helper contact catch also to be used for: as required use: dashboard harness	3 pin blue dark brown light pink orange 1J0 937 723 D	X X		(14)	1J0 937 743 D	flat connector housing with additional contact catch also to be used for: coupling piece dashboard harness	10 pin blue dark brown light pink orange	1	
(14)	1J0 937 733 A	flat contact housing with helper contact catch memory seat and backrest adjustment control module also to be used for:	10 pin brown grey	1		(14)	4B0 972 575	male blade terminal housing dashboard harness connecting piece for vehicles with digital sound system -dsp-	15 pin black	X 1 1	
(14)	3B0 937 741	flat connector housing with additional contact catch coupling piece harness for door	8 pin black rear	X 3		(15)	1J0 962 612	flat contact housing with helper contact catch electronic control module	12 pin black	1	
(14)	3B0 937 741 A	flat connector housing with additional contact catch harness for door	8 pin brown front	1		(15)	1J0 962 615	flat contact housing with helper contact catch electronic control module	15 pin black	1	
						(15)	1J0 962 615 B	flat contact housing with helper contact catch electronic control module	15 pin black	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-82		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
16	1J0 962 623	flat contact housing with helper contact catch electronic control module for vehicles with digital sound system -dsp-	23 pin	1		23	8D0 971 821 B	wiring conduit pillar b	left	1	
(16)	1J0 962 623 A	flat contact housing with helper contact catch electronic control module	23 pin black	X		24	8D0 971 822 B	wiring conduit pillar b	right	1	
(16)	1J0 962 623 B	flat contact housing with helper contact catch electronic control module for vehicles with digital sound system -dsp-	23 pin green	1		25	4B0 971 824	wiring conduit floor pan tunnel		1	
(16)	1J0 962 624	flat contact housing with helper contact catch electronic control module for vehicles with digital sound system -dsp-	24 pin black	1		26	4B0 971 824 B	wiring conduit floor pan seat support		1	
(16)	1J0 962 624 A	flat contact housing with helper contact catch timing case for vehicles with digital sound system -dsp-	24 pin grey	1		27	3B5 971 840 C	grommet hood, rear	angled	1	sedan
17	3B0 971 295	wiring conduit pillar b	left	1		28	4B0 971 841 D	grommet wiring harness for fuel gauge sender		1	
18	3B0 971 295 A	wiring conduit pillar b	right	1		29	8D0 971 841 A	grommet	20/16	1	
19	893 971 632	flat contact housing hood - lock connecting piece luggage compartment light	2 pin	X 1 1	sedan	(29)	4D0 971 908 B	grommet harness for trailer hitch connection	41/8	1	
20	893 971 633	flat contact housing connecting piece hood - lock	3 pin	1	sedan	(29)	1J0 955 998 C	grommet antenna cable		4	
(20)	893 971 634	flat contact housing connecting piece taillight	4 pin	2	sedan	(29)	443 906 102 G	grommet flat contact housing to be used for:	13,5X19 1J0 973 702	4	
21	893 971 636	flat contact housing connecting piece taillight	6 pin	2		(29)	1C0 945 527	cover with grommet electrical outlet trailer hitch complete		1	
22	4B5 971 821 A	guide piece hood, rear		1		(29)	1H0 971 913 C	grommet		1	
	05/02-06/0501C	satin black	left			30	4B0 971 848	cable holder f. hole/sheet metal thickness: holder for harness	6,5/0,6-3MM	X	
						31	3B0 971 848 D	cable holder		X	
						(32)	3B0 971 848 F	cable holder pillar b		X	
						(32)	3B0 971 848 G	cable holder antenna cable for vehicles with radio contr. central locking system		1	
						32	8D0 971 850 C	tie wrap	9/6X119	X	
						33	1H0 971 897	clip		1	wagon




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-82		597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
34	111 971 921 B	female blade terminal housing electrical outlet high volume horn anti-theft alarm system	1 pin 12 V	X 2 1		(39)	1J0 973 702	flat contact housing connecting piece antenna	2 pin black	3	
35	161 971 989 C	female blade terminal housing electrical outlet	2 pin 12 V	2		(39)	1J0 973 803	flat contact housing with helper contact catch as required use: connecting piece switch for flap, rear	3 pin black 4B0 972 840	1 X	sedan
36	431 971 995	female blade terminal housing rear window glass heated	1 pin	1	sedan						
(36)	038 972 702	flat contact housing coupling piece taillight	2 pin	1		(39)	1J0 973 802	male blade terminal housing button for flap, rear	2 pin	1	sedan
38	8A0 972 623	rd. connector sleeve housing air bag harness	1 pin	1		40	1H0 972 702 A	flat contact housing harness for license plate light additional brake light	2 pin	X 1	sedan
(38)	191 972 701	female blade terminal housing coupling piece taillight for vehicles with rear fog light	1 pin right	X 1 1		41	1J0 972 722	female blade terminal housing connecting piece switch anti-theft alarm system and movement detection	4 pin	1	
39	1J0 972 702	flat contact housing flap for fuel filler connecting piece taillight connecting piece roller blind	2 pin	X 1 1 1	sedan	42	813 972 926	flat contact housing with helper contact catch and grommet front hood anti-theft alarm system	2 pin	1	
39	1J0 972 702	flat contact housing luggage compartment light engine flap-lock, electrically operated actuator central locking system hood, rear	2 pin	X 1 1 1	sedan	46		harness for automatic gearbox see illustration:	972-16		
(39)	893 971 992	female blade terminal housing coupling piece brake pad wear indicator	2 pin	2		49		wire harness for electri- cally-operated seat see illustration:	972-99		
(39)	1J0 971 972	male blade terminal housing connecting piece license plate light	2 pin	1	sedan	50		harness for cruise control system not a spare part			
(39)	8L0 972 977	flat contact housing with cap connecting piece electronic control module tire pressure controll system	32 pin black	1		51	357 972 741	single wire seal for wire cross section:	5,6X7,8 blue 1,0	X	
						52	357 972 742 A	single wire seal for wire cross section:	9,0X7,8 white 1,5	X	
								single parts which do not belong to the supply scope of the wiring harness			




Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-86		597	USA			



Pos	Part Number	Name	Remarks	Qty	Model
		harness for rear, trunk lid	left		wagon
(1)	3B9 971 147 K	harness for rear, trunk lid F >> 3B-3-270 000* F >> 3B-3E179 000*	left	1 1	wagon
(1)	3B9 971 147 N	harness for rear, trunk lid F 3B-3-270 001>> 3B-3-332 000* F 3B-3E179 001>>*3B-3E301 000*	left	1 1	wagon
(1)	3B9 971 147 Q	harness for rear, trunk lid F 3B-3-332 001>>* F 3B-3E301 001>>*	left	1 1	wagon
		single parts			
		* corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements			
2		see catalogue:	EP-198		
3	533 863 288 A	felt strip (adhesivel) 'order qty. 25'	20X3X880MM	*	
(4)	3B9 971 840 B	grommet hood, rear		1	
(4)	1H0 971 913 C	grommet harness high volume horn		1	
5	4B0 971 848	cable holder f. hole/sheet metal thickness:	6MM	X	
6		see catalogue:	EP-198		
7	431 971 995	female blade terminal housing coupling piece for rear window glass heated	1 pin KL 15	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-86		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
8	1J0 937 713	flat contact housing with helper contact catch as required use: also to be used for:	3 pin black 1J0 937 714 green violet	1 1		22	533 863 288 A	felt strip (adhesivel) 'order qty. 25'	20X3X880MM	*	
		coupling piece wiring harness for fuel gauge sender				23		see catalogue:	EP-198		
9	1J0 937 714	flat contact housing with helper contact catch as required use: also to be used for:	3 pin black 1J0 937 713 green violet	1		(24)	1J0 972 702	flat contact housing hood - lock for central locking system	2 pin	1	
		harness for interior				25	893 971 634	flat contact housing wiper motor	4 pin	1	
(10)	1J0 973 119	flat contact housing additional brake light	2 pin	1		(26)	3B9 971 840 B	grommet hood, rear		1	
(10)	1J0 973 802	male blade terminal housing button for electrically operated flap - lock	2 pin	1		27	4B0 971 848	cable holder f. hole/sheet metal thickness:	6MM	X	
(11)	1J0 973 803	flat contact housing with helper contact catch hood - lock	3 pin black	1		28	3B9 971 905	grommet hood, rear as required use:	533 971 791	X	
12		tube see illustration:	955-10			29	431 971 995	female blade terminal housing coupling piece for rear window glass heated	1 pin KL 31	1	
13		hose see illustration:	955-10			(30)	3B0 937 713	flat contact housing with helper contact catch as required use:	4 pin black 3B0 937 714	1 1	
		harness for rear, trunk lid	right		wagon	(31)	3B0 937 714	flat contact housing with helper contact catch as required use:	4 pin black 3B0 937 713	1 1	
(20)	3B9 971 147 M	harness for rear, trunk lid	right	1	wagon	32	3B0 972 703	flat contact housing with helper contact catch load compartment light	3 pin	1	
		single parts * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements				(32)	1H0 972 702 A	flat contact housing license plate light	2 pin	2	
		see catalogue:	EP-198			33	357 973 119	flat contact housing hood - lock  harness for license plate light hood, rear finger plate	3 pin	1	
21											

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006		ETKA
PA	2005	9	71	972-86		597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
(40)	3B5 971 145 B	harness for license plate light grip molding hood, rear		1							
		single parts									
41	4B0 973 712	flat contact housing with helper contact catch grip molding	4 pin	1							
42	1J0 973 702	flat contact housing harness for interior	2 pin black	1							
43	3B0 972 712	flat contact housing with helper contact catch harness for interior	2 pin	1							
44	N 906 851 01	bracket for connector housing grip molding	A6,5	1							
		single parts which do not belong to the supply scope of the wiring harness									
-	3B0 937 545	bracket also to be used for:	1 point 1J0 937 713 1J0 937 714 1J0 937 743	2							
-	3B9 971 830	bracket for connector housing harness for rear, trunk lid		X							



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:34	12.12.2006
PA	2005	9	71	972-98		597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
		list of locally-made harnesses			
0-206		harness for socket	12V		
1-067		adapter wiring harness for rear view mirror outer, automatic anti-dazzle			
1-067		adapter wiring harness electric sliding roof control module roof wiring harness			
1-119		harness series resistor for day driving headlights			
1-177		harness illumination for fresh air controls			
1-379		harness conversion kit to prevent icing of crankcase ventilation			
1-384		adapter wiring harness motor for backrest adjustment seat for vehicles with electrically adjustable 8-way seats	front		
1-386		wire harness for electrically-operated seat			
1-396		adapter wiring harness heater element-backrest			
1-487		harness for heated rear window ground strap			
1-705		adapter wiring harness adapter wiring harness headlight washer system			
1-733		adapter wiring loom for loudspeaker pillar a/b	left a. right		



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:35	12.12.2006
PA	2005	9	71	972-99		597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
0-206		locally-made harnesses ----- * corrug. tubes, t-pieces, * clips, holders, grommets, * cable ties, insulating * hose, wiring, * single wires and seals * see special catalogue: * electrical * connecting elements -----			
		harness for socket =====	12V		
	- + N 017 131 13	flat fuse 19/2x5	20-yellow	X	
	- 4B0 937 530	fuse holder	2 pin	X	
	- 161 971 989 C	female blade terminal housing connecting piece electrical outlet	2 pin  12V	X	
1-067		adapter wiring harness for rear view mirror outer, automatic anti-dazzle =====			
	- 4B0 971 833	flat contact housing	6 pin	1	
	- 4B0 971 834	flat contact housing	6 pin	1	
1-067		adapter wiring harness electric sliding roof control module roof wiring harness =====			
	- 4B0 971 996	male blade terminal housing roof wiring harness	6 pin	1	
	- 893 971 636	flat contact housing electric sliding roof control module	6 pin	1	
1-119		harness series resistor for day driving headlights =====			



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:35	12.12.2006
PA	2005	9	71	972-99		597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
-	1J0 937 723	flat contact housing with helper contact catch to be used for:	3 pin black green violet	1	0,5QMM
-	1J0 937 724	flat contact housing with helper contact catch to be used for:	3 pin black green violet	1	
-	000 979 981	electric cable in 10m bag shorten to:	yellow 120 MM	*	
1-177		harness illumination for fresh air controls =====			
-	4B0 971 848	cable holder f. hole/sheet metal thickness:	6MM	X	
-	3B0 973 115	flat contact housing connecting piece fresh air vent	2 pin	4	
-	3B0 972 702	flat contact housing with helper contact catch coupling piece dashboard harness	2 pin	1	
1-321		adapter wiring harness micro switch flap for anti-theft alarm system =====	front		
-	813 972 926	flat contact housing with helper contact catch and grommet harness for centralized locking	2 pin	1	
-	357 972 740 E	single wire seal for wire cross section:	3,9X7,8 red 0,35-0,5	2	
-	1J0 973 702	flat contact housing micro switch	2 pin black	1	
-	357 972 740 D	single wire seal for wire cross section:	3,9X7,8 grey 0,5-1,0	2	





# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:35	12.12.2006
PA	2005	9	71	972-99		597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
1-384		adapter wiring harness motor for backrest adjustment seat for vehicles with electri- cally adjustable 8-way seats for vehicles with electric memory seat and backrest adjustment =====	front		
-	3B0 971 384 D	adapter wiring harness motor for backrest adjustment seat for vehicles with electric memory seat and backrest adjustment to be used for:	left front  3B0 959 743 1J0 972 724 N 018 014 1	  X X X	
-	3B0 959 743	flat contact housing with helper contact catch connecting piece motor for backrest adjustment	4 pin black	X	PR-3L4,3L5, 3L6
-	1J0 972 724	flat contact housing with helper contact catch connecting piece memory seat and backrest adjustment control module	8 pin black	1	PR-3L4,3L6
-	1J0 972 752	flat contact housing connecting piece switch for seat, backrest and head restraint adjustment	2 pin	X 1 1	PR-3L4,3L5
-	1J0 972 754	flat contact housing connecting piece switch for seat, backrest and head restraint adjustment	2 pin	1	PR-3L4,3L5, 3L6
1-386		wire harness for electri- cally-operated seat =====			
-	3B0 971 384 C	adapter wiring harness motor for backrest adjustment seat for vehicles with electri- cally adjustable 8-way seats to be used for:	left front  3B0 959 743 1J0 972 752 N 018 014 1	  X X X	PR-3L5



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:35	12.12.2006
PA	2005	9	71	972-99		597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
-	3B0 971 384 J	adapter wiring harness motor for backrest adjustment seat for vehicles with electri- cally adjustable 8-way seats to be used for:	right front  3B0 959 743 1J0 972 752 N 018 014 1	  X X X	PR-3L5
-	4A0 937 530	fuse holder	2 pin	1	
-	1J0 937 713 B	flat contact housing with helper contact catch to be used for:	3 pin red white khaki grey	2	
-	1J0 937 714 B	motor for seat adjustment  flat contact housing with helper contact catch to be used for:	3 pin red white khaki grey	2	
1-396		adapter wiring harness heater element-backrest =====			
-	N 018 007 4	insulating hose in coils of 5m 'order unit 5'	W7X0,6	*	
-	N 906 851 01	bracket for connector housing		1	
-	1J0 972 712	flat connector housing with additional contact catch connecting piece heater element-backrest	2 pin black	2	
1-487		harness for heated rear window ground strap =====			
-	4B0 971 848	cable holder f. hole/sheet metal thickness:	6MM	X	
-	431 971 995	female blade terminal housing connecting piece rear window	1 pin	1	sedan
1-705		adapter wiring harness harness for headlight washer system =====			



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:35	12.12.2006
PA	2005	9	71	972-99		597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
-	443 971 943	rd. connector sleeve housing connecting piece fuse box/relay plate	2 pin	1	
-	8A0 972 643	pin (male) terminal housing coupling piece dashboard harness	1 pin	1	
-	357 972 741 B	single wire seal  for wire cross section:	5,6X7,8 yellow orange 2,5	X	
-	1J0 973 722	flat contact housing with helper contact catch connecting piece pump	2 pin black	1	
1-733		adapter wiring loom for loudspeaker pillar a/b =====	left/right		
-	1J0 937 723 B	flat contact housing with helper contact catch to be used for:  as required use:	3 pin red white khaki grey 1J0 937 724 B	1	
-	1J0 937 724 B	flat contact housing with helper contact catch to be used for:  as required use:	3 pin red white khaki grey 1J0 937 723 B	X	
1-745		harness leak detection pump . =====			
-	823 941 189 A	grommet	32/5	1	
-	1J0 937 723 D	flat contact housing with helper contact catch to be used for:  dashboard harness	3 pin blue dark brown light pink orange 3 pin	1	
-	1J0 937 724 D	flat contact housing with helper contact catch to be used for:  dashboard harness	3 pin blue dark brown light pink orange	1	



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:35	12.12.2006
PA	2005	9	71	972-99		597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
-	357 972 740 D	single wire seal for wire cross section:	3,9X7,8 grey 0,5-1,0	3	
-	1J0 973 703	flat contact housing with helper contact catch connecting piece leak detection pump .	3 pin	1	



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:35	12.12.2006
PA	2005	9	98	998-00R		597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
	>>4B0 998 375	repair kit anti lock brake system control module -abs- to be used for:	4B0 614 517 G 4B0 614 517 J	1	
	>>4B0 998 375 A	repair kit anti lock brake system control module -abs- to be used for:	4B0 614 517 H 4B0 614 517 K	1	
	>>4B0 998 375 B	repair kit anti lock brake system control module -abs- to be used for:	4B0 614 517 E 4B0 614 517 F	1	
	>>8L0 998 131	1 set of flat fuses comprising:		X	
	>>3B0 998 002	1 set aerodynamic wiper blades comprising:	BOSCH	1	
	3B0 998 002 A	1 set of aerowiper blades with wear indicator comprising:	lhd VALEO	1	
	>>3B0 998 225	repair kit for headlamp housing comprising:	left	1	
	>>3B0 998 226	repair kit for headlamp housing comprising:	right	1	
	>>3B0 998 225 A	repair kit for gas discharge headlamp comprising:	left	1	
	>>3B0 998 226 A	repair kit for gas discharge headlamp comprising:	right	1	
	>>3B0 998 371	repair kit for solar sliding roof comprising:		1	
	>>3B0 998 673 C	1 set of fuel gauge sender comprising:		1	
	>>3B9 998 754	1 set of bushings for wiper motor: comprising:	rear	1	



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	17:35	12.12.2006
PA	2005	9	98	998-00R		597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
	>>1J1 998 824	1 set of contact bridges only for:	lhd 8D1 941 824	1	
	>>8L0 998 711	repair kit for rear wiper motor comprising:		1	